P & C HOT FORGED AND HOT BROACHED SOCKETS ARE DIFFERENT



P & C HAND FORGED TOOL CO.

P. O. Box G, Milwaukie

PORTLAND, OREGON

DISTRIBUTED BY



CATALOG No. 32 - Copyright 1931. MADE IN U. S. A.





PORTLAND, OREGON

FOREWORD

P & C TOOLS as illustrated and described in this catalog ARE RECOGNIZED by thousands of expert mechanics as the BEST TOOLS that money can buy.

P & C TOOLS are manufactured from the HIGH-EST GRADES of STEEL ESPECIALLY SELECTED according to the SERVICE REQUIRED of each individual tool.

P & C TOOLS are the PRODUCT of ENGIN-EERS, DESIGNERS and SKILLED MECHANICS, whose knowledge of STEEL and scientific HEAT TREATING PROCESSES have built into every P & C PRODUCT that QUALITY of STRENGTH, DURABILITY, EXACTING PROPORTIONS and DE-SIGN—in fact EVERY QUALITY necessary to GOOD TOOLS which MECHANICS DESIRE. Expert Mechanics DEMAND P & C TOOLS, because they realize that P & C represents QUALITY FIRST, LAST and ALWAYS.

P & C SOCKETS are HOT FORGED and HOT BROACHED. Every P & C TOOL passes through several INDIVIDUAL HEAT TREATING PROCESSES which produce that TOUGHNESS and DURABILITY for which P & C TOOLS are noted.

P & C TOOLS of QUALITY AID a MECHANIC in building up a reputation for HIGH CLASS WORKMANSHIP.

The AIM of the P & C Hand Forged Tool Company is to MERIT the CONFIDENCE of every P & C customer as a SATISFIED CUSTOMER.

Our POLICY is your assurance of POSITIVE SATISFACTION in purchasing P & C tools.

Prices on special tools will be quoted upon request.


These catalog prices are net F. O. B. factory and subject to change without notice.

P&C Hand Forged Tool Co.

P. O. Box G. MILWAUKIE

Portland, Oregon, U. S. A.

(Complete index-page 72)





WHEN YOU NEED TOOLS between the calls of P & C Salesmen, MAIL YOUR ORDERS TO THE DISTRIBUTOR whose name and address is shown on this catalogue, and your orders will receive prompt attention. IN CASE YOU DO NOT KNOW the name of the distributor in your territory, SEND YOUR ORDERS TO THE FACTORY.

In the catalogue numbers, in practically all cases the LAST TWO FIGURES of the number indicate the SIZE OF THE OPENING in thirty-seconds of an inch.

Example

6016—is a 6000 Series Socket having 16/32, or 1/2 inch opening.

-	_			
Soc	ket	Size	Tabl	0

Socket Opening Inches		Fits S. A. E. Nuts Cap Screws		Fits U.S.S. Nuts and Bolt Heads (Unfinish)
7/16		1/4	1/4	0
1/2		5/16	5/16	1/4
9/16		3/8	3/8	0
19/32		0	0	5/16
5/8		7/16	7/16	0
11/16		0	0	3/8
3/4		1/2	1/2	0
25/32		0	0	7/16
13/16		0	9/16	0
7/8		9/16	5/8	1/2
15/16		5/8	0	0
31/32		0	0	9/16
1		11/16	3/4	. 0
1 1/16		3/4	0	5/8
1 1/8		0	7/8	0
1 1/4		7/8	1	3/4
1 3/8		. 0	1 1/8	0
1 7/16		1	0	7/8
1 1/2		0	1 1/4	0
1 5/8		1 1/8	0	1
1 3/4		0	0	0
1 13/16		1 1/4	0	1 1/8
1 7/8		0	0	0
2		1 3/8	0	1 1/4
2 3/16		1 1/2	. 0	1 3/8
2 3/8		0	0	1 1/2
2 1/2	•••••	0	0	0




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

P & C HOT FORGED SOCKETS



Every P & C Socket is an individually made tool. They are made from a special analysis ALLOY STEEL, which is treated by an ELECTRIC HEAT TREATING and tempering process, insuring UNIFORMITY. P & C SOCKETS are NOTED for their TOUGHNESS and DURABILITY, and are DESIGNED RIGHT. The sizes are accurate and the WALLS are as THIN as it is possible to make them INSURING STRENGTH. The handle openings are accurate to size, making it possible to slide the socket off the handle easily, yet a tight fit is insured. Due to the HOT FORGING PROCESS used, the P & C SOCKETS have an exceptionally SMOOTH INSIDE FINISH.

HOT FORGING and HOT PUNCHING MAKES SOCKETS TOUGHER AND THE BROACHING CLEANER.

"JIFFY" Socket PRICES on Pages No. 25 and 26. ½" CONN. Socket PRICES on Page No. 5. EXTRA DEEP Socket PRICES on Page No. 5. EIGHT POINT Socket PRICES on Page No. 6. HEAVY DUTY Socket PRICES on Page No. 19.


"The BEST TOOLS are the STRONGEST CONNECTING LINK between the MECHANIC and his WORK."



P & C Sockets


Hexagon Opening and 12-Point or Double Hexagon Opening Sockets

NO. 6000 SERIES



The No. 6000 Series Sockets have 1/2" Square Hole for handles. They fit the Standard P & C Handles and Attachments as well as any other makes having the 1/2" square service connection. The 6000 Series Sockets are made with either Hexagon or 12 Point openings. PRICES APPEAR IN TABLE ON PAGE 5.

Drain Plug Sockets



The DRAIN PLUG SOCKETS illustrated have 1/2" square service connection and square plugs for engaging DRAIN PLUGS, of the various sizes, as indicated.

No.	Code	Square Plug Pri	ce
0310	AUNT	5/16\$.	55
0312	AURAL	3/8	55
0314	AUTO	7/16	55
0316	AVAIL	1/2	55
0318	AVAST	9/16	60
0320	AVOID	5/8	60
0322	AVOW	11/16	65
0324	AWAKE	3/4	65



P. & C. HAND FORGED TOOL COMPANY

PIC

PORTLAND, OREGON

Prices for 1/2" Square Connection Sockets

No.	Code	No.	Code D	escription	Price
6012-12	AGILE	6012	ACRE	3/8	.\$.45
6014-12	AGLOW	6014	ACRID	7/16	45
6016-12	AGOG	6016	ACT	1/2	45
6018-12	AGREE	6018	ACTIVE	9/16	50
6019-12	AGUE	6019	ACTOR	19/32	50
6020-12	AHOY	6020	ACUTE	5/8	50
6021-12	AID	6021	ADAM	21/32	55
6022-12	AIM	6022	ADAGE	11/16	55
6024-12	AIRY	6024	ADAPT	3/4	55
6025-12	AISLE	6025	ADDER	25/32	60
6026-12	AJAR	6026	ADIEU	13/16	60
6028-12	ALACK	6028	ADMIT	7/8	60
6030-12	ALARM	6030	ADORE	15/16	65
6031-12	ALDER	6031	ADORN	31/32	65
6032-12	ALERT	6032	AFFIX	1"	65
6034-12	ALIBI	6034	AGAIN	1 1/16	70
6036-12	ALIEN	6036	AGATE	1 1/8	70
6038-12	ALLEY	6038	AGAPE	1 3/16	80
6040-12	ALLOW	6040	AGENT	1 1/4	80

FOR BOLT SIZES OF ABOVE SOCKET OPENINGS, SEE TABLE, PAGE No. 2.

Extra Deep Sockets

1/2" Square Connection—3" Overall

EXTRA-DEEP Broaching, for DOUBLE NUT AS-SEMBLIES, for SPARK PLUGS, SHACKLE BOLTS, BODY BOLTS and ANY PLACE where the NUTS are DEEP.

No.	Code	Opening	Price
6014-12-ED	ORE	7/16	\$.75
6016-12-ED	OCEAN	1/2	75
6018-12-ED	ODDS	9/16	
6020-12-ED	OFFER	5/8	
6022-12-ED	OFTEN	11/16	
6024-12-ED	OFFICE	3/4	85
6025-12-ED	ODE	25/32	95
6026-12-ED	ODOR	13/16	
6028-12-ED	OGLE	7/8	
6030-12-ED	OLIVE	15/16	
6032-12-ED	OMEN	1"	
6034-12-ED	ONION	1 1/16	
6036-12-ED	OPAL	1 1/8	1.15
6038-12-ED	ONYX	1 3/16	1.25
6040-12-ED	OIL	1 1/4	


"CARE WILL SAVE YOUR TOOLS"






PORTLAND, OREGON

P & C Sockets Square and Eight Point Opening



Square Opening Sockets 1/2" Square		8-Point Opening Sockets 1/2" Square			
Back		Back			
No.	Code	No.	Code O	pening Price	
6008-S	AIMS	6008-E	ANGEL		
6010-S	ALOES	6010-E	ANGER	5/16	
6012-S	ALOOF	6012-E	ANNEX	3/840	
6014-S	ALTO	6014-E	ANNUL	7/16	
6016-S	ALUM	6016-E	ANON	1/250	
6018-S	AMAZE	6018-E	ANVIL	9/1650	
6020-S	AMBER	6020-E	APACE	5/855	
6022-S	AMEND	6022-E	APART	11/16	
6024-S	AMISS	6024-E	APPAL	3/465	
6026-S	AMITY	6026-E	APPLY	13/1670	
6028-S	AMPLE	6028-E	APRON	7/875	
		6032-E	APT	1"85	
6032-S	AMUSE	0032-E	HILL	1	

Drag Link and Wing Nut Sockets



The DRAG LINK SOCKET is a very necessary tool on slotted nuts of any kind, especially on automobile and truck steering assembly, shock absorbers, etc.

No.	Code	Description	rice
3076.	BLANK	General Purpose Drag Link Socket. 1" Bit—3/8" Sq. Conn. (Jiffy)\$.90
3077	OUNCE	Drag Link Socket. 7/16" Bit	.60
3078	OUT	3/8" Sq. Conn. (Jiffy) Drag Link Socket. 11/16" Bit	
6075	BLARE	3/8" Sq. Conn. (Jiffy)	.60
60/5		wings of this type of nut. 1/2" Conn.	.90
6076	BISON	General Purpose Drag Link Socket. 1" Bit—1/2" Sq. Conn	.90
6077	BIRCH	Ford Shock Absorber Drag Link Soc-	00
6077-3	BLACK	ket.—11/16" Bit—1/2" Sq. Conn Buick Carburetor Drag Link Socket	.90
		11/16" Bit-1/2" Sq. Conn	.90
6078	BLAME	Heavy Duty Drag Link Sicket.	.90




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Crow Foot Sockets



The CROW FOOT SOCKETS here illustrated are exceptionally useful on all kinds of AUTOMOBILE work, AIRPLANES, TRUCKS and TRACTORS and all classes of MACHINE SHOPWORK. As shown by the cut these sockets work on any type of handle having ½" square service connection—"L" Handles, Speed Handles, Extensions, etc. With an "L" Handle and Extension, a PERFECT WRENCH CAN BE FORMED, for head bolt work. As illustrated they form an offset box wrench or open end wrench of any angle desired. Made strong and will give long service. These CROW FOOT SOCKETS have no equal on the market. Made in 12-Point box and open end style.

12-Point Box		Open End			
No.	Code	Nd.	Code (Opening F	rice
0612-12	ARAB	0612-0	ARSON	3/8\$	61.00
0614-12	ARBOR	0614-0	ASHES	7/16	1.00
0616-12	ARCH	0616-0	ASPEN	1/2	1.00
0618-12	AREA	0618-0	ASTER	9/16	1.00
0619-12	ARGON	0619-0	ATLAS	19/32	1.00
0620-12	ARID	0620-0	ATOLL	5/8	1.00
0622-12	ARISE	0622-0	ATOM	11/16	1.25
0624-12	ARMOR	0624-0	ATONE	3/4	1.25
0625-12	ARMY	0625-0	ATTIC	25/32	1.25
0626-12	ARRAY	0626-0	AUDIT	13/16	1.25
0628-12	ARROW	0628-0	AUGER	7/8	1.25

Mechanics tell us — "I consider my kit of P & C Hand Forged Tools my best recommend." WHY?


Because

After All - Quality Tells the Facts.

PIC


PORTLAND, OREGON

Universal Sockets




UNIVERSAL SOCKETS are very HANDY and SAVE a lot of TIME and TROUBLE in getting to those NUTS that are IN BAD PLACES. The two types of UNIVERSAL SOCKETS illustrated herewith have ½" Square Service Connection to fit the Various Types of handles and attachments, making it possible to FORM MANY distinct UNIVERSAL SOCKET WRENCHES. P & C UNIVERSAL SOCKETS are made with either Hexagon or 12-Point opening sockets and the prices on short type, as illustrated above, appear in the table below.

Hex. Opening		12-Pt. Opening		
No.	Code	No.	Code	Size Price
A-6810-OS	AWARD	A-6810-12-OS	BALD	5/16\$1.65
A-6812-OS	AWARE	A-6812-12-OS	BALE	3/8 1.65
A-6814-0S	AWFUL	A-6814-12-OS	BALLAI	7/16 1.65
A-6816-OS	AXIOM	A-6816-12-OS	BALMY	1/2 1.65
A-6818-OS	AZURE	A-6818-12-0S	BANDY	9/16 1.65
A-6819-OS	AXLE	A-6819-12-0S	BANE	19/32 1.65
A-6820-OS	BABY	A-6820-12-0S	BANK	5/8 1.65
A-6821-OS	BARGE	A-6821-12-08	BANJO	21/32 1.65
A-6822-OS	BACK	A-6822-12-0S	BARB	11/16 1.65
A-6824-OS	BACON	A-6824-12-0S	BARKY	3/4 1.65
A-6825-OS	BADGE	A-6825-12-08	BARN	25/32 1.70
A-6826-OS	BADLY	A-6826-12-OS	BARON	13/16 1.70
A-6828-OS	BAG	A-6828-12-OS	BASIN	7/8 1.90




P & C Valve Adjusting Set



A complete set for adjusting valves on all valve-inhead motors. This set is very useful for other work besides valve adjusting. The screw driver is a separate unit, and the handle with interchangeable sockets makes a very handy short bend offset wrench.

No.	Code	Description	# *is	Price
1901	BONE	Box Handle		\$1.25
1902	BONNY			
1914	BONUS	7/16 Opening	12-Pt. Soc	75
1916	BOOBY	1/2 Opening	12-Pt. Soc	75
1918	BOOM	9/16 Opening	12-Pt. Soc	75
1920	BOOST		12-Pt. Soc	
1922	BORAX		12-Pt. Soc	
1924	(BUTT)		12-Pt. Soc	

P & C Stud Bolt Wrenches



The STUD BOLT WRENCH here illustrated is adapted for use with the various style handles having 1/2" Square service connections. The knurled roller works on eccentric, insuring positive grip on the stud. These STUD BOLT WRENCHES will take studs on all cars and trucks and work on "L," "T" or "SPEED" handles. The body has heavy knurling, which makes it easy to pull off handles. Rollers are made with the greatest care from the best of steel, specially heat treated and tempered, but on account of the fact that they are bound to wear in time, the rollers are not guaranteed. Rollers may be replaced by driving out the pin which holds them.


No.	Code	Pri	ce
900	BOSS	5/16 to 1/2 Studs-1/2" Conn\$2.	85
902	BOWER	1/2 to 5/8 Studs-1/2" Conn 3.	15
912	BRACE	5/8 to 3/4 Studs-1/2" Conn 3.	50
	BRAG	Roller for any above	





PORTLAND, OREGON

P & C Square Connection Units



The above cut shows Standard P & C Handles Attachments and Sockets having the 1/2" square service connection. These parts are all INTERCHANGEABLE and on the following pages they are described, with prices. Many SETS are illustrated, with specifications, on the pages immediately following the parts price list, using units shown above in DIFFERENT COMBINATIONS. Each unit in the P & C Socket Set Assembly and special attachments, is constructed to the exacting P & C Standards with respect to QUALITY of material. HEAT TREATMENT, WORKMANSHIP and DESIGN. These tools are known to thousands of mechanics as the standard which imitators attempt to duplicate.



P. & C. HAND FORGED TOOL COMPANY

PIC

PORTLAND, OREGON

P & C Standard ½" Square Connection Handles and Attachments

No.	Code	Description	rice	
6001	BRAID	Speed Handle-10" Shank\$		
6001-X	BRAN	Speed Handle—18" Shank		
6002	BRASS	Speed Handle- 5" Shank		
6002-X	BRAVE	Speed Handle-Short Sweep.	1.25	
6003	RRAWL	"L" Handle—11" Long	.90	
6003-S	BRAZE	"L" Handle— 7" Long	.80	
6003-B	BRAZEN	"L" Handle—15" Long	1.25	
6003-DE	BOYAR	"L" Handle—Dbl. End	1.35	
6004	BREAD	Extension—10" Long	.95	
6005	BREW	Extension— 5" Long	.85	
6005-S	BRIBE	Extension—2½" Long	.80	
A-473	BULGE	Extension— 8" Long		
6015	BRUTE	Extension—18" Long	1.30	
6015-26	BAND	Extension—26" Long		
6006	BRIAR	Sliding Bar "T"		
6006-15	BRANT	Sliding Bar "T" 15"	1.25	
6009	BROIL	"T" Handle—10" Shank	1.50	
6009-B	BROOK	"T" Handle-18" Shank	1.75	
6007	BRIM	Connection for Ratchet	.30	
6008	BRINE	Universal Joint-Short	1.65	
6010 -	BROTH -	Ratchet		3.40
6011	BRUSH	Screw Driver Bit 1/2"x6"		
A-402	BLOW	Large Flex Handle 18"	2.90	
		Patented		
A-403	BLUFF	Small Flex Handle 10"	2.25	
		Patented		

Sockets shown in cut on page 10 are priced on page 5.


THE BEST MECHANICS

BUY THE BEST TOOLS
GIVE THEM THE BEST CARE
ACCOMPLISH THE BEST RESULTS

and

HOLD THE BEST JOBS
IT PAYS—"MECHANICS"—IT PAYS





The SETS illustrated above are assembled from P & C Standard 1/2" square connection handles, attachments and sockets described in former pages. These sets are furnished with either 12-point opening or hexagon opening sockets and in the No. 6129 Sets, with 4 square or eight-point opening sockets. The handles and attachments are accurately milled to size, insuring a perfect fit and are neatly finished. The A-415 Set is a very popular small set and in the No. 6119 and 6129 Sets it is almost impossible to figure the number of tool combinations obtainable, insuring the owner of equipment necessary for practically any mechanical problem. Specifications and practically any mechanical problem. Specifications and prices of these sets are shown on following page.



STEEL BOX

P. & C. HAND FORGED TOOL COMPANY

PORTLAND, OREGON

29 Piece P & C Socket Sets

No. 6129-12 (A-402 & A-403) 12 Point Socket No. NS-6129-12 (NS-2 & NS-4 Flex.) 12 Point Socket Contains the following Units:	S
No. Items Price A-402 Large Flex Handle (Patented) \$2.9 A-403 Small Flex Handle (Patented) 2.2 6001 10" Speed Handle 1.5 6002 5" Speed Handle 1.4 6004 10" Extension 9 6005 5" Extension 8 6006 Sliding Bar "T" 1.1 6007 1/2" Square Adaptor 3 6008 Universal Joint 1.6 6010 Ratchet 3.5 6011 Screw Driver Bit 1.2	0 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
13—Hexagon or 12-point Opening Sockets 7/16, 1/2, 9/16, 19/32, 6/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1", 1-1/16	35 00 ee 20

1-1/8 and 1-1/4" Sockets added to above SET for \$1.50 additional. BOX has ample space for these TWO PIECES.

AS ILLUSTRATED ...\$ 2.15

(BURLY)

21 Piece P & C Socket Set

No. 6119-12 (6003 &	6003-B) 12 Point Sockets
	003-B) 6 Point Sockets
No. NS-6119-12 (NS-2 &	NS-13) 12 Point Sockets
Contains the following	Units:
No. Sets No. 6119-1	2 & No. 6119
6001 10% Cmand TTAL	COOF E" Twtengion
oooi 10" Speed Hal.	6000 5 Extension
5" Speed Hal.	6006 Shding Bar "I"
6003 11" Offset Hdl.	6005 5" Extension 6006 Sliding Bar "T" 6007 1/2" Sq. Adaptor
6003-B 15" Offset Hdl.	6008 Universal Joint
6004 10" Extension	6010 Ratchet
	Ope. Sockets-7/16, 1/2, 9/16,
19/32, 5/8, 11/16, 3/4, 25	
19/32, 9/0, 11/10, 3/4, 20	0/02, 10/10, 1/0 & 10/10.
	(T) 7 0000 0
No. 6119-12 (BULLY)	(Includes 6003 &
	6003-B\$19.35
No. 6119 (BUNCH)	(Includes 6003 &
(10021022)	6003-B)\$19.35
No. NS-6119-12 (OXIDE)	
140. 145-0115-12 (UAILE)	
ammer many (pyrpan)	NS-13)\$22.45
STEEL BOX (BURN)	as illustrated\$1.55


P & C Small Flex Sets

No. A-410 and No. A-415 contain the popular A-403 Flex Handle and sockets either 12-point or 6-point openings in the following sizes—7/16, 1/2, 9/16, 5/8, 11/16, 3/4.

No.	Code	Price
A-410	(BUSHY)	Hexagon Opening Soc\$5.25
A-415	(BUSY)	12-Point Opening Soc 5.25
Steel Box	(BUS)	As illustrated




P & C Flex Speeder Handle and Set



The above FLEX HANDLE and FLEX SPEEDER SET contains a handy combination of HANDLES with SEVEN of the MOST USED sockets. Makes a very efficient and speedy RIM LUG SET besides being a LIGHT SET for GENERAL PURPOSE.

SET CONTAINS THE FOLLOWING	
Description	ice
ONE NS-3H FLEX SPEED HANDLE-	
1/2" Sq. Con\$2	.75
ONE NS-13 13" FLEX HANDLE-	
1/2" Sq. Con 2	.35
SEVEN 12 Point Sockets, 7/16,1/2, 9/16, 5/8, 11/16	
3/4 and 7/8 3	.60
Set No. Code Description Pr	ice
NS-9-12 BEGIN 2 Handles & 7 Sockets\$8	.70
Steel Box for above Set 1	

P & C Hot Forged Socket Set



This SET No. SR-12 is put up, especially for those GARAGES and MECHANICS who have the 1/2" Sq. conn. attachments but DESIRE A SET of P & C HOT FORGED and HOT PUNCHED SOCKETS.

SET No. SR-12 contains 12 Sockets with 1/2" Square Conn. Sockets with 12 point openings as follows: 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16 and 1".

COLECT IN .			
No.	Code	Description	Price
SR-12	PANEL	12 Sockets 12 Point	\$6.60
STEEL		ABOVE AS ILLUSTRATED	




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Straight Wall Hot Forged Sockets




If a mechanic desires a complete set of 1/2" square connection, 12-point sockets, the above set (No. 6218-12) will satisfy. Set includes 18 P & C straight wall, hot forged sockets and one 13" inside head flex handle as follows:

N'-	Size	Conn.	Price
No.		Conn.	Price \$.45
6012-12	3/8		
6014-12	7/16	1/2	
6016-12	1/2	1/2	
6018-12	9/16	1/2	
6019-12	19/32	1/2	
6020-12	5/8		
6021-12	21/32		
6022-12	11/16		
6024-12	3/4		
CONTRACTOR OF THE PARTY OF THE			
6025-12	25/32	-/-	
6026-12	13/16		
6028-12	7/8		
6030-12	15/16	1/2	
6032-12	1"	1/2	
6034-12	1-1/16	1/2	
6036-12	1-1/8		
6038-12	1-3/16		
6040-12	1-1/4		
NS-13	13" FLEX	HANDLE .	
			242.05
TOTAL			\$12.95
No.	Code		Price
6218-12		9-Units	\$12.95
	OX per illu		\$ 1.25
SIEEL	ook per mu	stration	1.23

IF YOU NEED 1/2" CONN. SOCKETS HERE THEY ARE



P & C Large Flex Sets and P & C Major Flex Sets



In the above illustration are shown—A-475 P & C LARGE FLEX SET; NO. A-485 P & C MAJOR FLEX SETS.

These FLEX SETS are made up of the P & C FLEX HANDLES and 12 Point opening sockets and cover a LARGE FIELD in the equipment for the mechanic.

P & C Large Flex Sets

The Large Flex Sets are made up of the Large Flex Handle, 8" Extension and 8 sockets. The Large Handle, with wider range of sockets and the extension makes a very complete set for the mechanic. The sockets are furnished in either Hexagon or 12-point openings as follows: 9/16, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16.

No.	Code		Price
A-470	CABIN	10 Pieces-Hexagon Sockets.	.\$8.35
A-475	CABLE	10 Pieces-12-Point Sockets	. 8.35
Steel Box	CADET	As illustrated	90

P & C Major Flex Sets

The MAJOR FLEX SETS contain both the small and large Flex Handles, the 8" extension and 13 sockets having either hexagon or 12 point openings as follows: 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1", 1-1/16.

No.	Code			Price
A-480	CAKE	16	Pieces-Hexagon	Sockets., \$13.35
A-485	CALF		Pieces-12-Point	
Steel Box	CALM	As	illustrated	1.55




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Combination Socket Sets



These COMBINATION SOCKET SETS illustrated above contain 22 twelve-point sockets in sizes from 3/8" to 1-5/8" openings WITHOUT ANY DUPLICATIONS of sizes and only TWO of the MOST NECESSARY attachments.

They are put up, especially, for those who desire a very complete SET of P & C HOT FORGED SOCKETS and the MINIMUM number of ATTACHMENTS for their use.


	SETS CONTAIN THE FOLLOWING	
No.	Size	Price
6012-12		\$.45
6014-12	7/16" Ope. 1/2" Conn	45
6016-12	1/2 " Ope. 1/2" Conn	45
6018-12	1/2 " Ope. 1/2" Conn 9/16" Ope. 1/2" Conn	50
6019-12	19/32" Ope, 1/2" Conn	50
6020-12	5/8 " Ope. 1/2" Conn	50
6021-12		,55
6022-12		55
6024-12		
6025-12		60
6026-12	13/16" Ope. 1/2" Conn	60
6028-12		
6030-12	15/16" Ope. 1/2" Conn	65
6032-12	1" Ope, 1/2" Conn	
ONE		90
ONE		
ONE		1.10
ONE		1.20
ONE		1.30
ONE		1.40
ONE		1.50
ONE		
ONE		2.00
ONE	NS-13 FLEX HANDLE 1/2" Conn.	\$21.00
Total		ф21.90
No.	Code H. D. Soc. Conn.	Price
6090-12	PLANT 12 Pt. 5/8" Conn	\$21.90
6093-12	POLE 12 Pt. 3/4" Conn	\$21.90
STEEL	BOX SUBSTANTIAL & ROOMY	1.50





PORTLAND, OREGON

Heavy Duty Handles and Attachments



All HEAVY DUTY UNITS illustrated above are made of the BEST MATERIAL and are TRULY in a CLASS BY THEMSELVES in HEAVY DUTY equipment. These attachments are stocked in both 5/8" and 3/4" Square connection.

P & C QAULITY TOOLS OCCUPY AN IMPORTANT PLACE IN THE KITS OF SKILLED MECHANICS.



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

P & C Heavy Duty Socket Sets for Truck, Tractor and Other Heavy Duty Work

HEAVY DUTY HANDLES AND ATTACHMENTS

5/8"	Sq. Conn.	3/4" Sq.	. Conn.	
No.	Code	No.	Code	Description Price
9001	CALYX	9301	CHURL	15" Extension\$2.50
9002	CAMEL	9302	CASE	8" Extension 2.00
9003	CAMEO	9303	CHIEF	17" "L" Handle 2.00
		9303-22	CIVIC	22" "L" Handle 2.50
9004	CAMP	9304	CHURN	Ratchet Conn 1.00
9005	CANAL	9305	COPY	Sliding Bar 'T' 2.50
9008	CANE	9308	COKE	H. D. Ratchet 7.00
9009	CANOE	9309	CANON	Giant Flex Hdle., 4.50
	4	Pa	tented	
9011	CAP	9311	CROP	Giant Speed Hdle. 3.50

Heavy Duty Socket Sets

5%" Sq.		3/4" Sq.	
Conn.		Conn.	Socket
No.	Code	No.	Code Opening Price
9028-12	CHAP	9328-12	CREAM 7/8\$.70
9030-12	CHARM	9330-12	CORN 15/1675
9031-12	CHASE	9331-12	CURE 31/3280
9032-12	CHEAT	9332-12	CALL 1"85
9034-12	CHECK	9334-12	CART 1 1/1690
9036-12	CHEER	9336-12	CHIP 1 1/895
9038-12	CHEF	9338-12	CROW 1 3/16 1.00
9040-12	CHEST	9340-12	CRACK 1 1/4 1.10
9042-12	CHICK	9342-12	CLEAN 1 5/16 1.20
9044-12	CHIDE	9344-12	CAME 1 3/8 1.30
9046-12	CHILL	9346-12	CUP 1 7/16 1.40
9048-12	CHIME	9348-12	CORAL 1 1/2 1.50
9052-12	CHAR	9352-12	CITE 1 5/8 1.60
		9356-12	RANK 1 3/4 1.95
		9358-12	RARE 1 13/16 2.25
		9360-12	RAGE 1 7/8 2.50
		9364-12	RAFT 2" 2.75
		9368-12	RANT 2 1/8 3.00
		9370-12	RALLY 2 3/16 3.25
		9372-12	RACK 2 1/4 3.40

SOME FACTS ABOUT P & C HEAVY DUTY TRUCK AND TRACTOR SOCKETS

These P & C HEAVY DUTY TRUCK and TRACTOR SOCKETS are STRAIGHT WALL, HOT FORGED, and EMBODY all the FINER QUALITIES of being EXTREMELY THIN, BEAUTIFULLY FINISHED and YET very TOUGH.


DESIGN, STRENGTH, BEAUTY, QUALITY, FIT, BALANCE are ALL EMBODIED IN ONE, in these P & C NEW STYLE TRUCK and TRACTOR SOCKETS and ATTACHMENTS; and last but NOT LEAST, the PRICES are within the REACH of all who prefer QUALITY merchandise.

PRICES OF HEAVY DUTY SETS ON NEXT PAGE.



PORTLAND, OREGON

P & C Heavy Duty Socket Sets for Truck, Tractor and Other Heavy Duty Work



The HEAVY DUTY SETS illustrated above come in either 5/8" or 3/4" Square Service Connection and contain the following items:

ONE Giant Flex Handle (Patented)	.\$	4.50
ONE Giant Speed Handle		3.50
ONE Heavy Duty Ratchet		7.00
ONE Sliding Bar "T"		2.50
ONE 17" "L" Handle		2.00
ONE 15" Extension		2.50
ONE 8" Extension		2.00
ONE Ratchet Connection		1.00
ONE 7/8" Ope. H.D. Socket		.70
ONE 15/16" Ope. H.D. Socket		.75
ONE 1" Ope. H.D. Socket		.85
ONE 1 1/16" Ope. H.D. Socket		.90
ONE 1 1/8" Ope. H.D. Socket		.95
ONE 1 1/4" Ope. H.D. Socket		1.10
ONE 1 5/16" Ope. H.D. Socket		1.20
ONE 1 3/8" Ope. H.D. Socket		1.30
ONE 1 7/16" Ope. H.D. Socket		1.40
ONE 1 1/2" Ope. H.D. Socket		1.50
	-	
Total	4	35 65

100			
No.	Code	Description	Price
9108-12	CAPER	5/8" Sq. Conn	\$35.65
9308-12	CHILD	3/4" Sq. Conn.	35.65
STEEL	BOX FOR	ABOVE SETS .	2.45

This BOX has ROOM for SEVERAL ITEMS IN ADDITION to those in REGULAR SET.

"THIS IS A REAL SET"




P. & C. HAND FORGED TOOL COMPANY

FIC

PORTLAND, OREGON

Heavy Duty Truck and Tractor Sets (Continued)



The HEAVY DUTY SETS illustrated above come in either 5/8" or 3/4" Square service conn. and contain the following items:

SET No. 9000-12 5/8" Sq. Conn.	SET No. 9300-12 3/4" Sq. Conn.
ONE Giant Flex Handle	\$4.50
ONE 17" Heavy Duty "L" Handle	
ONE 8" Heavy Duty Extension	
ONE 15/16" Ope. H. D. SOC	
ONE 1-1/16" Ope. H. D. SOC	
ONE 1-1/8" Ope. H. D. SOC	95
	1.10
	1.30
	1.40
	1.50
ONE 1-1/2 Ope. 11. D. BOC	
m-4-1	\$17.0E
Total	\$17.25
No. Code Description	Price
9000-12 RIVAL 12 Pt. & 5/8" Con	
9300-12 RIGID 12 Pt. & 3/4" Con	
STEEL BOX (WITH ROOM FOR INCR	EASE)\$ 1.80

P & C Heavy Duty Socket Set

The SOCKET SET illustrated above as No. 9313-12 contains THIRTEEN HOT FORGED & HOT PUNCHED, STRAIGHT WALL HEAVY DUTY SOCKETS of the MOST USED SIZES with either 5/8" or 3/4" Sq. Conn. ONE EACH 7/8", 15/16", 31/32", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", and 1-5/8" with either 5/8" or 3/4" Sq. Conn.


No. 9013-12 9313-12 STEEL	CHAMP	12 Pt3/4"	P Sq. Conn\$1 Sq. Conn\$1 RATED ABOVE \$	4.05
SOCKET	rs	SOCKETS	SOCKE	ETS





PORTLAND, OREGON


P & C Heavy Duty Socket Sets (CONTINUED)



The HEAVY DUTY SOCKET SET illustrated above as SET No. 9309-12 contains NINE of the MOST USED HEAVY DUTY SOCKETS and ONE 17" "L" HANDLE. ALL 12-Point openings and 3/4" square service connection. SOCKET sizes 15/16", 1", 1-1/16", 1-1/8", 1-1/4" 1-3/8", 1-7/16", 1-1/2" and 1-5/8".

No.	Code	Description	Price
9309-12	CRITE	3/4" Sq. Conn	.\$12.35
9009-12	CRONE	5/8" Sq. Conn	. 12.35
STEEL	CONTAINI	ER as illustrated	

Heavy Duty Adaptors



9004	CAMP	5/8" Male x 5/8" Male\$1.00
9304	CHURN	3/4" Male x 3/4" Male 1.00
9013	CHINA	1/2" Male x 5/8" Female 1.00
9015	CHINK	5/8" Male x 3/4" Female 1.15
9017	CHIRP	3/4" Male x 5/8" Female 1.15
9019	CHOKE	5/8" Male x 3/4" Male 1.15
9021	CHOPS	5/8" Male x 1/2" Female 1.00
9023	CHORD	1/2" Male x 5/8" Male 1.00
9025	CHUTE	1/2" Male x 3/4" Female 1.15




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Ring Groove Cleaner




In this RING GROOVE CLEANER the BODY part is made of flat spring steel, making an easy tool to handle. The curved part, flattened the opposite way—fits perfectly in the groove.

The 4-Blade cutter is made of the best quality of Saw Steel, heat treated, and is fitted on with machine screw, nut and lockwasher—quickly adjusted and STAYS IN POSITION. The cutter is made the best possible and will stand service—but is not guaranteed for replacement.


Sizes of blades oncutting wheel. 1/8''—5/32''—3/16''—1/4''

Bushing Extractor



PORTLAND, OREGON

P & C Jiffy Sets and Units



The units in the P & C JIFFY SET have 3/8" service connection, are all designed along exceptionally slender lines. The JIFFY UNITS are made with the same care as the units in the larger sets and only the best of steel is used. The handles are SLENDER, SOCKETS SMALL and THIN WALLED, especially designed for work in "tight places." A complete range of handles, attachments and sockets makes possible ASSEMBLY COMBINATIONS ALMOST, WITHOUT END. The P & C JIFFY SETS are the last word in time saving equipment for the automobile shops and equally as popular in Airplane work. These UNITS are INTERCHANGEABLE with any equipment having 3/8" Square service connectoins.

PRICES ON OPPOSITE PAGE

PRICES ON OPPOSITE PAGE



PORTLAND, OREGON

P & C Jiffy Set Units

3/8 SQ. CON.

No.	Code	Description Price
3001	CINDER	7" Shank Speed Handle \$1.20
3001-S	RUBY	21/4" Shank Speed Handle 1.10
3001-4	COPE	4" Shank Speed Handle 1.20
3001-10	CUTCH	10" Shank Speed Handle 1.30
3001-18	AMOS	18" Shank Speed Handle 1.50
3001-21	ANDY	21" Shank Speed Handle 1.60
NS-7	BET	8" Flex Hdl. (Inside Head) 1.60
A-407	CLERK	8" Flex Hdl. (Outside Hd.) 1.75
3003-L	CIRCUS	6" "L" Handle
3005	CIVIL	18" "T" Hdl. (Sliding Bar). 1.25
3005-24	CONDOR	24" "T" Hdl. (Sliding Bar). 1.40
3009	CALUSE	12" "T" Hdl. (Sliding Bar). 1.15
3006	CLAIM	"T" Hdl. (Sliding Bar)90
3002-S	CATER	2" Extension
3002	CIPHER	4" Extension
3003	CIRCLE	8" Extension
3004	CITY	12" Extension90
3007	CLAMP	Plug for Ratchet25
3008	CLASS	Universal Joint 1.50
3010	CLEFT	Ratchet 2.50
3011	ORGAN	Jiffy Screw Driver75
30-SH	OTTER	Chev. Pan and Univ.
		Screw Holder 1.25
3060	CLIFF	Adaptor 3/8 Sq. x 1/2 Sq70
3071	CARGO	Adaptor 3/8 male x 1/2 fem'l80
3072	CELT	Adaptor 1/2 male x 3/8 fem'l80
3076	BLANK	Drag Link Socket 1" Bit90
3077	OUNCE	Drag Link Socket 7/16" Bit .60
3078	OUT	Drag Link Socket 11/16" Bit .60

"Jiffy" Sockets

3008-HS 3009-HS	CAPE	1/4" 5/16" 3/8" 7/16" 1/4" 9/32"	Eight Po Eight Po Eight Po Hexagon Hexagon	int Openi int Openi int Openi int Openi Opening Opening	ing.	.40 .40 .50 .40 .40
3010-HS 3011-HS	The second second second second second	5/16" 11/32"		Opening Opening		.40
12-Pt. 3012-12 3014-12 3016-12 3018-12 3019-12 3020-12 3021-12 3022-12 3024-12	Code CLINK CLOG CLOSE CLOUT CLOVE CLOWN GRAVE CLOY CLOY	Hex. 3012 3014 3016 3018 3019 3020 3021 3022 3024	Code CLEAT CLEW CLOCK CLING CLOAK CLOT CRAMP COLON CHORE	Opening 3/8" 7/16" 1/2" 9/16" 19/32" 5/8" 21/32" 11/16" 3/4"	\$	

PRICES ON SETS and UNIVERSAL SOCKETS on following pages.



PORTLAND, OREGON

P & C Jiffy Universal Sockets

No.	Code	Opening	
U-3010-12	COACH	5/16	\$1.50
U-3012-12	COAL	3/8	1.50
U-3014-12	COAST	7/16	1.50
U-3016-12	COCOA	1/2	1.50
U-3018-12	CODE	9/16	1.60 1.50
U-3020-12	CODDLE	5/8	1.60 1.50
U-3022-12	COG	11/16	1.70 1.50
U-3024-12	COLIC	3/4	1:70 1.50

P & C Jiffy Sets

1 & 0 311	
No. 30—CF—	No. 30-MR-
"Chief" Jiffy Set	"Major" Jiffy Set.
No. 3001\$1.20	No. 3001 No. 3012-12
	No. 3002 No. 3014-12
140. 0002	No. 3004 No. 3016-12 No. 3006 No. 3018-12
140, 0000 111111111	No. 3006 No. 3018-12
No. 3004	No. NS-7 No. 3020-12 No. 3007 No. 3008-E
No. 3005 1.25	No. 3008 No. 3010-E
No. 300690	No. 3010 No. 3012-E
No. 3007	No. 30-MR SET-
No. 3008 1.50	16 Pieces\$12.80
No. 3010 2.50	STEEL BOX FOR
No. NS-7 1.60	ABOVE SET\$ 1.00
No. 3012-1240	NO. 30—SR—
No. 3014-1240	P & C JIFFY SET
No. 3016-1240	No. 3001 Speed Handle
No. 3018-1240	No. 3002 Extension
No. 3019-1240	No. 3004 Extension
No. 3020-1240	No. NS-7 Flex Handle
140, 0020-12	No. 3012-12 Socket No. 3014-12 Socket
140. 0022 12	No. 3014-12 Socket No. 3016-12 Socket
110. 000.	No. 3018-12 Socket
U-3014-12 1.50	No. 3020-12 Socket No. 3008-E Socket
U-3016-12 1.50	No. 3008-E Socket
U-3018-12 1.60	No. 3010-E Socket
U-3020-12 1.60	No. 3012-E Socket No. 30—SR—SET—
201.00	12 Pieces\$7.50
22 PIECES\$21.00	STEEL BOX\$1.00
SET	
No. 30-CF\$21.00	NO. 30—JR—
STEEL BOX\$ 1.00	P & C JIFFY SET
	No. NS-7 Flex Handle No. 3012-12 Socket
	No. 3012-12 Socket No. 3014-12 Socket
EVERY MECHANIC	No. 3016-12 Socket
	No. 3018-12 Socket
SHOULD HAVE A	No. 3020-12 Socket
P & C 30-CF SET	No. 30-JR Set
	6 Pieces\$3.60

"P & C JIFFY TOOLS ARE DIFFERENT"




P. & C. HAND FORGED TOOL COMPANY

PORTLAND, OREGON


Wheel Starters

P & C WHEEL STARTERS of the KNOCK-OFF type are forged from the best of steel and are expertly tempered and heat treated. If the threads of the axle are damaged this tool acts as a die in straightening the threads. Screw the Starter on tight, so that the end of the axle is against the bottom of the socket, and then a stroke or two with a hammer will loosen the wheel.



No.	Code	Price
1000-F	CONFER	5/8" S. A. E\$.80
1000-S	CORD	5/8" S. A. E. Deep
1001	CORE	3/4" S. A. E
1001-G	COSY	3/4" S. A. E. 3/4" Deep Graham Trks .90
1002	COUGH	7/8" S. A. E
1002-N	COUNT	7/8" S. A. E. 20 Thrd, Old Nash cars, 1.05
1002-N31	CROY	7/8" S. A. E. 16 Thrd. '30 & '31 Nash 1.05
1002-HP31	CULT	7/8" S. A. E. 14 Thrd. '30 & '31 Hup .1.05
1002-HE	CUE	7/8" S. A. E. 18 Thrd Hud. & Essex 1.05
1003	COUPE	1" S. A. E 1.25
1004	COVEY	1-1/8" S. A. E 1.50
1004-G	COVET	1-1/8" S. A. E1" Deep Graham Trks. 1.50
1006	COWER	
1007	CRAFT	
1008	CRAG	
1010	CRANE	1-1/2" U. S. S 3.00
1011	CRATE	1-1/8" U. S .S 1.50
1006 1007 1008 1010	COVET COWER CRAFT CRAG CRANE	1-1/8" S. A. E1" Deep Graham Trks. 1.50 1-1/4" S. A. E. 2.00 1-1/4" U. S. 2.00 1-1/2" S. A. E. 3.00 1-1/2" U. S. S. 3.00

Wheel Starters in Sets



No. Code CRAZY 1005 SET CREAK


(Ilustrated) in substantial box Contains—1000-F, 1001, 1002, 1003 \$4.00 In substantial box Contains 1000-F, 1000-S, 1001, 1002, 1003 4.80



80

PORTLAND, OREGON

Short Bend Offset Socket Wrenches



HAND FORGED FROM ONE PIECE OF CHROME VANADIUM STEEL

The WALLS of the sockets are made THIN, which makes it possible to use this wrench on nuts that cannot be reached with other wrenches. The above wrenches have 12-point sockets, and require only half the ROOM for the swing of the wrench. They will also fit square nuts. Every wrench is treated by a SPECIAL ELECTRIC HEAT TREATING and TEMPERING PROCESS. Where a one piece wrench is desired, these cannot be beaten.

No. 1514-12 1516-12 1518-12 1519-12	CODE CREST CRIB CRISP CROAK	Opening 7/16 1/2 9/16 19/32	Bolt Size 1/4 S. A. E. 5/16 S. A. E. 3/8 S. A. E. 5/16 S. A. E.	
1520-12	CROFT	5/8	7/16 S. A. E	1.00
1521-12	CRONY	21/32		
1522-12	CROSS	11/16	3/8 U. S. Nut	1.10
1524-12	CROUP	3/4	1/2 S. A. E	1.20
1525-12	CROWN	25/32	7/16 U. S. Nut	1.30
1526-12	CROW	13/16	9/16 U.S. Cap Screw	1.40
1528-12	CRUDE	7/8	9/16 S. A. E	1.50
1530-12	CRUEL	15/16	5/8 S. A. E	1.65
1532-12	CRUMB	1"	11/16 S. A. E	1.75
1534-12	CUBE	1 1/16	3/4 S. A. E	2.00

PRICES IN SETS


	No.		Code	Price
A	13-12	SET	CUBIC All Sizes	\$17.60
A	7-12	SET	CULL 7/16, 1/2, 9/16, 5/8,	7.50
	0.40	CITATIN.	11/16, 3/4, 7/8	7.50
A	0-12	PEI	CURB 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.00



P. & C. HAND FORGED TOOL COMPANY

PAC

PORTLAND, OREGON



The wrenches illustrated above are exactly the same as the ones on preceding page, except that they have hexagon opening sockets, instead of 12-point.

nave nexas	or obemine p	ochets, instead	or is point.
No. Code	Opening	Bolt Size	Price
1510 CURI	O 5/16.		\$.70
1512 CURE	Y 3/8 .		
1514 CURV	E 7/16	1/4 S. A. E.	
1516 CYCL	E 1/2	5/16 S. A. E.	90
1518 CYNI	C 9/16	3/8 S. A. E.	1.00
1519 DADO	19/32	5/16 U. S. Nut	
1520 DAFT	5/8	7/16 S. A. E.	1.00
1521 DAFF	Y 21/32 .		1.00
1522 DAIL	Y 11/16	3/8 U.S. Nut	1.10
1524 DAIR	Y 3/4	1/2 S. A. E.	1.20
1525 DAIN	TY 25/32	7/16 U. S. Nut	1.30
1526 DALE	13/16	9/16 U. S. Car	Screw. 1.40
1528 DAM1	E 7/8	9/16 S. A. E.	1.50
1530 DANI	OY 15/16	5/8 S. A. E.	1.65
1532 DARI	XY 1"	11/16 S. A. E.	1.75
1534 DART	1 1/16	3/4 S. A. E.	2.00
	PRICE	S IN SETS	
No. Co	de		Price
15SET D.	ASH ALL S	SIZES	\$19.00
12 SET DA		3/8, 7/16, 1/2, 9/	
		3/4, 7/8, 15/16,	
9 SET DA		3/8, 7/16, 1/2, 9/	
		3/4, 7/8	
6 SET D	AZE 7/16, 1	1/2, 9/16, 5/8, 11	/16, 3/4 6.00








PORTLAND, OREGON

Heavy Duty Offset Wrenches

The HEAVY DUTY OFFSET WRENCHES, covering sizes rom 1-1/8" up, are very useful for all types of heavy work, such as rear axle nuts on Trucks, Tractors, and other heavy machines. Each wrench is made with handle in proportion to the size of the socket, and the sockets are made as thin as practical to insure strength in this size of wrench. Either with hexagon or 12-point

He	x.	12-Pt.					
No. Code	Ope. Price	No. Code	Ope. Price				
1536 DEAL	1-1/8\$3.50	1536-12 DELAY	1 -1/8 \$4.00				
1540 DEBAR	1-1/4 4.50	1540-12 DELL	1-1/4 5.00				
1542 DEBIT	1-5/16. 4.75	1542-12 DELTA	1-5/16 5.25				
1544 DECK	1-3/8 5.25	1544-12 DELVE	1-3/8 5.75				
1546 DECOY	1-7/16. 5.75	1546-12 DENSE	THE RESERVE AND ADDRESS OF THE PARTY OF THE				
1548 DEFER	1-1/2 6.50	1548-12 DEPTH					
1552 DEFY	1-5/8 7.25	1552-12 DERBY	1-5/8 7.75				



Long Bend Offset Socket Wrenches

LONG BEND OFFSET SOCKET WRENCHES are the SAME as the SHORT BEND SERIES, BUT HEAVIER. The bend in the HANDLE IS LONGER, giving them GREATER CLEARANCE above the nut, or face of the part where the nut is located. They are ESPECIALLY GOOD for MAIN BEARING, CONNECTING ROD, and CYLINDER HEAD WORK. These wrenches are furnished in Hexagon, 12-Point and Square Openings. They have a 3 inch offset on the Hexagon and 12-Point wrenches and a 2-inch offset on the Square Opening Wrenches.

Hex	(No.	Code,	Ope. Price
No. Code	Ope. Price		12-Pt	
1716 DERIVE	1/2\$1.00	1716-12	DIVAN	1/2.\$1.00
1718 DEW	9/16. 1.10	1718-12	DIVERT	9/16 1.10
1720 DIAL	5/8 1.20	1720-12	DOCK	5/8. 1.20
1722 DICE	11/16. 1.30	1722-12	DIZZY	11/16 1.30
1724 DICKY	3/4 . 1.50	1724-12	DOFF	3/4. 1.50
1725 DIET	25/32. 1.60	1725-12	DODO	25/32 1.60
1726 DIGIT	13/16, 1.70	1726-12	DOLE	13/16 1.70
1728 DISK	7/8 . 1.90	1728-12	DOOM	7/8. 1.90
1730 DITTY	15/16. 2.20	1730-12	DORY	15/16 2.20




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON


P & C 12-Point Box Socket Wrenches



These twelve-point box socket wrenches are made of the best ALLOY STEEL and are designed for use in very close places, where there is not room for the full swing of the hexagon wrench. They fit the hexagon nuts of their various sizes, but require but half the room for the swing of the wrench.

THEY ALSO FIT SQUARE NUTS

No.	Code		ice
414	DREGS	7/16\$.70
416	DRIFT	1/2	.75
418	DRILL	9/16	.80
420	DRONE	5/8	.90
422	DROSS	11/16	1.00
424	DROVE	3/4	1.10
428	DROWN	7/8	1.25
430	DUDE	15/16	1.40
431	EMERY	31/32	1.60
432	EMIT	1"	1.80
434	EMU	1 1/16	2.00
436	ENACT		2.20
438	ENDOW	1 3/16	2.40
440	ENJOY	1 1/4	2.60
442	ENSUE		2.80
444	ENVY	1 3/8	3.00
446	EPIC	1 7/16	3.20
448	EQUIP	1 1/2	



Rim Tool


A very necessary piece of equipment for handling the trigger arrangement on certain styles of Rims, now very universally used. KNOB\$1.50 No. RT-29





PORTLAND, OREGON

Double End, Offset, Box Socket Wrenches 12-POINT & HEXAGON OPENINGS



The Box Socket Wrenches illustrated above are commonly referred to as the short type. They are offset on both ends, and are furnished in either 12-point openings or hexagon openings, with two different size openings on each wrench. The socket walls are exceptionally thin, yet these wrenches will stand up under strenuous work, as has been proven by the many thousands of them in service. There is no more popular wrench on the market today than this type and the P & C design and quality give the satisfaction you are looking for.

12-Poin	t.	I	Hexagon		
No.	Code	No.	Code	Opening	s Price
B-1214	GROSS	E-1214	GULLY	3/8 & 7	/16\$4.00 .80
B-1416	GROTTO	E-1416	GUMBO		/2 1-10 .90
B-1618	GROVE	E-1618	GUN		/16 1-20 .95
B-1820	GROWL	E-1820	GUST		1/8 1.30 1.00
B-2022	GRUB	E-2022	GUY		/16 1.40 1./0
B-2024	GRUFF	E-2024	HABIT		3/4 1.50 1.15
B-2224	GRUNT	E-2224	HACK		1/4 1/65 1.25
B-2428	GUARD	E-2428	HAIL		/8 1.90 1.50
B-2830	GUIDE	E-2830	HAIRY		5/16 2.15
B-3032	GUESS	E-3032	HALF	15/16 & 1"	
B-3234	GUILTY	E-3234	HALO		/16 2.65
B-3436	GULCH	E-3436	HAM	1 1/16 & 1 1	




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Double End, Offset, Box Socket Wrenches
12-POINT & HEXAGON OPENINGS, LONG TYPE



The wrenches illustrated above are similar to the ones shown on former page, except that they are of the LONG TYPE. A Long slim wrench for those long reaches on Automobiles and Airplanes.


12-Poin	t	F	Iexagon	
No.	Code	No.	Code	Openings Price
C-1214	HANDY	F-1214	HAZEL	3/8 & 7/16\$1.10 .85
C-1416	HANK	F-1416	HEAP	7/16 & 1/2 1.20 .9.5
C-1618	HAPLY	F-1618	HEAVY	1/2 & 9/16 1.30 1.00
C-1820	HARK	F-1820	HEDGE	9/16 & 5/8 1.40 1.05
C-2022	HASTEN	F-2022	HELIX	5/8 & 11/16 4.50 1.15
C-2024	HASTY	F-2024	HELLO	5/8 & 3/4 1:60 1.20
C-2224	HATCH	F-2224	HELM	11/16 & 3/4 4.75 1.30
C-2428	HAUL	F-2428	HEMP	3/4 & 7/8 2.00 1.66
C-2830	HAUNT	F-2830	HENCE	7/8 & 15/16 2.25 1, 96
C-3032	HAVEN	F-3032	HENNA	15/16 & 1" 2:50 2.00
C-3234	HAVOC	F-3234	HERD	1" &1 1/16 2.75 2.25
C-3436	HAWK	F-3436	HERO	1 1/16 & 1 1/8 3.00 2.50





PORTLAND, OREGON


Single End, Offset, Box Socket Wrenches
12-POINT & HEXAGON OPENINGS, LONG TYPE




This is a long handled, single end wrench with the same box type socket as the "B" "C" "E" and "F" series. Knurled handle. A favorite wrench.

12-Pt.	Socket	Hex. S	ocket		
No.	Code	No.	Code C	pening	Price
D-12	HERON	G-12	HOPE	3/8	.\$.60
D-14	HIGH	G-14	HORNY	7/16	65
D-16	HINGE	G-16	HORSE	1/2	70
D-18	HINT	G-18	HOST	9/16	75
D-20	HIRE	G-20	HOTEL	5/8	85
D-22	HIVES	G-22	HOUR	11/16	95
D-24	HOBBY	G-24	HOVER	3/4	. 1.05
D-26	HAZE			13/16	. 1.15
D-28	HOIST	G-28	HUGE	7/8	. 1.15
D-30	HOLLY	G-30	HULL	15/16	. 1.25
D-32	HOME	G-32	HUMOR	1"	. 1.40
D-34	HONK	G-34	HUMP	1 1/16	. 1.60
D-36	HONOR	G-36	HUNCH	1 1/8	. 1.80

P & C Pocket Wrench 12-Point Box Socket



Double End 12-Point Box Socket Wrenches



The wrenches as illustrated above have 12 point box socket on both ends, one end being straight and the other offset. Where you need a straight wrench, you have it and if there is an obstruction the offset will clear it. Openings are the same on both ends.

No. Code 0414 FACTOR 0416 FADE 0418 FAGOT 0420 FAINT

 Size
 Price
 No.
 Code

 7/16", \$1.20
 0422 FAIRY


 1/2". 1.30
 0424 FAITH

 9/16". 1.40
 0428 FAKER

 5/8". 1.50
 0430 FALL

Size Price 11/16".\$1.65 3/4". 1.80 7/8". 2.00 15/16". 2.20

Standard Size P & C 12-Point Box Wrenches With Special Bends




The 12-point box wrenches are furnished with special bends, indicated by the prefix "R" or "RO," as shown in the illustration.

the in	ustration.				
R 414	EAGER	RO 414	EDUCE	7/16	Ope\$.95
R 416	EAGLE	RO 416	EEL	1/2	Ope 1.00
R 418	EARL	RO 418	EGO	9/16	
R 420	EASEL	RO 420	EJECT	5/8	Ope 1.15
R 422	EBONY	RO 422	ELATE	11/16	Ope 1.25
R 424	ECHO	RO 424	ELECT		Ope 1.35
R 428	EDDY	RO 428	ELFIN	7/8	
R 430	EDEN	RO 430	ELITE	15/16	
R 431	ERA	RO 431	EXCEL	31/32	Ope 1.85
R 432	ERASE	RO 432	EXERT	1"	Ope 2.00
R 434	ERODE	RO 434	EXILE	1-1/16	Ope 2.20
R 436	ETCH	RO 436	EXIST	1-1/8	Ope 2.40
R 438	ETHER	RO 438	EXIT	1-3/16	Ope 2.60
R 440	EVADE	RO 440	EXTRA	1-1/4	Ope 2.80
R 442	EVENT	RO 442	EYE	1-5/16	
R 444	EVICT	RO 444	EYRIE	1-3/8	Ope 3.20
R 446	EVIL	RO 446	FABLE	1-7/16	Ope 3.40
R 448	EVOKE	RO 448	FACET	1-1/2	Ope 3.60

Adaptors

The adaptors shown herewith are designed for the purpose of making interchangeable the different units having 1/2" square and 9/16" hexagon service connections. Also the 1/2" Hexagon and 3/8" square adaptors, and 3/8"x1/2" Square.



6070 KILT 1/2" Sq. male and 9/16" Hex.	
male\$.90
6071 KINK 1/2" Sq. female and 9/16 Hex.	00
6072 KITE 1/2" Sq. male and 9/16" Hex.	.80
6072 KITE 1/2" Sq. male and 9/16" Hex. female	.80
0003-A KNAVE 1/2" Hexagon Adaptor	.40
0004-A KNEE 3/8" Square Adaptor	.40
3060 KNIFE 3/8" male and 1/2" male	




P. & C. HAND FORGED TOOL COMPANY

PIC

PORTLAND, OREGON

Universal Speed Wrenches




UNIVERSAL SPEED WRENCHES are popular with many mechanics, combining the features of the Universal Joint and Speeder

No.	and Speeder. Code									I	Price
9516	FULL	1/2	 		 			. :			\$3.25
9518	FUNNY	9/16	 		 						3.50
9520	FURL	5/8	 		 			. ,			3.50
9522	FURY	11/16	 		 						3.50
9524	FURZE	3/4	 		 	 					3.75

Universal Speed Handles With 1/2" Male

No.	Code	Connection	Price
6083	FUSE	Universal Speed Handle-	
		12" Shank	.\$3.00
6084	FUSEL	Universal Speed Handle-	
		18" Shank	. 3.15
6085	FUTILE	Universal Speed Handle-	
		21" Shank	. 3.25

P & C Small Ratchets




These Ratchets are designed and built along the same lines as the larger size Ratchets used in the larger Socket Sets. They are made of the same material and are designed to fill the need of a lighter and smaller ratchet on some classes of work. Note specifications carefully

No.	Code	Description	Price
0002	LUCKY	9/16 Hex. Conn	\$2.50
0002-	S MANILA	1/2 Sq. Conn	2.50
- 0003	MANLY	1/2 Hex. Conn	2.50
0004	MANOR	3/8 Sq. Conn	2.50
	(0004 Listed	as NO. 3010 in Jiffy Units)



Universal "T" Wrenches



P & C UNIVERSAL-T-WRENCHES have been universally popular among automobile and airplane mechanics for several years. There is no more popular wrench made for work in close places than the Universal Joint "T" Wrench and P & C design and quality have no equal on the market. They are accepted as standard.

Universal "T" Wrenches-12" Shank

	OHITYCISM	T MITOT		
No.	Code	No.	Code Opening	Price
3510	FEAST		5/16	\$2.75
3512	FELL	3512-12	FIBER 3/8	2.75
3514	FELON	3514-12	FIELD 7/16	2.75
3516	FEMUR	3516-12	FILE 1/2	2.75
3518	FENDER	3518-12		2.75
3519	FERRY	3519-12	FINAL 19/32	2.75
3520	FETCH	3520-12	FINCH 5/8	2.75
3521	FEUD	3521-12	FINE 21/32	
3522		3522-12	FINIS 11/16	2.90
3524	FEZ	3524-12	FIRST 3/4	
UULT	T. Trees			

Universal "T" Wrenches-16" Shank

Hexag	on	12-Point			
No.	Code	No.	Code	Opening	Price
3610	FISHY			5/16	
3612	FIXED	3612-12	FLEET	3/8	. 2.90
3614	FIZZ	3614-12	FLEW	7/16	. 2.90
3616	FLAG	3616-12	FLINT	1/2	. 3.00
3618	FLAKE	3618-12	FLIP	9/16	. 3.00
3619	FLANK	3619-12	FLOCK	19/32	. 3.00
3620	FLARE	3620-12	FLOOD	5/8	. 3.25
3621	FLASK	3621-12	FLOG	21/32	. 3.25
3622	FLAW	3622-12	FLORA	11/16	. 3.25
3624	FLEA	3624-12	FLOSS	CONTRACTOR OF THE PARTY OF THE	



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Universal "T" Wrenches-18" Shank

Hexagon		12-Point			
No.	Code	No.	Code C	pening	Code
3710	FLOUR			5/16	\$2.90
3712	FLUID	3712-12	FOLIO	3/8	2.90
3714	FLUME	3714-12	FOLLY	7/16	2.90
3716	FLUSH	3716-12	FOND	1/2	3.00
3718	FLUTE	3718-12	FORAY	9/16	3.00
3719	FOAM	3719-12	FORCE	19/32	3.00
3720	FOGGY	3720-12	FORD	5/8	3.25
3721	FOIL	3721-12	FORGE	21/32	3.25
3722	FOIST	3722-12	FORK	11/16	3.25
3724	FOLD	3724-12	FORUM	3/4	3.25

Universal "T" Wrenches-21" Shank

Hexagon		12-Point			
No.	Code	No.	Code	Opening	Price
3810	FOSTER			5/16	\$2.90
3812	FOUND	3812-12	FRESH	3/8	2.90
3814	FOWL	3814-12	FRET	7/16	2.90
3816	FOXY	3816-12	FRIAR	1/2	3.00
8318	FRAIL	3818-12	FRILL	9/16	3.00
3819	FRANC	3819-12	FRISK	19/32	3.00
3820	FRAUD	3820-12	FROCK	5/8	3.25
3821	FRAY	3821-12	FROLIC	21/32	3.25
3822	FREAK	3822-12	FROTH	11/16	3.25
3824	FREEZE	3824-12	FROWN	3/4	3.25

Universal "T" Handle With ½" Square Connection (as illustrated)

No.	Code	Price	e
6073	FUDGE	12" Shank\$2.79	5
6074	FUEL	21" Shank 3.00	0

MECHANICS SHOULD REMEMBER that

UNIVERSAL WRENCHES ARE NOT

DESIGNED TO BE USED


AS A 90° OFFSET HANDLE





PORTLAND, OREGON

Speed Wrenches



The design of P & C SPEED WRENCHES, combined with the exceptionally high grade of material used in the handle; the ever popular ball grip, with its free action, and the P & C Standard forged socket, are features which have established these wrenches as regular equipment with thousands of mechanics. The mechanic who is equipped with the most popular sizes in P & C SPEED WRENCHES is considered up to the minute and is able to turn out better work in less time than the one who is just "getting along" with obsolete tools. The schedules below give the varius socket sizes and different shank lengths.

5400	Shan	k_5"	Relo	w Bend	1
.141111	Suan	N	Dern	W Delle	4

	0700	Dittill o Delon Bert	
No.	Code	Opening	Price
5416	GALE	1/2"	\$1.30

5500 Shank 6500 Shank

8" Below Bend	Code	10" Below Bend	Code	Opening	Price
5514	GALL	6514	GENTLE	7/16	
5516	GAMUT	6516	GENUE	1/2	
5518	GAMY	6518	GERM	9/16	1.30
5519	GANG	6519	GIANT	19/32	
5520	GARB	6520	GILT	5/8	
	GASH	6522	GIMP	11/16	
	GAUDY	6524	GIPSY	3/4	
5525	GAUNT	6525	GIRTH	25/32	
5526	GAUZE	6526	GLADE	13/16	
5528	GAVEL	6528	GLAND	7/8	
5530	GAWKY	6530	GLARE	15/16	
5532	GEAR	6532	GLEAM	.1"	
5534	GEM	6534	GLEE	1-1/16	


Long Shank-7500-16" Below Bend

No.	Code		rice
7516	GLEN	1/2	1.60
7518	GLIDE	9/16	1.60
7520	GLIM	5/8	
7522	GLINT	11/16	
7524	GLOAT	3/4	1.80

Extra Long Shank—8500—24" Below Bend

No.	Code	Opening	Price
8516	GLOBE	1/2	\$1.80
8518	GLOOM	9/16	1.80
8520	GLORY	5/8	

Sockets for Speed Wrench Shanks



These sockets can be attached to any speed wrench shank, by squaring the shank and driving the socket on. PRICES APPEAR IN TABLE FOLLOWING.


Prices for Speed Wrench Sockets

11/32" and 3/8" Connections Hexagon Openings

	Trexagen epenings						
No.	Code	Opening	Conn.			Price	
5014	ABASE	7/16	11/32.			\$.60	
5016	ABATE	1/2	11/32			60	
5018	ABET	9/16	11/32			60	
5019	ABHOR	19/32	11/32			60	
5020	ABIDE	5/8					
5022	ABLE	11/16					
5024	ABODE	3/4	3/8			60	

Flex Wrenches

This HANDY "FLEX" SET is ALL its name implies. FLEXIBLE and VERY HANDY in the places where speed is required. ALL 12-Point.



Patented

No.	Code	Openings	Price
FLX-1214	PAUSE	3/8 & 7/16	\$2.00
FLX-1416	PAVE	7/16 & 1/2	2.00
FLX-1618	PEACE	1/2 & 9/16	2.25
FLX-1820	PEARL	9/16 & 5/8	2.25
FLX-2022	PEDAL	5/8 & 11/16	2.50
FLX-2024	PROOF	5/8 & 3/4	2.50
FLX-2224	PERCH	11/16 & 3/4	2.50
FLX-2428	PICK	3/4 & 7/8	2.75
2024-C31	LOTTO	5/8 & 3/4	2.75

This last wrench No. 2024-C31 is especially designed for the "1931" CHEVROLET MAIN BEARINGS, however, it is adaptable to many other places.




PAD

P. & C. HAND FORGED TOOL COMPANY

PIC

PORTLAND, OREGON

P & C Tappet Wrenches



The illustration above shows samples of the various types of P & C Tappet Wrenches. These Wrenches are made exceptionally thin, from the best of ALLOY STEEL and the entire wrench is expertly heat treated to give long service. You will find Tappet Wrenches in the following listings to meet the most exacting requirements and P & C design and quality are your insurance that you will be pleased with them. Please note the specifications carefully as to the different types. The openings are exact.

Single End Tappet Wrenches

1114 IM. 1116 IM 1117 IN 1118 IN 1120 IN 1121 IN 1122 IN 1124 IN 1126 IN 1128 IN 1128 IN	PEL 7/16 PLY 1/2 DEX 17/32 DIA 9/16 FER 5/8 GOT 21/32 LAY 11/16 KY 3/4 LET 13/16 N 7/8	9" 9" 9" 9" 9" 9"	Price \$.80 80 80 80 80 80 90 90 90 1.00
1130 INS	SIST 15/16 STILL 1"	9″	1.00

Double End Tappet Wrenches—Same Size Opening on Both Ends—One End Straight With Handle—Other End at Angle

No. 1114-DE 1116-DE 1117-DE 1118-DE 1120-DE 1121-DE 1122-DE 1124-DE 1126-DE 1128-DE 1130-DE 1130-DE	Code INVENT INVITE IRATE IRIS IRISH IRONY ISLAND ISSUE ITEM IVORY JACK JADE	Openings Length 7/16 & 7/16 8" 1/2 & 1/2 8" 17/32 & 17/32 8" 9/16 & 9/16 8" 5/8 & 5/8 8" 21/32 & 21/32 8" 11/16 & 11/16 8" 3/4 & 3/4 8" 13/16 & 13/16 8" 7/8 & 7/8 8" 15/16 & 15/16 8" 15/16 & 15/16 8" 1" & 1" 8"	\$1.00 1.00 1.00 1.00 1.00 1.00 1.10 1.10
PRICES	ON OTHER		AGE 43.

P. & C. HAND I

PORTLAND, OREGON

Double End Tappet Wrenches— Two Different Openings on Each Wrench

First two digits in the number indicate opening on straight end in thirty-seconds of an inch—last two digits in the number indicate opening on angle end in thirty-seconds of an inch.


No.	Code	Openings	Length	Price
1416-DE	JAIL	7/16 & 1/2	8"	\$1.00
1618-DE	JAPAN	1/2 & 9/16	8"	1,00
1817-DE	JAVA	9/16 & 17/32	8"	1.00
2120-DE	JAZZ	21/32 & 5/8	8"	1.00
2022-DE	JEAN	5/8 & 11/16	8"	1.05
2426-DE	JEHU	3/4 & 13/16	8"	1.10

Special Tappet Wrenches

These special tappet wrenches are designed for particular cars and the specifications will give you the desired information. They are of the single end type.

No.	Code	Ope. Lgth. Head For	Price
1116-DS	JELLY	1/2" 11" Straight Dodge	.\$.90
1116-DA	JERK	1/2" 11" Angle Dodge	90
1118-DS	JESS	9/16" 11" Straight Dodge	90
1118-DA	JIBE	9/16" 11" Angle Dodge	90
1116-D	JILT	(Pair-1116-DS and 1116-DA)	1.80
1118-D	JINGO	(Pair-1118-DS and 1118-DA)	1.80
1116-C	JINX	1/2" 12" Angle Chrysler	.90
1120-C	JOINT	5/8" 12" Angle Chrysler	.90

Water Pump Packing Nut Wrenches



P & C PUMP WRENCHES HAVE A VERY POP-ULAR SHAPED HEAD. ARE EXCEPTIONALLY THIN, YET STRONG ALMOST BEYOND BELIEF.

The last two digits in the number indicate the opening in thirty-seconds of an inch.


No.	Code	Opening	Price
1232	JOKER	1"	.\$1.25
1234	JOWL	1 1/16	. 1.35
1236	JUDGE	1 1/8	. 1.35
1238	JULEP	1 3/16	. 1.35
1240	JULY	1 1/4	. 1.35
1242	JUROR	1 5/16	. 1.35
1244	JURY	1 3/8	. 1.35
1246	JUTE	1 7/16	. 1.45
1248	KALE	1 1/2	. 1.45
1250	KEEN	1 9/16	. 1.50
1252	KELP	1 5/8	. 1.65
1256	KENO	1 3/4	. 1.85





PORTLAND, OREGON

Special Tools for Model "A" Ford



The tools shown in the above illustration are designed, PRIMARILY, or use on MODEL "A" FORD, HOWEVER many of them have a WIDE RANGE OF USES other than on the FORD.

FOR PRICES SEE FOLLOWING PAGES.

Ford Rear Main Bearing Wrench-

12-Point Socket

PORTLAND, OREGON

3/4" 12-Point\$2.25 LACK No. NF-24

Ford Rear Main Bearing Wrench

No. 447-3/4"-opening-12-point socket, Main Bearing Wrench has been a very popular wrench, for many years on the Model "T" Ford and is just as popular for use on the Model "A" Ford.

3/4" 12-Point\$2.25 LATHE No. 447

Ford Front and Center Main Bearing Wrench -Square Socket

LADLE 9/16" Sq. Socket \$2.25 No. NF-18-S

Ford Front, Center and Rear Main Bearing "Flex" Wrench

This is a COMBINATION FLEX WRENCH to handle ALL the MAIN BEARINGS of the FORD. However, being a double-end FLEX WRENCH with these particular SOCKETS in COMBINATION makes it a very handy WRENCH FOR MANY JOBS.

No. NF-1824-F LOBE 9/16" 8-Pt. & 3/4" 12-Pt. \$2.75

Ford Front and Center Main Bearing "Socket"-"Eight Point"

For the Mechanic who has 1/2" Square Conn. attachments to use with this EIGHT POINT socket, a WRENCH for the job is at hand.

No. 6018-E ANVIL 8-Pt. 1/2" Conn.\$.60

Ford Brake Adjusting Wrenches

These WRENCHES have SQUARE OPENINGS which do NOT ROUND OUT on the FORD BRAKE like an 8-Point, neither do they distort the adjusting stud. To get an EIGHT-POINT EFFECT, simply turn the wrench over as the wrench is BROACHED at an ANGLE to give that effect.

No. NF-1416-SS ORBIT 7/16" & 1/2" Straight \$1.50





PIC

PORTLAND, OREGON

Ford Model "A" Carburetor Jet Wrench and Screw Driver

This Carburetor Jet Wrench is 4-1/2 overall and is hollow for 2-3/8" deep. The first broaching at the point of the wrench is 10/32" hexagon, below which it is broached 9/32" hexagon, the balance of the hollow stem takes care of the jet stem.

Very necessary on the Model "A" Ford Carburetor, works equally as well on all Zenith Carburetors, many other small nuts and jets, and also fine for many jobs in electrical work. Small, light and made of best of material.

No. Z-109 LASSO Carburetor Jet Wrench...\$.90 No. Z-111 LATCH Srew Driver for Z-109..... .50

Ford Model "A" Carburetor Wrenches For Dash Control at Carburetor

The small double end box wrench, No. Z-1314, handles either size nut on the needle valve housing.

No. Z-1314 LATIN 13/32 & 7/16 Hex. Box....\$1.00

The "T" Type wrench, illustrated, is made in two sizes, and the shank of the wrench is hollow far enough so it fits over the stem of the needle valve housing, allowing the broaching to take the nut, of which there are two sizes on Fords—13/32 and 7/16. The 5/16 opening on the top of the "T" Wrench takes care of the nut which holds the butter-fly rocker arm.

No. Z-1310 LAVA 13/32 & 5/16 "T" Wr.....\$1.10

No. Z-1410 LAW 7/16 & 5/16 "T" Wr......\$1.10

Generator and Junction Box Connection "Wrench" Model "A" and "AA" Ford

This is a small "T" WRENCH, TWO STEP HEXAGON PUNCHED 3/8" and 5/16" with EXTRA DEEP HOLE for SCREW CLEARANCE.

THE 5/16" Hex. opening for GENERATOR.
THE 3/8" Hex. opening for JUNCTION BOX.
No. Z-1012 LEAN 3-1/2" Long\$.90

Ford Model "A" Steering Column Wrench

This wrench is for the lower end of the steering column on the Model "A" Ford—has 7/16" 12-Point Socket.

No. FS-14 LAYER 7/16" 12-Point\$.70

Ford Connecting Rod Wrenches

No. 1520-F-12 LEAF 5/8 Ope. 12-Point.....\$1.50 No. 1521-F-12 LEASE 21/32 Ope. 12-Point..... 1.50

Ford Model "A" Generator and Starter Wrench

A wrench with 9/16 and 3/4" 12-Point sockets for the Model "A" Starter and Generator. A very handy wrench for these jobs.

No. FSG-1824 LEGAL 9/16 & 3/4 12-Point....\$1.60

(CONTINUED ON NEXT PAGE)

10

P. & C

PORTLAND, OREGON

Ford Model "A" Motor Bracket Wrench

Flex Head Wrench For

Ford Motor Brackets and Buick Block Bolts

This WRENCH has a FLEX HEAD SOCKET with 3/4" 12-Point opening and is a handy GENERAL PURPOSE WRENCH as well as for the special purposes mentioned above.

No. FH-24-F OAK 3/4" 12-Point\$2.25

Ford Model "A" Pan Bolt Speed Wrench

This Speed Wrench is made with socket and shank in one piece for the pan bolts on Model "A" Ford—either hexagon or 12-point.

No.	F-6516	LEVY	1/2	Hex. Soc\$1.40
				12 Pt 1.40
No.	F-6518-12	LURE	9/16	12 Pt 1.50
No.	F-6520-12	LUNCH	5/8	12 Pt 1.60

Ford Model "A" Offset Screw Driver and Drag Link Sockets for Shock Absorber Drag Link

These tools are designed for handling the Shock Absorber Drag Link but are good for many other jobs

JODE			
No.	178	MORAL	Offset Screw Driver\$1.50
No.	6077	BIRCH	Drag Link Soc. 1/2"
			Sq. Conn 1.00
No.	6077-X	BLACK	Drag Link Soc. 1/2"
			Sq. Conn 1.00

Ford Head and Manifold Wrench

This wrench has a 12-Point BOX SOCKET on one end and a 12-Point "L" TYPE SOCKET on the other end, both of which have 11/16" openings. This is an excellent wrench for Ford Head and Manifold work. No. FHM-22-R STAR 11/16 & 11/16 12-Pt.\$2.25

Ford Wheel Starter

No. 1000-F CONFER 5/8" S. A. E.\$.80









PORTLAND, OREGON.

Model "A" Ford Brake Spring Tool

This is a MIGHTY CONVENIENCE and BIG TIME SAVER when installing BRAKE SPRINGS. Every Mechanic and Garage NEEDS ONE. No. FST-30 VALOR 5/16"x11"\$.75

Speed Flex Handle "Inside Head"

1/2" Sq. Conn. and 2-1/2" o'r 4-1/2" Shank These NEW SPEED FLEX HANDLES are very SUBSTANTIAL and will GIVE GOOD SERVICE. No. NS-3-HL RAID 4-1/2" Shank\$2.85 No. NS-3-H RACE 2-1/2" Shank 2.75

"Inside Head" Flex Handle

This Flex Handle has a 1/2" Square Conn. and is a REAL GENERAL PURPOSE HANDLE, being heavy enough to be substantial and LIGHT enough to be REAL HANDY. No. NS-13 BEECH 1/2" Sq. Conn. \$2.35

> Jiffy "Eight Point" Socket for Ford Shock Absorber Filler Plug and

Chevrolet Running Board, Etc., Etc.

No. 3014-E QUEEN 7/16" Ope. 3/8" Conn...\$.50

Ford Model "A" Valve Guide Extractor

This ONE PIECE VALVE GUIDE EXTRACTOR slips over the Valve Stem and rests on the VALVE GUIDES and by tapping on the EXTRACTOR, the GUIDES are OUT. No. FV-30 LEER Valve Guide Extractor ... \$.95

Ford Model "A" Piston Pin Tool

The "IDEAL"-"LAST WORD" tool for removing and replacing Piston Pins on Model "A" Ford. The tapered projections, both on the handle and head, automatically enter the pin and cause it to "center" prefectly without any attention. Made of the best of steel. HEAT PISTON BEFORE USING TOOL. No. FP-29 LAPEL Piston Pin Tool\$2.50 2.00

(CONTINUED ON NEXT PAGE)

PORTLAND, OREGON

Three Necessary Tools

for Gemmer Steering Gear

The THREE TOOLS described immediately following are a NECESSITY on the GEMMER STEER-ING GEAR on late MODEL "A" FORDS and are a TIME SAVER.

The "OFFSET SCREW DRIVER" handles the ECCENTRIC RIVET STUD and SECTOR THRUST SCREW and is used in conjunction with No. FSN-24 described below.

No. FES-30 OASIS Offset Screw Driver....\$.90

The "OFFSET BOX WRENCH" handles SECTOR SCREW LOCK NUT on the GEMMER STEERING GEAR.

The OFFSET SCREW DRIVER No. FES-30 (shown on page 44) is used to hold SECTOR SCREW in adjusted position, while tightening LOCK NUT with this wrench No. FSN-24,

No. FSN-24 OBEY 3/4" Ope. 12-Point.....\$1.00

The RIGHT ANGLE OFFSET BOX WRENCH No. FHS-20 as shown on page No. 46 handles HOUS-ING COVER STUD NUT also WORM ADJUSTING SCREW LOCK NUT on GEMMER STEERING GEAR.

No. FHS-20 OCCUR 5/8" 12 Point\$1.50

Ford Pump Nut Spanner

This spanner has many other uses such as on Chrysler Pump Nut and Chevrolet Steering gears. Spanner Wrench\$.60 No. 1201 LAID

Ford Double End Head Bolt Wrench Model "T"-Model "A"


No. FH-2022 LAMA 5/8" & 11/16" 12 Point. \$2.25


Ford Valve Lifter

The Valve lifter listed as No. 0001 works on the Model "A" Ford and also on the Model "T" Ford as well as other cars. The "tong" part takes firm hold on the spring, and the foot is on a double swivel which fits on the edge where the plate has been removed. There is a hole in the foot in which a hook may be used in hooking over the manifold bolts or anything overhead. Effective for removing and replacing.

No. 0001 LAMB Ford Valve Lifter \$2.50 No. 0001-F LANCE Lifter less foot 2.00

Ford "Never Slip" Drum Puller for Cars and Trucks and "All-Around" Gear Puller





The Ford Drums have given a considerable amount of trouble, as they are difficult to remove, but with the P&C PULLER, you tackle the job with the assurance that it is going to

No. FH-10 No. FH-11 No. FH-12	LIGHT LILAC LILY	Dr Ad Ad
No. FH-13	LIME	Ad
No. FH-14	LINER	For

THE PULLER ILLUSTRAT-ED HEREWITH WILL PULL THE TIGHTEST DRUM ON THE FORD CAR OR TRUCK AND IS A PULLER THAT WILL HANDLE NUMEROUS OTHER JOBS WHERE A STURDY GEAR PULLER IS NEEDED.

NEEDED.

Being made of CHROME-VANADIUM STEEL throughout, having 1" screw with SAE thread, and the entire puller being heat treated, here is a tool that will stand the hardest strain. This puller has done the job after many others had fallen down. The jaws have a spread of from 1/2" to 3-1/4" and the set screws on the side prevent the jaws from spreading.

This puller works equally as well on the drums with the flange or with a groove, and

flange or with a groove, and

flange or with a groove, and adaptors are used to prevent upsetting the end of the axles, when strain is applied.

Attachment No. FH-14 is for the late model Ford Trucks. Screw this attachment on the Hub Cap Threads and then tighten, with the bolt, to insure a solid pulling basis, for the PULLER to work on.

work on.	
Drum Puller\$1	1.00
Adaptor Ford Car	.75
Adaptors for older model	
Ford Trucks	.80
Adaptor for Newer model	
Ford Trucks	.80
Attachment for late models	
Ford Trucks	3.25




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

AIRPLANE SPECIALS



The above illustration shows a number of P & C Tools, especially adaptable for AIRPLANE WORK.

Airplane Cylinder Hold Down Wrench No. VL-118 RELAY For all makes, 9/16 Hex. \$2.90

	1 G 1 Dl Www.has
Ai	rplane Spark Plug Wrenches
No. CL-222	RELY 11/16 12-Point\$.95
No. CL-228	RIPEN 7/8 12-Point 1.25
No. CL-232	RING 1" 12-Point 1.50
Airplan	e Spark Plug "Extra Deep" Socket
No. CL-601	8-12-ED ROBE 9/16" 12-Point\$.85
Air	plane "General Service" Tools
All	phane deneral pervice room
CI B.1416	RUDE 7/14 & 1/2 Flat Box\$1.20


CLB-1416	RUDE	7/14 & 1/2 Flat Box\$1.20 .9
CLB-1618	ROYAL	1/2 & 9/16 Flat Box 1.30 1.0
CLB-1820	ROSE	9/16 & 5/8 Flat Box 1.40 (.)
CLB-2022	ROOF	5/8 & 11/16 Flat Box 1.50 1.1
CLB-2224	RIVER	11/16 & 3/4 Flat Box 1.75 1.2
NS-7	BET	Jiffy Flex Handle, 3/8" 1.60
6003-S	BRAZE	7" "L" Handle, 1/2" Conn80
3004	CITY	12" Exten. 3/" Conn90
3005	CIVIL	18" "T" Hdl. 3/8" Conn1/25
3008	CLASS	Univ. Jt. 3/8" Sq. Conn 1.50

"Jiffy" Sockets—12 Point

3012-12	3/8\$.40	3019-12	19/32\$.40
3014-12	7/16	.40	3020-12	5/8	.40
3016-12	1/2	.40	3022-12	11/16	.40
3018-12	9/16	.40	3024-12	3/4	.50



Special Tools for Chevrolet Six



Tools illustrated above are designed, primarily, for CHEVROLET CARS; HOWEVER, many of them work equally as well on many other jobs. PRICES ON FOLLOWING PAGES P&D

P. & C. HAND FORGED TOOL COMPANY

PEC

PORTLAND, OREGON

Prices on Chevrolet Main Bearing Wrench

The "Old Reliable" Main Bearing Wrench for Chevrolet Models including 1928—13/16 and 7/8—12 point sockets, which makes it a good wrench for many uses besides main bearing work on old Chevrolets.

No.8283-B LOGIC 13/16 & 7/8 12-Pt......\$2.50

"1931" Chevrolet Main Bearing Flex Wrench

This DOUBLE END FLEX WRENCH is made primarily for the "1931" Chevrolet Main Bearing; however its construction makes it adaptable to many other places. It has 5/8" and 3/4" Sockets. See cut on page No. 41.

No. 2024-C31 LOTTO 5/8 & 3/4 12-Pt.....\$2.75

Chevrolet Head Bolt and Main Bearing Wrench

No. C-324 LOFT 3/4" Hex. DE 5"x12"....\$2.50

Chevrolet Universal Joint Wrench

There never was a more popular wrench than our B-1618, as it is a well shaped wrench, having those two popular sizes 1/2" and 9/16" in 12-point sockets, which makes it handy in many places besides the Chevrolet Universal Joint job.

No. B-1618 GROVE 1/2 & 9/16 12-Pt......\$1.20

Chevrolet Water Pump Wrench No. 1232-C LINK 1" for Water Pump.....\$1.25

Chevrolet Universal Joint Holder
No...29-UC LODGE Joint Holder and Chain. \$1.25

"Inside Head" Flex Handle

This Flex Handle has a 1/2" Sq. Conn. and is EXCEPTIONALLY HANDY in a CHEVROLET TOOL KIT of any Mechanic. A MEDIUM SIZE GENERAL PURPOSE FLEX HANDLE will serve a hundred purposes.

No. NS-13 BEECH 1/2" Sq. Conn.\$2.35



Chevrolet Drag Link Offset Screw Driver

Here is a short and stubby, offset screw driver, built to stand the gaff, and handle that drag link on the Chevrolet, which is so close to the wheel.

No. 179 MORO Offset Screw Driver\$1.60

Chevrolet Transmission Wrench

No. 16-TC LIVID 1/2" 12-Pt. Opening\$1.25

Chevrolet Generator—Carburetor Wrench

No. 16-GC LOAF 1/2" 12 Pt. Opening\$1.35

Chevrolet Manifold-Exhaust Wrench

No. 18-MEC LOBBY 9/16" 12-Pt. Opening....\$1.40

Chevrolet Starter Wrench

No. 20-SC LOCAL 5/8" 12-Pt. Opening\$1.50

Chevrolet Manifold and Starter Wrench

Chevrolet Carburetor Drain Plug Wrench

No. 24-CC LOCO 3/4" 12-Pt. Opening\$1.40

Chevrolet Pan and Universal Screw Holder

This is a SPRING TYPE SCREW HOLDER that works exceptionally well on the CHEVROLET PAN SCREWS and works equally well on OTHER PAN SCREWS and BENDIX DRIVE SCREWS. Its an ALL AROUND SCREW HOLDER for places where it is necessary to start screws in inaccessible locations.

No. 30-SH OTTER Two Piece 3/8" Conn....\$1.25

Chevrolet Wheel Starter

No. 1001 CORE 3/4" S. A. E. Opening....\$.90



P. & C. HAND FORGED TOOL COMPANY

PAC

PORTLAND, OREGON

Gemmer Steering Gear Set for 1931 Chevrolet

This SET is a GREAT TIME SAVER in adjusting the GEMMER STEERING GEAR on the "1931" CHEVROLET which is illustrated on page No. 52.

FES-30 adjusts SECTOR THRUST NUT and is used in conjunction with CSN-26. No. FES-30 holds Screw in place while No. CSN-26 TIGHTENS LOCK NUT

No 418, 420 and 1130-EC will properly handle the ECCENTRIC on GEMMER STEERING GEAR, also all are STANDARD WRENCHES and VERY USE-FUL in MANY OTHER PLACES.

No. 20-BC is an OLD-STAND-BY and goes well with the OTHERS to make the SET COMPLETE, as it is a STEERING COLUMN BRACKET WRENCH and FITS ALL MODELS.

PRICES AS FOLLOWS

No.	Code	Description	Price
FES-30	OASIS	Offset Screw Driver	.\$.90
CSN-26	LOOT	13/16" 12-Pt. Box	. 1.00
1130-EC	LOOM	15/16" Open End	95
418	DRILL	9/16" 12-Pt. Box	80
420		5/8" 12-Pt. Box	
20-BC		5/8" 12-Pt. Socket	
TOTAL	L		.\$6.15
31-GC	LIMIT	SET-One of each	.\$6.15

Speed Flex Handle "Inside Head"

1/2" Sq. Conn. and 4-1/2" or 2-1/2" Shank

These NEW SPEED FLEX HANDLES are VERY SUBSTANTIAL and should be in EVERY MECHANIC'S KIT.

> Jiffy "Eight Point" Socket for

Chevrolet Running Board, Etc. Also

Ford Shock Absorber Filler Plug


No. 3014-E QUEEN 7/16" Ope. 3/8" Conn....\$.50





PORTLAND, OREGON

SPECIAL TOOLS FOR BUICK



The SPECIAL BUICK TOOLS illustrated and listed herewith have ALL BEEN thoroughly TESTED in an up-to-date BUICK service shop, by SKILLED BUICK MECHANICS, and in actual EVERY DAY USE have PROVEN very POPULAR.

These tools are easily identified by reference to the illustration, and specifications by number, listed on following pages.



P. & C. HAND FORGED TOOL COMPANY

P&C

PORTLAND, OREGON

Buick Head Bolt Wrenches

No. 1020-B—has 5/8" 12-point sockets on both ends and the wrench is specially bent to handle the head bolt job on many Buicks, as well as being useful in many places and on many cars.

No. 1020-B LURID 5/8" 12-Pt. DE\$2.50

Buick Heat Riser and Manifold Nut Wrench

A wrench of the crow foot type with 12-point opening socket for the Buick heat riser and manifold nuts.

No. 18-BHR LURCH 9/16" 12-Point\$1.60

Buick Rocker Arm Oil Pipe Wrench

This wrench has a 3/8" open crow foot socket and is designed to handle the Rocker Arm Oil Pipe on Buick.

No. 0005 LUTE 3/8" Opening\$1.00

Buick Piston Pin Lock Nut Wrench

Handles the Piston Pin Lock nut operation to perfection.

No. BK-16 LOWER 1/2" 12-Point Opening \$1.25

Buick Block Bolt Wrenches

These two sizes—5/8" and 3/4" make the Block Bolt Job easy.

"NOTE"—This (BK-24) is shown on page No. 56 as BK-26.

Buick Block Bolt "Flex" Wrench

This Wrench is designed, primarily, for BUICK BLOCK BOLTS, however, by having the P & C FLEX HEAD SOCKET with 3/4" 12-Point opening and BENT HANDLE per illustration makes it a GENERAL PURPOSE WRENCH for MANY "UNGET-AT-ABLE" PLACES.

No. FH-24-F OAK 3/4" 12-Point\$2.25





PORTLAND, OREGON

Buick Steering Gear Wrenches

These four wrenches are very much needed for adjustment on the 1930 Buick Steering Gear.

No. BK-26 LUG 13/16" opening 12-Point wrench—2" offset 6" handle, used to REMOVE ROLLER SHAFT END PLAY ON NUT "A".....\$1.25 "NOTE" — This wrench (No. BK-26) is shown on page No. 56 as No. BK-24.

No. BK-28 LUMP 7/8" opening 12-point wrench—8" overall USED

No. BK-36 LUNAR 1-1/8" opening 12-Point wrench—7" overall USED TO TURN ADJUSTING NUT "H"\$1.50

TO LOOSEN and TIGHT-EN NUT "F"\$1.35

No. BK-2426 LUNGE 3/4" & 13/16" 12-Point wrench offset each end—
USED TO REMOVE
BACK LASH BETWEEN
WORM AND ROLLERNUTS "E" AND "G" \$1.85

Buick Carburetor Drag Link Socket

Buick Manifold Ratchet

This ratchet is designed along the lines of our larger ratchets, has 9/16" opening wheel and very useful around the Buick manifold.

No. 0002 LUCKY 9/16" Hexagon\$2.50

Buick Wheel Starter

No. 1002 COUGH 7/8" S. A. E.\$1.05

MECHANICS CONTEND
that
"P & C TOOLS HAVE OUTSTANDING




P. & C. HAND FORGED TOOL COMPANY

PIC

PORTLAND, OREGON

Miscellaneous Special and General Purpose Wrenches



Essex Head Bolt Wrenches

This wrench has a 9/16" 12-Point BOX SOCKET on one end and while the wrench is especially designed for the ESSEX HEAD BOLTS of various models it is a very handy GENERAL PURPOSE WRENCH.

No. 1018 LYNCH 9/16" 12-Point\$1.75

Packard Cylinder Head Bolt Wrench No. A-2024 MACAW 5/8 & 3/4 12-Pt. Sockets..\$2.25

General Purpose Wrenches

Ge	nerai r	urpose wrenches
No. LF-22	MACE	11/16" 12-Pt. opening—for
		Lincoln Head Bolts, Mod-
		el "A" Ford Head Bolts
		and other uses\$1.85
No. PL-24	MAGIC	
		many uses including
		Packard Head Bolts-
		Packard Hold Down-Lin-
		coln Hold Down-Pack-
		ard Wheels, etc\$2.05
No. 8103		5/8" and 3/4" Double end
		12-Point wrench\$1.85
No. 8103-16 N		Like 8103—16" Long\$2.50
		25/32 and 7/8 Double end
		12-Point wrench\$2.50
No. 8230 N		15/16 and 31/32 Double-
		end 12-Point wrench\$3.00
No. 8231 N		
		12-Point wrench\$3.00
NUMBERS	8225-	-8230-8231 are very popular
		TRUCK HEAD BOLT WORK.
HI CHOMOD TOT	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	THE CIT TIMES DOWN IN CREEK


VALUE"





PORTLAND, OREGON

FLEX HANDLES



The illustration above includes a FLEX HANDLE for EVERY NEED from a 3/8" Square Conn. on the "JIFFY" type to the 3/4" Sq. Conn. on the HEAVY DUTY tools.

For PRICES see opposite page.



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

Prices on Flex Handles

No.	Code	Description	Price
NS-7	BET	JIFFY (Inside Head)	.\$1.60
A-407	CLERK	JIFFY (Outside Head) (Patented)	. 1.75
A-403	BLUFF	1/2"x10" (Outside Head) (Patented)	2.25
A-402	BLOW	1/2"x18" (Outside Head) (Patented)	2.90
NS-13	BEAD	1/2"x13" (Inside Head)	2.35
NS-4	BOAST	1/2"x8" (Inside Head)	2.50
NS-5	BODY	1/2"x14" (Inside Head)	2.70
NS-2	BOIL	1/2"x18" (Inside Head)	2.90
NS-508	BORE	Univ. 1/2" Conn. 14"	3.70
NS-208	вов	Univ. 1/2" Conn. 19"	3.90
NS-3H	RACE	1/2"x2" (Speed Flex)	2.75
NS-3HL	RAID	1/2"x4-1/2" (Speed Flex)	2.85
5401	BLUNT	Speed Flex (Outside Head) (Patented)	2.75
9009	CANOE	H. D. Flex 5/8" Conn	4.50
9309	CANON	H.D. Flex. 3/4" Conn	4.50
9309-PL	PASTE	Pos. Lock. 3/4" Conn	5.50

REMEMBER made to overserve


not to undersell





PORTLAND, OREGON

Center Punches — Lining Up Bars — Offset Screw Drivers—Special Chisels— Rivet Shears



P & C TOOLS illustrated above are INDIVIDUALLY made from STEEL ESPECIALLY ADAPTED for the SERVICE REQUIRED. PRICES on following page.



P. & C. HAND FORGED TOOL COMPANY

PaC

PORTLAND, OREGON

Center Punches

Made from high grade octagon tool steel.

No.	Code				Price	
45-E	MET	1/4 "	Stock		\$.25	
45-F	MILE	5/16"	44	4	.30	
45-A	MOCK	3/8 "	**		.35	
45-B	MODE	1/2 "	"		.40	
45-C	MINK	5/8 "	**		.50	
45-D	MESH	3/4 "	**		.60	
	(Cape (Chisel	s .		
30-A	MOSS	1/4"	Stock		\$.35	
30-B	MOTE	5/16"	"		.40	
30-C	MOTH	3/8"	**		.45	
30-D	MOTOR	1/2"	"		.60	
30-E	MOTTO	5/8"	**		.70	
30-F	MOUNT	3/4"	**		.85	
7.5		-, -		••••	.00	
	Ke	y Seat	Chi	sels		
40-A	MOURN		Stock		\$.40	
40-B	MOUSE	5/16"	"		.45	
40-C	MOW	3/8"	"		.50	
40-D	MUFF	1/2"	"		.65	
40-E	MULCH	5/8"	**		.80	
40-F	MURAL	3/4"	**		.90	
	an Cathin	0,1			.50	
		Key I	rifts			
50-A	MURKY	5/16" \$			\$.40	
50-B	MUSH	3/8"	"		.50	
50-C	MUSTY	1/2"	**		.80	
		-/-			.00	
	Diame	ond Po	int C	hisels		
60-A	MUTE		Stock		\$.40	
60-B	NABOB	5/16"	"		.50	
60-C	NAIL	3/8"	***		.65	
60-D	NATTY	1/2"	**		.80	
1000		-/-			.00	
Round Nose Chisels						
70-A	NAVY	1/4" \$	Stock		\$.40	
70-B	NEEDS	5/16"	"		.55	
70-C	NICK	3/8"	"		.65	
70-D	NIECE	1/2"	"		.80	
(17)	DIGEG GON	m131111				



TAI

PORTLAND, OREGON

Oil Groove Chisels

80-A	NIGHT	5/16"	Stock	 .\$.65
80-B	NOBLY	3/8"	- "	 75

Rivet Shears

90-ARS	NORTH	5/8"x10"\$1.10
90-BRS	NOTCH	3/4"x10"
90-CRS	NOTED	3/4"x12"1.70

Lining Up Bars

Made from high grade octagon tool steel, one end flat with chisel point, other end round taper point. No. 15C—has offset on large end, which allows use of hammer and acts as fulcrum in prying apart two members.

15-A	MODEL	1/2"x14"\$1.60	1.25
15-B	MOIST	5/8"x20"	1.60
15-C	MOLDY	5/8"x20"	2.60

Offset Screw Drivers

As shown in the illustration these screw drivers have two bits, set in opposite positions. A very handy tool for use in close places. Made of the best grade of steel and a tool that every mechanic needs.

165	OPERA	3/8"	BIT\$.75	
166	OPIUM	7/16"	BIT	
167	OPPOSE	1/2"	BIT 1.00	

Extra Long Slim Taper Punches

35-A	MERCY	12"x3/8"x3/16"\$.70
35-B	MERGE	14"x1/2"x1/4" 1.00
35-C	MERIT	16"x5/8"x5/16"

Long Taper Punches

35-D	MARL	10"x1/2"x1/8"\$.70
35-E	MART	11"x5/8"x3/16" 1.00
35-F	MASH	12"x3/4"x1/4"

Carbon Scraper

Very USEFUL SCRAPER for removing CARBON, GREASE, DIRT, PAINT, ETC., ETC.

"IT STAYS SHARP"

10-R8 1	MUNCH		7/8"x8"		.\$.85
---------	-------	--	---------	--	-----	-----

(PRICES CONTINUED ON NEXT PAGE)



P. & C. HAND FORGED TOOL COMPANY

PORTLAND, OREGON

Delco-Remy Starter Wrench

These WRENCHES are especially handy for removing and replacing STARTING MOTOR CAP SCREW next to MOTOR BLOCK on Eight Cylinder DeSOTOS, DODGE, CHRYSLER, OAKLAND, PONTIAC and MANY OTHER CARS.


No.	DRS-20	PATCH	5/8"	Open Crow	Foot\$1.75
No.	DP-20	PARSE	5/8"	12-Point	1.00

Straight, Double End, Box Socket Wrenches

These THREE WRENCHES are short and handy for a GREAT MANY JOBS. They are 12-Point and have SIX of the MOST USED OPENINGS

No. H-1416	PARK	7/16"	& 1	/2"	\$1.00
No. H-1820	PAROLE	9/16"	& 5	/8"	1.25
No. H-2224	RELAX	11/16"	& 3	/4"	1.50

Slim Taper Punches




P & C Punches are made of the very best grade of Octagon tool steel it is possible to buy and each punch is an individually made tool, expertly heat treated and will give unusually long service.

NO. 25 SERIES

No. 25-A	MEAL	6-1/2"x1/4" x3/16"	\$.35
No. 25B	MEDAL	7" x5/16"x1/4"	 .40
No. 25-C	MEEK	7-1/2" x3/8"x5/16"	 .55
No. 25-D	MELEE	8" x1/2"x3/8"	 .70
No. 25-E	MELON	8-1/2"x5/8" x7/16"	 .85
No. 25-F	MELT	9" x3/4" x1/2"	 1.00

FOR KIT PRICES SEE PAGE 69


Pin Punches



P & C PIN PUNCHES are made with very strict care and will give long service if properly used. Starter punches are furnished, having short taper, and frozen pins should always be broken loose with the starter. You will get much better service from your punches by doing this.

No.	Code	Length	Stock	Point	Price
55 B	MESS	5	5/16	3/32	
55 C	METAL	5	5/16	1/8	
55 D	METRIC	5	5/16	5/32	
55 E	MICE	5	1/2	3/16	
55 F	MILL	5	1/2	7/32	
55 G	MIMIC	5		9/32	
55 X	MIND	Starter fo	r 55B, 55C	, 55D, 1/2"	Stk40
55 Z	MINOR			, 55G, 1/2"	
Kit No.	14 MINUS			above	

Cold Chisels



Made from high grade octagon tool steel—each chisel is individually heat treated to insure uniformity.

No		Code	Length	Stock		Price
10		MINX	5	1/4	 	.\$.25
10		MIRY	5			
10		MITE	5			
10		MITER	3 6			
10		MOAN				
10	F	MOB				
	SEE	"SET"	ILLUSTRA			
			NEXT	PAGE.		



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON



Chisel and Punch Sets P & C Chisel Kit 6-10 contains Six No. 10 Series Chisels


ONE No. 10-A 5" x1/4" ONE No. 10-B 5" x5/16" ONE No. 10-C 5" x3/8" ONE No. 10-D 6" x1/2" ONE No. 10-E 6-1/2"x5/8" ONE No. 10-F 7" x3/4"	\$.25 .35 .45 .60 .75 .85
TOTAL—6 Chisels	\$3.25
Kit No. 6-10 MOCHA One LEATHERETTE CONTAIN	

P & C Punch and Chisel "Kits"

r & C runch and	Chisei Kits
KIT-6 MKA	KIT—6 MK
ONE No. 55-B\$.40	ONE No. 55-E\$.50
ONE No. 55-C40	ONE No. 55-F50
ONE No. 55-D40	ONE No. 55-G50
ONE No. 55-X40	ONE No. 55-Z40
ONE No. 45-A ,35	ONE No. 45-A35
ONE No. 10-B35	ONE No. 10-C45
Total 6-Pieces\$2.30	Total 6-Pieces\$2.70
Kit-6 MKA TRAY \$2.30	Kit-6 MK TRESS \$2.70
KIT	KIT



P & C Chisel and Punch Kits



The P & C CHISEL and PUNCH KITS illustrated above contain selections of the MOST USED ITEMS, put up in substantial LEATHERETTE or HEAVY CANVAS KITS per illustration.

A KIT is a great convenience for a Mechanic in keeping track of his tools as he can see at a glance if any tool is missing.

(PRICES ON NEXT PAGE)



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

P & C Kit 6-25 contains

Six No. 25 Series Punches

ONE No. 25-A 6-1/2"x3/16" Pt ONE No. 25-B 7" x1/4" Pt ONE No. 25-C 7-1/2"x5/16" Pt	40
ONE No. 25-D 8" x3/8" Pt ONE No. 25-E 8-1/2"x7/16" Pt	
ONE No. 25.F 9" x1/2" Pt	
No. KIT-6-25 MENU One of each LEATHERETTE CONTAINER for above	

P & C Kit No. 6-10-25 contains

Six 10 and 25 Series Punches and Chisels

DIX	In	anu	40	Del	ries	1	uncm	es	ai	uu	C	TIL	Se	12
ONE	No.	10-D	6	"	x1/	2"	Stock						.\$.60
ONE	No.	10-E	6	-1/2	"x5/	8"	"							.75
ONE	No.	10-F	- 7	"	x3/	4"	"							.85
ONE	No.	25-A	6	-1/2	"x1/	4"	"							.35
ONE	No.	25-C	7	-1/2	"x3/	8"	."							.55
ONE	No.	25-E			"x5/									.85
Tot	al—	6 Pur	che	s, a	nd (hi	isels .						.\$3	3.95
No. K	IT-6	-10-25	M	INI	٠								. \$3	3.95

P & C Combination Kit No. 14-MK contains

LEATHERETTE CONTAINER for above45

14 Chisels and Punches in One Kit

No.	Stock	Point	Price
ONE 55-B. Punch	5/16"	3/32"	
ONE 55-C "	5/16"	1/8"	
ONE 55-D "	3/8"	5/32"	
ONE 55-E "	7/16"	3/16"	
ONE 55-F "	The state of the s	7/32"	
ONE 55-G "	9/16"	9/32"	50
ONE 55-X Starter			
ONE 55-Z "			
ONE 45-A Center Pch.	0 1011		
ONE 10-A Chisel			
ONE 10-C "	0 1011		
ONE 30-A Cape Chis.	YEAR OLD BUILDING		
ONE 60-B Dia. Pt. Chis.			
ONE 70.A Rnd. Nose Chis.			
Total—14 Tools			.\$5.80
No. 14-MK MEAT			.\$5.80

PUT UP IN "SUBSTANTIAL CANVAS CONTAINER




P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

P & C WRENCH KITS



The P & C "WRENCH KITS" illustrated above contain a selection of some of our most called for wrenches put up in a SUBSTANTIAL LEATHERETTE CASE. PRICES ON NEXT PAGE.



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON

	1	FORTLAND, ORIGON
	P & C	Kit No. 9-D Contains
ONE	D-12	3/8"\$.60
ONE	D-14	7/16"
ONE	D-16	1/2"
ONE	D-18	9/16"
ONE	D-20	5/8"85
ONE	D-22	11/16"
ONE	D-24	3/4" 1.05
ONE	D-28	7/8" 1.15
ONE	D-30	15/16" 1.25
m-1-1	0 777	-h - 10 D 1
		ches—12 Point\$7.95
LEADI	D. 9-D SU	LO 1 each
LEATI	TERETTE	CONTAINER for above/5
	D e C	W:4 N - 0 Do G - 4 :
		Kit No. 9-D2 Contains
ONE	D-16	1/2"\$.70
ONE	D-18	9/16"
ONE	D-20	5/8"
ONE	D-22	11/16"
ONE	D-24	3/4" 1.05
ONE	D-28	7/8" 1.15
ONE	D-30	15/16"
ONE	D-32	1" 1.40
ONE	D-34	1-1/16"
Watel	0 When	ches—12-Point\$9.70
KIT NA	9 Wren	PATE 1 each\$9.70
		CONTAINER for above
LEATI.	INICELLE	CONTAINER for above75
	Dec	V:4 No 9 DO C-4-:
		Kit No. 3-BS Contains
ONE	BS-1416	7/16 & 1/2"\$1.20 . 96
ONE	BS-1820	9/16" & 5/8"
ONE	BS-2224	11/16" & 3/4" 1.75
Maka 1	0 777	- 10 Palai
Total	-3 Wren	ches—12-Point\$4.35
TEATE	D. 3-B5 KE	EL 1 each
LEATH	EKETTE	CONTAINER for above35
	D 0 6	WILL A D. G
		Kit No. 3-B Contains
ONE	B-1214	3/8" & 7/16"\$1.00 1/2" & 9/16" 1.20
ONE	B-1618	1/2" & 9/16" 1.20
ONE	B-2022	5/8" & 11/16" 1.40
Total	-3 Wrenc	hes—12-Point\$3.60
KIT No	. 3-B RE	GAL 1 each\$3.60
LEATH	ERETTE	CONTAINER for above35
	P&C	Kit No. 3-B2 Contains
ONE	B-1416	7/16" & 1/2"\$1.10
ONE	B-1820	9/16" & 5/8" 1.30
ONE	B-2224	11/16" & 3/4" 1.65
Total-	-3 Wrenc	hes—12-Point\$4.05
KIT No	. 3-B2 RI	EFIT 1 each\$4.05
LEATH	ERETTE	CONTAINER for above35



P. & C. HAND FORGED TOOL COMPANY



PORTLAND, OREGON


INDEX

11-1 m-1 51	
Airplane Tools	
Airplane Tools 22 and 36 Adaptors 62 and 64 Bars (Lining up) 62 and 64 Box Wrenches 31 to 36, 65, 70 and 71 Box Wrenches 23	
Bars (Lining up)	
Box Wrenches 31 to 36, 65, 70 and 71 Bushing Extractors 56, 57, 58 Buick Tools (All kinds) 56, 57, 58 Carburetor Wrenches 46 Chevrolet Tools (All kinds) 52 to 55 Chrysler Tappet 62 to 69 Connecting Rod 46 Center Punches 62 and 63 Crow Foot Sockets, etc. 7 Dodge Tappet 43	
Bushing Extractors	
Buick Tools (All kinds)	
Carburetor Wrenches	
Chevrolet Tools (All kinds) 52 to 55	
Chrysler Tappet	
Chicale 62 to 69	
Connecting Rod 46	
Conton Punches 62 and 63	
Contr. Foot Sockets atc	
Dodge_Tappet	
Dodge Talper	
Dodge Tappet 6 Drag Link Sockets 4 Drain Plug 50	
Drum Puller	
Essex Head Bolt	
Extra Deep Sockets	
Flex Handles	
Flex Wrenches (Double End)	
Flex Sets 14 and 16	
Ford Tools (All kinds)44 to 50	
General Purpose Wrenches 59 and 65	
Hood Rolt Wrenches	
Heavy Duty Attachments	
Heavy Duty Sets	
Extra Deep Sockets 3 and 5 Flex Handles 60 and 61 Flex Wrenches (Double End) 41 Flex Sets 14 and 16 Ford Tools (All kinds) 59 and 65 General Purpose Wrenches 59 and 65 Head Bolt Wrenches 47 and 57 Heavy Duty Attachments 18 and 19 Heavy Duty Sets 18 to 22 Jiffy Tools 24 to 26 "I." Handles 10 and 11	
Jily 10018 10 and 11	
Handles	
"L' Wrenches 59	
Lincoln Hold Down Wrench	
Main Bearing Wrenches64	1
Offset Screw Drivers	144
11	
Pan Bolt Speed Wrench 62 to 68	
Punches (All kinds)	
Ratchets and Plugs	
Rim Tool 24 25	
Ratchets and Plugs 23 Ring Groove Cleaners 31 Rim Tool 3,24,25 Sockets— 3/8" Con. Jiffy 3, 24, 25	
Rim Tool Sockets— 3/8" Con. Jiffy	
Rim Tool Sockets— 3/8" Con. Jiffy 3, 24, 25 "— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 25	
Rim Tool Sockets— 3/8" Con. Jiffy 3, 24, 25 " — 3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 25 " — 1/2" " 12-Point 3, 4 and 5	
Sockets— 3/8" Con. Jiffy Univ'l. 12-Point	
Sockets— 3/8" Con. Jiffy Univ'l. 12-Point	
Sockets— 3/8" Con. Jiffy Univ'l. 12-Point	
Sockets— 3/8" Con. Jiffy Univ'l. 12-Point	
Sockets—3/8" 3/8" '' Jiffy Univ'l. 12-Point 26 "—3/8" " Jiffy Drag Link 25 "—1/2" " 12-Point 3, 4 and 5 "—1/2" * 8-Point 3 and 6 "—1/2" * 6-Point 4 and 5 "—1/2" * Square 4 and 5 "—1/2" * Extra Deep, 12-Point 3 and 5 "—1/2" * Crow Foot 7	
Sockets—3/8" 3/8" '' Jiffy Univ'l. 12-Point 26 "—3/8" " Jiffy Drag Link 26 "—1/2" " 12-Point 3, 4 and 5 "—1/2" *8-Point 3 and 6 "—1/2" *6-Point 4 and 5 "—1/2" *Square 6 "—1/2" *Extra Deep, 12-Point 3 and 5 "—1/2" *Crow Foot 7 "—1/2" *Drag Link 6	
Sockets—3/8" 3/8" '' Jiffy Univ'l. 12-Point 26 "—3/8" '' Jiffy Drag Link 26 "—1/2" '' 12-Point 3, 4 and 5 "—1/2" '' 8-Point 3 and 6 "—1/2" '' 6-Point 4 and 5 "—1/2" '' Square 6 "—1/2" '' Extra Deep, 12-Point 3 and 5 "—1/2" '' Crow Foot 7 "—1/2" '' Drag Link 6 "—1/2" Wing Nut 6	
Sockets—3/8" 3/8" '' Jiffy Univ'l. 12-Point 26 "—3/8" " Jiffy Drag Link 26 "—1/2" " 12-Point 3, 4 and 5 "—1/2" *8-Point 3 and 6 "—1/2" *6-Point 4 and 5 "—1/2" *Square 5 "—1/2" *Extra Deep, 12-Point 3 and 5 "—1/2" *Crow Foot 7 "—1/2" *Drag Link 6 "—1/2" *Drag Link 6 "—1/2" *Wing Nut 6	
Sockets—3/8" 3/8" '' Jiffy Univ'l. 12-Point 26 "—3/8" " Jiffy Drag Link 26 "—1/2" " 12-Point 3, 4 and 5 "—1/2" *8-Point 3 and 6 "—1/2" *6-Point 4 and 5 "—1/2" *Square 6 "—1/2" *Extra Deep, 12-Point 3 and 5 "—1/2" *Crow Foot 7 "—1/2" *Orag Link 6 "—1/2" *Wing Nut 6 "—1/2" *Universal 8	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 25 " — 1/2" " 12-Point 3, 4 and 5 " — 1/2" * 8-Point 3 and 6 " — 1/2" * 6-Point 4 and 5 " — 1/2" * Square 3 and 5 " — 1/2" * Extra Deep, 12-Point 3 and 5 " — 1/2" * Crow Foot 7 " — 1/2" * Orag Link 6 " — 1/2" * Wing Nut 6 " — 1/2" * Orain Plug 4 " — 1/2" * Universal 8	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 25 " — 1/2" " 12-Point 3, 4 and 5 " — 1/2" * 8-Point 3 and 6 " — 1/2" * 6-Point 4 and 5 " — 1/2" * Square 3 and 5 " — 1/2" * Extra Deep, 12-Point 3 and 5 " — 1/2" * Crow Foot 7 " — 1/2" * Orag Link 6 " — 1/2" * Wing Nut 6 " — 1/2" * Orain Plug 4 " — 1/2" * Universal 8	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 25 " — 1/2" " 12-Point 3, 4 and 5 " — 1/2" * 8-Point 3 and 6 " — 1/2" * 6-Point 4 and 5 " — 1/2" * Square 3 and 5 " — 1/2" * Extra Deep, 12-Point 3 and 5 " — 1/2" * Crow Foot 7 " — 1/2" * Orag Link 6 " — 1/2" * Wing Nut 6 " — 1/2" * Orain Plug 4 " — 1/2" * Universal 8	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 25 " — 1/2" " 12-Point 3, 4 and 5 " — 1/2" * 8-Point 3 and 6 " — 1/2" * 6-Point 4 and 5 " — 1/2" * Square 3 and 5 " — 1/2" * Extra Deep, 12-Point 3 and 5 " — 1/2" * Crow Foot 7 " — 1/2" * Orag Link 6 " — 1/2" * Wing Nut 6 " — 1/2" * Orain Plug 4 " — 1/2" * Universal 8	
Sockets—3/8" 3/8" '' Jiffy Univ'l. 12-Point 26 "—3/8" " Jiffy Drag Link 26 "—1/2" " 12-Point 3, 4 and 5 "—1/2" *8-Point 3 and 6 "—1/2" *6-Point 4 and 5 "—1/2" *Square 5 "—1/2" *Extra Deep, 12-Point 3 and 5 "—1/2" *Crow Foot 7 "—1/2" *Orag Link 6 "—1/2" *Wing Nut 6 "—1/2" *Universal 8 "—1/2" *Universal 8 "—1/2" *Valve Adjusting, 12-Point 3 and 19 "—5/8" *Heavy Duty, 12-Point 3 and 19 "—3/4" *Heavy Duty, 12-Point 3 and 19 "—1/32 *Speed Wrench, 6-Point 41	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 26 " — 1/2" " 12-Point 3, 4 and 5 " — 1/2" " 8-Point 3 and 6 " — 1/2" " 6-Point 4 and 5 " — 1/2" " Square 6 " — 1/2" " Square 7 " — 1/2" " Crow Foot 7 " — 1/2" " Drag Link 6 " — 1/2" " Wing Nut 6 " — 1/2" " Wing Nut 6 " — 1/2" " Universal 8 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 3 and 19 " — 5/8" " Heavy Duty, 12-Point 3 and 19 " — 3/4" " Heavy Duty, 12-Point 3 and 19 " — 3/8" " Speed Wrench, 6-Point 41 " — 3/8" " Speed Wrench, 6-Point 41	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 26 " — 3/8" " Jiffy Drag Link 3 4 and 5 " — 1/2" " 12-Point 3 and 6 " — 1/2" " 8-Point 4 and 5 " — 1/2" " Square 4 and 5 " — 1/2" " Square 3 and 5 " — 1/2" " Crow Foot 7 " — 1/2" " Orag Link 6 " — 1/2" " Drag Link 6 " — 1/2" " Wing Nut 4 " — 1/2" " Drain Plug 4 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 8 " — 1/2" " Valve Adjusting, 12-Point 3 and 19 " — 1/3" " Heavy Duty, 12-Point 3 and 19 " — 1/32 " Speed Wrench, 6-Point 41 Socket Sets 13 to 17	
Sockets—3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 26 " — 3/8" " Jiffy Drag Link 3 4 and 5 " — 1/2" " 12-Point 3 and 6 " — 1/2" " 8-Point 4 and 5 " — 1/2" " Square 4 and 5 " — 1/2" " Square 3 and 5 " — 1/2" " Crow Foot 7 " — 1/2" " Orag Link 6 " — 1/2" " Drag Link 6 " — 1/2" " Wing Nut 4 " — 1/2" " Drain Plug 4 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 8 " — 1/2" " Valve Adjusting, 12-Point 3 and 19 " — 1/3" " Heavy Duty, 12-Point 3 and 19 " — 1/32 " Speed Wrench, 6-Point 41 Socket Sets 13 to 17	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 26 "— 1/2" " 12-Point 3, 4 and 5 "— 1/2" " 8-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 6 "— 1/2" " Crow Foot 7 "— 1/2" " Drag Link 6 "— 1/2" " Universal 6 "— 1/2" " Universal 8 "— 1/2" " Universal 18 "— 1/2" " Valve Adjusting, 12-Point 9 "— 5/8" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 44	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 26 "— 1/2" " 12-Point 3, 4 and 5 "— 1/2" " 8-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 6 "— 1/2" " Crow Foot 7 "— 1/2" " Drag Link 6 "— 1/2" " Universal 6 "— 1/2" " Universal 8 "— 1/2" " Universal 18 "— 1/2" " Valve Adjusting, 12-Point 9 "— 5/8" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 44	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 26 "— 1/2" " 12-Point 3, 4 and 5 "— 1/2" " 8-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 6 "— 1/2" " Crow Foot 7 "— 1/2" " Drag Link 6 "— 1/2" " Universal 6 "— 1/2" " Universal 8 "— 1/2" " Universal 18 "— 1/2" " Valve Adjusting, 12-Point 9 "— 5/8" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 44	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 26 "— 1/2" " 12-Point 3, 4 and 5 "— 1/2" " 8-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 6 "— 1/2" " Crow Foot 7 "— 1/2" " Drag Link 6 "— 1/2" " Universal 6 "— 1/2" " Universal 8 "— 1/2" " Universal 18 "— 1/2" " Valve Adjusting, 12-Point 9 "— 5/8" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/4" " Heavy Duty, 12-Point 3 and 19 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 44	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 3, 4 and 5 " — 1/2" " 12-Point 3, 4 and 6 " — 1/2" " 8-Point 4 and 5 " — 1/2" " 6-Point 4 and 5 " — 1/2" " Square 1/2" " Extra Deep, 12-Point 3 and 6 " — 1/2" " Extra Deep, 12-Point 7 " — 1/2" " Drag Link 6 " — 1/2" " Universal 8 " — 1/2" " Wing Nut 6 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 1 8 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Speed Wrench, 6-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Speed Wrench, 6-Point 41 " — 3/8" " Speed Wrench, 6-Point 41 Socket Sets 13 to 17 Socket Sets 13 to 17 Socket Sets 13 to 17 Speed Handles 15 Speed Handles 16 Starter and Generator Wrenches 49, 55, 58 Steering Column Wrenches 49, 55, 58	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 3, 4 and 5 " — 1/2" " 12-Point 3, 4 and 6 " — 1/2" " 8-Point 4 and 5 " — 1/2" " 6-Point 4 and 5 " — 1/2" " Square 1/2" " Extra Deep, 12-Point 3 and 6 " — 1/2" " Extra Deep, 12-Point 7 " — 1/2" " Drag Link 6 " — 1/2" " Universal 8 " — 1/2" " Wing Nut 6 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 1 8 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Speed Wrench, 6-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Speed Wrench, 6-Point 41 " — 3/8" " Speed Wrench, 6-Point 41 Socket Sets 13 to 17 Socket Sets 13 to 17 Socket Sets 13 to 17 Speed Handles 15 Speed Handles 16 Starter and Generator Wrenches 49, 55, 58 Steering Column Wrenches 49, 55, 58	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 3, 4 and 5 " — 1/2" " 12-Point 3, 4 and 6 " — 1/2" " 8-Point 4 and 5 " — 1/2" " 6-Point 4 and 5 " — 1/2" " Square 1/2" " Extra Deep, 12-Point 3 and 6 " — 1/2" " Extra Deep, 12-Point 7 " — 1/2" " Drag Link 6 " — 1/2" " Universal 8 " — 1/2" " Wing Nut 6 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 1 8 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Speed Wrench, 6-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Speed Wrench, 6-Point 41 " — 3/8" " Speed Wrench, 6-Point 41 Socket Sets 13 to 17 Socket Sets 13 to 17 Socket Sets 13 to 17 Speed Handles 15 Speed Handles 16 Starter and Generator Wrenches 49, 55, 58 Steering Column Wrenches 49, 55, 58	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 " — 3/8" " Jiffy Drag Link 3, 4 and 5 " — 1/2" " 12-Point 3, 4 and 6 " — 1/2" " 8-Point 4 and 5 " — 1/2" " 6-Point 4 and 5 " — 1/2" " Square 1/2" " Extra Deep, 12-Point 3 and 6 " — 1/2" " Extra Deep, 12-Point 7 " — 1/2" " Drag Link 6 " — 1/2" " Universal 8 " — 1/2" " Wing Nut 6 " — 1/2" " Universal 8 " — 1/2" " Valve Adjusting, 12-Point 1 8 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Valve Adjusting, 12-Point 1 3 and 19 " — 1/2" " Speed Wrench, 6-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Heavy Duty, 12-Point 1 3 and 19 " — 3/4" " Speed Wrench, 6-Point 41 " — 3/8" " Speed Wrench, 6-Point 41 Socket Sets 13 to 17 Socket Sets 13 to 17 Socket Sets 13 to 17 Speed Handles 15 Speed Handles 16 Starter and Generator Wrenches 49, 55, 58 Steering Column Wrenches 49, 55, 58	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 3, 4 and 5 "— 1/2" " 12-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 5 "— 1/2" " Extra Deep, 12-Point 3 and 5 "— 1/2" " Drag Link 5 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Wing Nut 6 "— 1/2" " Wing Nut 6 "— 1/2" " Universal 8 "— 1/2" " Universal 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 Socket Sets 11 Socket Sets 11 Socket Sets 11 Socket Sets 11 Sopeed Wrenches 12 Speed Wrenches 15 Starter and Generator Wrenches 15 Starter and Generator Wrenches 15 Stud Bolt Wrenches 17 Tappet Wrenches 19 Tappet Wren	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 3, 4 and 5 "— 1/2" " 12-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 5 "— 1/2" " Extra Deep, 12-Point 3 and 5 "— 1/2" " Drag Link 5 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Wing Nut 6 "— 1/2" " Wing Nut 6 "— 1/2" " Universal 8 "— 1/2" " Universal 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 Socket Sets 11 Socket Sets 11 Socket Sets 11 Socket Sets 11 Sopeed Wrenches 12 Speed Wrenches 15 Starter and Generator Wrenches 15 Starter and Generator Wrenches 15 Stud Bolt Wrenches 17 Tappet Wrenches 19 Tappet Wren	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 3, 4 and 5 "— 1/2" " 12-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 5 "— 1/2" " Extra Deep, 12-Point 3 and 5 "— 1/2" " Drag Link 5 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Wing Nut 6 "— 1/2" " Wing Nut 6 "— 1/2" " Universal 8 "— 1/2" " Universal 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 Socket Sets 11 Socket Sets 11 Socket Sets 11 Socket Sets 11 Sopeed Wrenches 12 Speed Wrenches 15 Starter and Generator Wrenches 15 Starter and Generator Wrenches 15 Stud Bolt Wrenches 17 Tappet Wrenches 19 Tappet Wren	
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 3, 4 and 5 "— 1/2" " 12-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 5 "— 1/2" " Extra Deep, 12-Point 3 and 5 "— 1/2" " Drag Link 5 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Wing Nut 6 "— 1/2" " Wing Nut 6 "— 1/2" " Universal 8 "— 1/2" " Universal 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 Socket Sets 11 Socket Sets 11 Socket Sets 11 Socket Sets 11 Sopeed Wrenches 12 Speed Wrenches 15 Starter and Generator Wrenches 15 Starter and Generator Wrenches 15 Stud Bolt Wrenches 17 Tappet Wrenches 19 Tappet Wren	3
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 3, 4 and 5 "— 1/2" " 12-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 5 "— 1/2" " Extra Deep, 12-Point 3 and 5 "— 1/2" " Drag Link 5 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Wing Nut 6 "— 1/2" " Wing Nut 6 "— 1/2" " Universal 8 "— 1/2" " Universal 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 Socket Sets 11 Socket Sets 11 Socket Sets 11 Socket Sets 11 Sopeed Wrenches 12 Speed Wrenches 15 Starter and Generator Wrenches 15 Starter and Generator Wrenches 15 Stud Bolt Wrenches 17 Tappet Wrenches 19 Tappet Wren	300
Sockets— 3/8" " Jiffy Univ'l. 12-Point 26 "— 3/8" " Jiffy Drag Link 3, 4 and 5 "— 1/2" " 12-Point 3 and 6 "— 1/2" " 6-Point 4 and 5 "— 1/2" " Square 5 "— 1/2" " Extra Deep, 12-Point 3 and 5 "— 1/2" " Drag Link 5 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Drag Link 6 "— 1/2" " Wing Nut 6 "— 1/2" " Wing Nut 6 "— 1/2" " Universal 8 "— 1/2" " Universal 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Valve Adjusting, 12-Point 3 and 19 "— 1/2" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 "— 3/8" " Speed Wrench, 6-Point 41 Socket Sets 11 Socket Sets 11 Socket Sets 11 Socket Sets 11 Sopeed Wrenches 12 Speed Wrenches 15 Starter and Generator Wrenches 15 Starter and Generator Wrenches 15 Stud Bolt Wrenches 17 Tappet Wrenches 19 Tappet Wren	3
Sockets	300
Sockets	300
Sockets	300
Sockets	307170893766
Sockets	307170893766

C&T ELCOT LEN

Sept. 1, 19 7 Pulletin # 1

EXTLA DEEP SOCKETS SPICIAL




Fore are TWO THIN WALLED EXTRA DEEP SOCKETS especially designed for BUICK and NASH CARS.

One has 29/72" - 12 Point Opening and properly handles the BUICK and NEW NASH while the other is especially THIN WALLED with 13/16" Opening for the QUICK COOLING SPARK PLUCE on the MASH or any other Cars using those plugs.

No.	COLE	SIZE	PRICE
BN-6029-12-ED	ETAVO	29/52"	\$1.10
QC-6023-12-ED	ONUS	15/16"	1.10

BATHIE GREASE for - A - FORD MODEL



This SOCKET on a Speed Hanale will REMOVE or REPLACE the BAFFLE LIAGV BOLTS from the outside, where they are easy to got at.

No. CODE SIZE 6018-12-GB 9/16" 12 Pt. \$.85 AMID


15° OFFSET BOX WRENCH



These 15° OFFSET BOX WRENCHES ARE DOUBLE END and have JUST ENOUGH ROOM FOR HAND CLEARANCE. 12-Foint

No.	CODE	SIZE	PRICE
B-1416-0	TIAĐ	7/16" & 1/	2".95\$1.10
B-1820-0	GAP	9/1.6" & 5/	811.10 1.30
B-2224-0	CARTH	11/16" & 3/	1"1.20 1.50


MODEL -A- FORD CRANK JAW SOCKET



This CPANK JAW SCCKET has a 1-3/8"
12 Point Opening and a SLOT to fit a
FCRD STARTING CRANK which enables the
Mechanic to remove and replace the CRANK
JAW without removing the Radiator.


This Socket has a 3/4" Service Conn. making it usable in other places as a 1-3/8" Socket.

No. GODB SIZE PRICE F-9344-12 CUD 1-3/8" 12 Pt. \$1.50




This WRENCH is for REMOVING the BELL HOUSING on MASTER BUICK CARS and G-M-C TRUCKS without removing the PAN and REAR MAIN BEARING CAP.

No. CODE SIZE PRICE
BBH-2024 DeLUX 5/8" & 3/4" \$2.25



This WRENCH has 5/8" 12 Point Openings on both ends and is designed to satisfy a continuous demand for a SHORT BUICK HEAD BOLT WRENCH.

No. CODE SIZE PRICE
1020-63 SHORTY 5/8" & 5/8" \$2.00



FLEX SPINNER HANDLE

TWO SIZES

NS-3 HNS

This is a COMBINATION FLEX HANDLE and ONE HAND SPINNER made with the 1 SQUARE CONN. and the 3/8" SQUARE CONN. for the JIFFY SETS.

You DO NOT REQUIRE an EXTRA WRENCH to BREAK the NUTS LOOSE with this handle.

No. CODE SIZE PRICE

NS-3 HNS FATTY 1/2" Sq. Conn.\$2.75

3001-F FAD 3/8" Sq. Conn. 2.15

BUICK BODY BOLT WRENCH BBB-20

This WRENCH has 5/8" - 12 Point Opening and is DESIGNED, ESPECIALLY, to Handle BUICK PODY BOLTS.

It also works well on the CHEVROLET STARTER and MANY OTHER SIMILAR PLACES.


No. CODE SIZE PRICE
BBB-20 PROBE 5/8" - 12 Pt. \$1.00

The CHAP who GOES OUT of HIS WAY to HELP a CUSTOMER is likely to MEET

ANOTHER on his WAY BACK.

P&J NEW TOOLS P&C September 15, 1931 Bulletin #5

FORD & CHRYSLER PUMP NUT SPANNER (Improved)



This NEW DESIGN SPANNER works just a little better and in more places than the original design. This SPANNER will work on ANY 15" SPANNER NUT.

No. CODE PRICE \$.60

- Important Notice -


Add Another Size to the 15° OFFSET BOX WRENCH as shown on Bulletin # 2 September 1, 1931.


No. CODE SIZE PRICE
B-1618-0 GRIT 1/2" & 9/16" \$1.20

Add Another Size to the (S) TYPE BOX WRENCH shown on pages 70 & 71 of our New Catalog No. 32.

No.	CODE	SIZE	PRICE
BS-1613	REVEL	1/2" & 9/16"	\$1.50
******	******	*****	THE RESERVE OF THE PARTY OF THE PARTY.

\$\$\$\$\$\$\$	PRICE	REDUCTIONS	********
. o.Q	CODE	SIZE	PRICE
U-3018-12	CODB -	9/16"	\$1.50
U-3020-12	CODDLE	5/8"	1,50
U-3022-12	COG	11/16"	1.50
U-3024-12	COLIC	3/4"	1.50
30-CF SET		22 - Pcs.	20.80






3/4" x 15" or 18" or 22"

These EXTENSION "T" HANDLES can be used with ANY SIZE Opening Heavy Duty Socket to get into those places requiring an extension. They are ESPECIALLY adeptable for ALL MODELS of TRUCK WHEELS or RIM WORK.


The 12" Handle with any length Bar selected, together with 5 SOCKETS, viz, ONE 13/16" 8-Point, and ONE each 7/8", 1-1/16", 1-1/8" and 1-1/2" 12-Point, will give the Mechanic a fair initial combination of TRUCK WHEEL or RIM WRENCHES.

THESE H.D. EXTENSION "T" HANDLES are a GREAT ADVANTAGE over a solid, one piece "T" WRENCH. JUST THE PRICE OF A SOCKET, MAKES ANOTHER COMPLETE WRENCH.

_No.	CODE	DESCRIPTION	PRICE		
9302-T	CACTUS	8" Ext. Handle	\$ 2.20		
9302-12-T	CANDLE	12" Ext. Handle	2.40		
9301-T	CAPTOR	16"Ext. Handle	2.60		
15" Bar	CAST	3/4" Heat Treated 3/4" Heat Treated 3/4" Heat Treated	.50		
18" Bar	CASTLE		.60		
22" Bar	CHAFE		.75		




HEAVY DUTY EXENSION



Because of continuous demand, we are NOW STOCKING a 4" HEAVY DUTY EXTENSION Every person who owns a Heavy Duty Set will desire this 4" EXTENSION.


No. DESCRIPTION PRICE
9302-4 4" H.D. Exton. 3/4" Conn. \$1.75



This 13/16" - 8 POINT HEAVY DUTY SOCKED should be in every Mechanics Kit if he does work on Truck Wheels and other kinds of HEAVY DUTY WORK.

No. <u>DECCRIPTION</u> FRICE

9326-€ 13/16" - 8 Point \$1.00



Nov. 16, 1931 Entletin # 9

This SET provides the Mechanic with 9 WRENCHES with 18 SIZES and NO DUPLICATES, THEREFORE the MINIMUM COST FOR Complete Set of 18 Sizes.

SET CONTAINS THE FOLIOWING NUMBERS


	Marie	*************************	****		1 Malana par	~~
No.	OH-1013	5/16"	& 1	3/32"	Ope.	\$.40
	OE-1214	3/8 "	&	7/16"		.40
	OE-1618	1/2 "	&	9/16"	Ħ	.60
No.	OE-1922	19/52"	& 1	1/16"	11	.70
No.	OE-2024	5/3 "	80	3/4 "	11	.90
No.	OE-2528	25/32"	&	7/8 "	11	1.15
No.	OE-2630	13/16"	& 1	5/16"	11	1.15
No.	OE-3134	31/32"	& 1-	1/16"	***	1.55
No.	OE-3236	1"	& 1	-1/8"	11	2.30
TO	TAL	د د د د	. – –			9.15
NO		CONT	ENTS			PRICE
9-0	E	9-0E	Wren	nches	3	9.15

Container


Waterproof

.40

ONE



P & C OPEN END WRENCH SET



This SET of 6 Wrenches provides the Mechanic 12 of the MOST USED SIZES from 3/8" to 15/16" with NO DUPLICATIONS.

SET CONTAI	NS THE	FOLIQWING	MUMIERS
No. OE-1214	3/8"	& 7/16"	
No. OB-1618	1/2"	& 9/15"	60
No. 0E-1922	19/32"	& 11/16"	70
No. OF-2624	5/8"	& 3/4 "	90
No. OE -2E28	25/32"	& 7/8 "	
No. OB-2630	13/16"	& 15/16"	
Total			. \$ 4.90


NO.					PRICE
# 6-OE	6	OE	Wranches	.\$	4,90
ONE			of Container.		
		A	to any other all the sale and the sale and the sale		

IT PAYS TO DEMONSTRATE

P&C NEW TOOLS P&C

Nov. 16, 1931 Bulletin #11


JIFFY SPEEDER
"Light Weight"



Every Mechanic that has a 3/8" Conn. set of sockets will desire one of these LICHT WEIGHT JIFFY S P E E D E R S Even though VERY LIGHT weight, they are VERY SUBSTANTIAL.

NO. SIZE PRICE
3001-10-LW 3/8" Conn. \$1.30


JIFFY GREASE BAFFLE SOCKET




Immediately after we came out with GREASE BAFFLE SOCKET with 1/2" Conn., requests began to come in for same with 3/8" Serv. Conn. for JIFFY Attachments.

HERE IT IS.

NO. SIZE PRICE \$.80



TOOLE P&C Bulletin #13 SET



Wronches be appreciated.


It contains 4 Pr. of the most used sizes from 7/16" to 7/8" and each wrench

	SET	CONTAINS	THE	FOL	IOI	MINO	}
TVO TWO TWO TWO	No. No. No.	TP-1416 TP-1618 TP-2022 TP-2428	@ @ @ @	.50 . .55 . .65 . .75 .		• • •	. \$1.00 . 1.10 . 1.30 . 1.50 . \$4.90
NO. 8-TP CONTAI		8		IPTION nches			PRICE \$4.90

PAGE

NEW TOOLS IP&C Nov. 16, 1931 Bulletin #14

P&C TAPPET SET



A VERY HANDY KIT.

This SET of 6 TAPPET Wrenches is IDEAL for the Average Job.

It contains 3 Pr. to handle jobs taking sizes from 7/16" to 11/16".

SET CONTAINS THE FOLLOWING

TWO	No.	TP-1416	@	.50	•	•	•		\$1.00
TWO	No.	TP-1618	.@	.55	•	•	•	٠	1.10
TWO	No.	TP-2022	@	.65	•	٠	•	•	1.50
TO	TAL	6	Wrenc	hes					\$3.40

NO.	CONTENTS	PRICE
6-TP	6 Wrenches	\$3.40
Containa	r for SET	-30

J NEW TOOLS Jan. 2, 1932 Bulletin # 15

PLIERS P&C

MECHANICS realize that IT PAYS to have the BEST QUALITY of PLIERS for every purpose, with the possible exception of LOANING. Therefore the P & C Co. are new stocking a LINE of P L I E R S that WILL SATISFY the most SKILLED MECHANICS for EVERY DAY SERVICE.

P & C GENERAL UTILITY PLIERS




SLIP JOINT SIDE CUTTING PLIERS

KEEN - SHARP CUTTING and WILL STAND UP

NO. PPICE KIND 8-GU GENERAL UTILITY


P & C THIN NOSE GENERAL UTILITY PLIERS




SLIP JOINT and THIN NOSE FOR THOSE HARD-TO-GET-AT PLACES

NO. PRICE KIND 8-TCU \$1.40 THIN GENERAL UTILITY

IT PAYS TO DEMONSTRATE P & C TOOLS




P & C LONG NOSE PLIERS



LONG MOSE - LAP JOINT - SIDE CUTTING
SPECIALLY ADAPTED FOR FINE WORK

NO. KIND PRICE
8-LN LONG NOSE \$1.75

P & C DIAGONAL CUTTING PLIERS



LAP JOINT PLIERS with CLEAN SHARP KNIVES

for
SWITCHBOARD and ELECTRICAL APPARATUS JORK

NO. KIND PRICE 8-D DIAGONAL \$1.65

P & C LINE OF PLIERS INCLUDES NO UNNECESSARY ITEMS. THEREFORE HOLDS THE MECHANICS INVESTMENT IN PLIERS DOWN TO THE VERY MINIMUM.

Jan. 2, 1932 Bulletin # 17

P & C BATTERY PLIERS



This PLIER not only handles ALL TYPES of BATTORY CONNECTIONS, but is an IDEAL TOOL for ADJUSTING FOUR WHEEL BRAKES.

A PLIER FOR ALL AROUND ADJUSTMENTS

NO. KIND PRICE
8-B BATTERY \$1.25

P & C PUMP NUT PLIERS




FOR ALL MAKES OF CARS and TRUCKS
THIN JAMS FOR THE HARD TO GET AT PUMP NUTS

NO. KIND PRICE
8-PN PUMP NUT \$1.50


ALL P&C PLIERS

ARE FINISHED

LIKE MECHANICS' TOOLS



P & C DRAULIC BRAKE PLIERS



BRAKE ADJUSTING PLIERS for

CARS EQUIPPED WITH STEEL DRAULIC BRAKES Oakland - Pontiac - Durant - Hupmobile Nash - Auburn and ALL OTHER CARS WITH THIS TYPE OF BRAKE.

NO. KIND PRICE DRAULIC BRAKE 8-DB

P&C _BRAKE SPRING PLICE



This PLIER is designed to take all SPRINGS on PASSENGER CARS.

Distance from rivet to hook is short and the handles are long, giving GREAT LEVERAGE.


The ENDS of HANDLES will ttake care of REMOVING and REPLACING the upright spring from the STUD.

PRICE

\$2.75

.CM KIND BRAKE SPRING 8-BS

NEW TOOLS Feb. 20, 1932 Bulletin # 19



P & C "JIFFY RRATCHET" NEW STYLE HERE IT IS

WITH 24 TOBTH ON THE WHEEL MAKING IT POSSIBLE TO GET INTO CLOSE PLACES

THE DOG CATCHES ON TWO TEETH AT ONE TIME, MAKING A POWERFUL RATCHET FOR ITS SIZE

THE "PLUG" WILL SLIPE BUT WILL NOT DROP OUT

The "DESIGN" IS SUCH THAT YOU CAN SEE AT A GLANCE WHICH SIDE SHOULD BE UP TO TURN THE NUT THE DESIRED WAY. ALWAYS TURN TOWARD THE SHOULDER.

IT IS EASILY CLEANED AND OILED


IT MUST BE USED TO BE APPRECIATED.

NO.		PRICE
3010	With Plug 2.50	\$2.75
3010	Without Plug	2.50
3007	3/8" Conn.	•25

P&C NEW TOOLS


Feb. 20, 1932 Bulletin # 20

P&C



An "IDEAL STEEL CONTAINER" for P&C JIFFY TOOLS.

This Container has THREE HINGES and a substantial HASP. Also there are TNO RIBS in the cover to hold the TOOLS IN PLACE, even when the BOX IS UPSIDE DOWN.




NO. SIZE PRICE
3080 19" x 7" x 11" \$1.25

P&C NEW TOOLS P&C

April 30, 1932 Bulletin # 21

R A T C H E T (NEW STYLE)



24 THETH ON WHEEL 1/2" Square CONNECTION

THE DOG CATCHES ON TWO TEETH AT ONE TIME MAKING A POWERFUL 1/2" Connection RATCHET

THE PLUG WILL NOT PULL OUT

You KNOW AT a GLANCE which side should be UP to TURN the NUT the DESIRED way.


IT IS EASILY CLEANED and OILED.

P&C QUALITY TELLS IT ALL.


No. Size Price
6010 91 Long \$3.75
3.40

YOU WILL LIKE IT





ADJUSTABLE ANGLE WRENCH



THIS NEW P & C ADJUSTABLE ANGLE WRENCH is designed to get at places INACCESSIBLE with the ordinary wrench.

FOUR TEMPERED THREADS MESHING in a DROP FORGED HARDENED JAW that .

INSURES UNUSUAL STRENGTH

FULL POLISH

STANDARD P&C QUALITY

No.	Size	Price
90-4	4"	\$.75
90-6	6"	.85
90-8	8n	.95
90-10	10"	1.15

PURE	ECO	NOMY	NEAS	R	P	IRM	ITS	1
SACRIF	ICE	·OF	១ ប	Λ	LI	T	Y	

PGC] NEW FOOLS P&C
April 30, 1932 Bulletin # 23

SUPERIOR C H I S E L S


The SUPERIOR CHISELS illustrated here are made from SUPER CHISEL STEEL the very latest development for COMBINED HARDNESS TOUGHNESS and SHOCK RESISTING QUALITIES.

Our experiments and tests bring us to the conclusion that CHISELS made from our SUPER CPISEL STABL have NO COMPETITION in the realm of QUALITY


THUSE SUPER CHISELS

are truly in a

CLASS by THEMSELVES




No.	Size		Price
10-A	1/4 x	5"	\$.25
10-B	5/16 x	5"	.35
10-C	3/8 x	511	.45
10-D	1/2 x	611	• 60
10-E	5/8 x	611	.80
10-F		7.11	1.00



LAP JOINT

DIAGONAL CUTTING PLIER



HEAVY DIAGONAL PLIER for Electricians, Machinists, Automobile Mechanics and General Repair Men.

No. Size Price \$1.30


HEAVY DUTY DIAGONAL PLIER



This DIAGONAL CUTTING PLIER has HAND-HONED cutting knives that will CUT CLEAN and STAND UP.

Finished gun metal handles with full polished head.

No.	Size		Price
8-07	7"		\$2.00
STANARI	(P&O)	QUALITY	ĺ



The CONVENIENCE of these POCKET PLIERS is so apparent for ELECTRICAL and IGNITION work, that details are unnecessary.

No.	nescription	Price	
83	ELECTRICIAN	\$1.00	
8 - I	IGNITION	1.25	

POJKIT

BLL

an of PIOT

April 30, 1932 Bulletin # 26 PYRALIN HANDLE

SCREW PRIVERS

SHOCK-PROOF

The HANDLES of these DRIVERS are PYRALIN a Translucent non-porous composition that is SHOCK-PROOF, TOUGH and is truly a FIGH CHAME TOOL. and especially adapted for driver handles.


The STEEL used in the BLADES of these DRIVERS possess a combination of physical properties which has never before been obtainable in TOOL STEEL.

. After exhaustive experiments, combined with actual shop tests under both NORMAL and ABUSIVE conditions, THIS STEEL was selected.

No.	Size of Blade	Price
502-SD	3/16 x 2"	\$.65
504-SD	3/16 x 4"	.70
806-SD	3/16 x 6"	.75
508-ST	3/16 x 8"	.80
510-Sn	3/16 x 10"	.85
604-SD	1/4 x 4"	.90
606-SD	1/4 x 6"	.95
706-80	5/16 x 6"	
		1.10
70 8 -ST	5/16 x 8"	1.20
808-SD	3/8 x 8"	1.50
810-Sn	3/8 x 10"	1.60
812-50	3/8 x 12"	1.70

NEW TOOLS April 30, 1932 Bulletin # 27

SCREW DBIVERS (ALIOY STEEL)




HAMMER-HEAT PATCHECI ROUND SPANK--POLISHED BLADES

The BLADS is made of CPROFE-NICKIE ALLOY STEEL, extends THROUGH the MANDLE

The HARDWOOD HANDIN is especially shaped and beautifully finished in RUBBEROID.

No.	Size of Blade	Price
103-SD	3/16 x 39	8 .45
1.04-50	1/4 x 4"	.55
106-37	5/16 x: 6"	.65
108-SD	3/8 x 8"	1.00

S G R B V D R I V E R S (ALLOY STEEL)



REGULAR - PAPTEPN

This is a sturdy, well made driver nicely finished, at a ECONOMICAL FRICE.


BLADE is heat treated and polished all over.

HANDLE is conveniently shaped and finished in a dark cherry stain.

No.	Size of Blade	Price
204-50	1/4 x 4"	\$.45
206-SD	5/16 x 6"	•55

SCREW DRIVERS

Radio--Electricians' Pattern



The SCREW DRIVERS illustrated above have STRAIGHT SIDED

BLADES with a COMPACT


HANDLE so much desired for use in CLOSE QUARTERS.

The SET OF THREE DRIVERS are furnished in three sizes, $2\frac{1}{2}$ ", $4\frac{1}{2}$ " and $6\frac{1}{2}$ " and sell at such a reasonable price, that EVERY MECHANIC will desire a COMPLETE SET for his ELECTRICAL and RADIO work.

No.	Length of Blade	Price
302-SD	2 <u>1</u> 11	\$.20
304-SD	41/2	• 25
306-SD	62"	.30

P&C NEW TOOLS P&C
August 1, 1932 Bulletin # 29

P & C PUMP NUT PLIER (UNIVERSAL)



THE JAWS ARE SELF-ALIGNING

This is a GENERAL PURPOSE WRENCH that works especially well on PUMP NUTS and will do LIGHT PIPE WORK.

P & C QUALITY and NICKEL PLATED

No.	KI	ND	PRICE
8-UPN	PUMF	NUT	\$1.95
	CALLES CALLES		


NOTE PRICE REDUCTIONS (SDE BULLETIN # 26)

	No.	Sizo	of	Blade	<u>P</u>	RICE
	502-SD	3/16"	x	2"	3	.65
	.504-SD	3/16"	x	4"		.70
	506-SD	3/16"	x	6"		.75
	508-SD	3/16"	x	8"		.80
	513-SD	3/16"	x	10"		.85
2	604-SD	1/4"	x	4"		.90
	606-SD	1/4"	x	6"		.95
5	706-SD	5/16"	x	611		1.10
	703-SD	5/16"	x	8"		1.20
	808-50	3/8"	x	8"		1.50
	819-SD	3/8"	x	10"		1.60
)	CS-218	3/8"	x	12"		1.70
		(SEE CAT	410	G Phone	481	
,	FP-29			an lool		2.00
,	20					2.00
		(SHE CAT	CIA	G Page	64)	


Lining Up Bars

Lining Up Bars Lining Up Bars 1.25 1.60 2.00

15-A



WHEEL STARTER 1932 CHEVROLET



Here is a WHIEL STARTER that works' especially well on the 1932 CHEVROLET and every Mechanic or Garage Owner doing repair work on the late model Chevrolet Cars will need one of these WHEEL STARTERS.

No. KIND PRICE

1012 13/16" and 16 Thread \$1.00

READY FOR SHIPMENT AUGUST 10th.

HERE IS ANOTHER

AXLE NUT S.OCKET for 1932 CHEVROLETARELESSES SERVICES SER


No. SIZE PRICE
9338-12 3/4" Conn - 1-3/16" Ope. \$1.00
9038-12 5/8" Conn - 1-3/16" Ope. 1.00

The standard 1-3/16" socket with 1/2" Conn. is not deep enough for this job while our HEAVY DUTY SOCKETS described above are IDEAL for the work.

Every Mechanic who does not have one of the above SOCKETS will want one.

P&C J NEW TOOLS P&C Sept. 5, 1932 Bulletin #31

FORD V-8 MAIN BEARING WRENCH



The HANDLES are SELF LOCKING against each other

The BALL FRICTION HOLDS the wrench from dropping out when the MOTOR is UPSIDE DOWN ON STAND.

The COTTER KEY HOLES on the BOLT should be put in LINE with BALL SNAP on WRENCH for convenience in locating COTTER KEY FOLE when NUT is set.

No. <u>DESCRIPTION</u> <u>PRICE</u> 2002 9/16" 8-pt. by 10" Pr.\$1.80

FORD V-8 GENERATOR SPANNER

2004


This #2004 SPANNER properly handles to GENERATOR on the FORD V-8.

No.

DESCRIPTION
About 6" Long

\$.60

FORD V-8 VALVE GUIDE EXTRACTOR



This VALVE GUID: EXTRACTOR is designed or FORD V-8, the same as our FV-30 works the Model "A" Ford. Works perfectly.

No.


DESCRIPTION
About 71 Long

PRIOS

Sept. 5, 1932 Bulletin #32

FORD V-8 MANIFOLD - WATER PUMP and


CARBURETOR WRENCH



This #2005 (S) WRENCH is just the RIGHT DESIGN to handle the MANIFOLD, WATER PUMP and CARBURGTOR on the FORD V-8 as well as being a GOOD GENERAL PURPOSE WRENCH.

Non DESCRIPTION PRICE 2005 9/16" & 5/8" 1.2 Point \$1.30

FORD V-8 CONNECTING ROD SOCKET



This SPECIAL DESIGNED 9/16" 12 point SOCKET is NECESSARY for the COUNECTING ROD NUTS on the FORD V-8.


In order for this socket to enter the counterbore, the socket must be thin, therefore we must charge 25d each for replacements.

No. DISCRIPTION PRICE 2018 9/16" 12 pt. and 3"Conn.

COMMON SENSE USED IN SELLING

IS CALLED MERCHANDISING

P&C N E W TOOLS Sept. 5, 1932 Bulletin #33 E N D



The OPEN END WRENCHES illustrated here are made of STEEL, ESPECIALLY SELECTED for the S T R A I N required of this type of wrench.


These WRENCHES are carefully hardened and tempered and FINISHED in DURABLE NICKEL PLATE with HEADS POLISHED BRIGHT and stamped as to SIZE and NUMBER -

With THESE WRENCHES, the STRENGTH of the old round head type of wrench is combined with the CONVENIENCE of LIGHT WRENCHES for those "HARD-TO-GET-AT" Places.


Electrically HEAT TREATED insuring UNIFORM HARDNESS.

No.	DESCRIPTION			PRICE
1723	3/8"	&	7/16".	\$.30
1"25-B	1/2"	&	9/16"	.50
1027	19/32"	&	11/16"	.60
1729	5/8"	&	3/4"	.70
1031	25/32"	&	7/8"	.90
1033-B	13/16"	&	15/16"	.95

TOUGH THUSE WRENCHES SURE ARE and PRICES ARE LOW FOR P&C QUALITY




TAPPET WRENCH



The above TAPPET is another combination of SIZES to be added to our TAPPET WRENCHES on BULLETIN #12.

No.	DESCRIPTION	PRICE
TP-1417	17/32" and 7/16"	\$.55

ALRELANE VALVE ADJUSTING WRENCH



The SOCKET of this wrench is 5/16" thick for adjusting VALVES on a large number of AIRPLANE MOTORS.

No.	DESCRIPTION		PRICE	
524-A	3/4"	Hexagon	\$1.20	


EXTRA DEEP SOCKETS - (EXTRA THIN WALL)

*** ***********


		(F&C)	
No.		SIZE	PRICE
QC-6026-12-En		13/16"	\$1.10
6028-12-ED	Thin	7/8"	1.10
BN-6029-12-ED		29/32"	1.10
6030-12-ED	Thin	15/16"	1,10
6032-12-ED	Thin	1"	1.15

1.15

6036-12-ED Thin 1-1/8"



Oct. 15, 1932 Bulletin #35




The PLIER illustrated above is designed for the AUTOMOBILE MECHANIC.

NOSE is LONG and NARROW, the RIVET is FLUSH on BOTH SIDES.

THE BOLT STAYS TIGHT

No.	DESCR	IPTION	PRICE
8-C5	5"	Long	\$.65
8-06	6"	Long	.70
8-C8	811	Long	.85

HOAVY DUTY SLIP JOINT COMBINATION PLIER





This is a HEAVY DUTY PLIER designed for work that the ordinary plier will not stand.

The CUTTING KNIVES CUT CLEAN
MUST BE SEEN TO BE APPROCLATED

Ne.	DESCRIPTION	PRYCE
8-HD	10" Long	\$1,40

ı	IF			SUVFILA	
	MO	OME	AIN BRIM	OTTE PRICES	





This VALVE LIFTER works exceedingly well on the FORD V-8.

The HANDLE is 3/4" Stock and 22" long. A BRASS FERRULE is provided to PROTECT the MOTOR BLOCK where the leaver rests.

NO. DESCRIPTION 22" Long

PRICE \$1.50

AIRPLANE GAS LINE MUT WRENCH

This WRENCH is just what its name implies and should be in every AIRPLANE MECHANIC'S GRIP.

No. DESCRIPTION PRICE
CL-8B 3/4" Ope. 8" Long \$\varphi\$1.50

W-405

THITE TRUCK RATIUS ROD TRENCH

JUST THIN INOUGH to PROPERLY handle the job and many others.

No. DESCRIPTION PRICE
W-40 11 12-pt. \$2.60

P&C N E W T O O L S FAC Oct. 15, 1932 Bulletin #37

P & C ELECTRICIAN SCREW DRIVERS

These ELECTRICIAN SCREW DRIVERS are SHOCK PROOF and very HIGH QUALITY.

No. DESCRIPTION PRICE

402-SD 5/32" x 2" Blade \$.50

404-SD 5/32" x 4" Blade .55

406-SD 5/32" x 6" Blade .60

MACHINISTS' BALL PEIN HANMERS


These Machinists' Ball Pein
Hammers are made from HAMMER
STEEL with a SELECTED HICKORY HANDLE.

This HAMMER gives EXTREME SATISF.CTION

No.		DESCRIPTION	PRICE
104-BP	글#	13" Over-all	\$1.10
104-BP	1#	14" Over-all	1,20
104-BP	1글#	16" Over-all	1.40

Those things Called DEAR are, when justly estimated, the CHEAPEST.

They are attended with much LESS PROFIT to the producer, than those things which everybody calls cheap.



This NEW STYLE HEAVY DUTY FLEX HANDLE is a most excellent addition to our HEAVY DUTY LINE.

STRICTLY IN KEEPING WITH P & C QUALITY

NO. DESCRIPTION PRICE
931-F 19" Long 3/4" Conn. \$4.50

TRACTOR WRENCH

TRACTOR WRENCH


15/16" 15" Long
1-1/16"

The TRACTOR WRENCH illustrated above has 15/16" 12 point opening on one end and 1-1/16" opening on the other and being 15" long, makes a most convenient WRENCH for TRACTOR WORK.

Every TRACTOR OWNER or MECHANIC doing TRACTOR work should have this WRENCH.

NO. DESCRIPTION PRICE
B-3034-0 15/16" and 1-1/16" \$2.30

NOT THE CHEAPEST - THE BEST NEVER IS



DESCRIPTION

1 12 pt. 6" Long

REMEMBER

HEN THINKING ABOUT HAND

THERE IS NO SUBSTITUTE FOR


NO.

2008

PRICE

TOOLS


QUALITY



PRICE REDUCTIONS

	*************	d.m. Too		NEW
NUMBER	NUMBER	CATALOG PAGE		PRICE
			•	
6010		Bulletin #		\$3.40
3010			19	2.50
8-I			25	1.00
B-1214	E-1214	Cat. Page	32	.80
B-1416	E-1416		32	.90
B-1618	E-1618		32	.95
B-1820	E-1820		32	1.00
B-2022	E-2022		32	1.10
B-2024	E-2024		32	1.15
B-2224	3-2224		32	1.25
B-2428	E-2428		32	1.50
C-1214	F-1214	Cat. Page	33	.85
C-1416	F-1416		33	.95
C-1618	F-1618		33	1.00
C-1820	F-1820		33	1.05
C-2022	F-2022		33	1.15
C-2024	F-2024		33	1.20
C-2224	F-2224		33	1.30
C-2428	F-2428		33	1.60
0-2830	F-2830		33	1.80
0-3032	F-3032		33	2.00
0-3254	F-3234		33	2.25
0-3436	F-3436		33	2.50
BS-1416		Cat. Page	71	.90
BS-1618		Bulletin #	[‡] 5	1.00
BS-1820		Cat. Page	71	1.10
BS-2224			71	1.25
B-1416-C)	Bulletin #	¥ 2	,95
B-1618-0			5	1.00
B-1820-0)		2	1.10
B-2224-0)		2	1.20
CLB-1416			51	.95
JLB-1618		Cat. Page	51	1.00
CLB-1820		040. 140	51	1.10
OTB-2022			51	1.15
CIB-2224			51	1.20
2005		Bulletin #	#32	1.10

P&C Jan. 3rd, 1933 Bulletin #41 [P&C]



The Pack FLAR PULLER is ADJUSTABLE to over 10" opening, has PROPER DESIGN, will do the work and SELIS at SIGHT.


	NO.	DESCRIPTION P	RICE
	2015	Complete - THREE PAIR JAWS \$1	0.50
			6.50
Ĭ	JAWS	Per Pain	2.00
	2016	THREE WAY PULLER - Three Jaws	9.00
	THREE	WAY BLOCK and ONE ARM (only)	4.00

TOOLS NEW

Feb. 8th, 1933 Bulletin #42

P&C

P&C 3-JAW GEAR



3-JAW GEAR PULLER The illustrated above is a duplicate of above is to serve as a grinding pilot our #2015 with the exception it has for the NEW FORD V-8 VALVES. THREE JAWS instead of two.

This PULLER is LIGHT and POWERFUL machined and held together with fine


STANDARD P&C QUALITY soil spring.

PRICE DESCRIPTION NO. \$ 9.00 THREE JAWS 2016 THREE WAY BLOCK & ARM (only) 4.00

> IF YOU WANT QUALITY 009 Full size above NO ONE CAN BEAT OUR PRICES

P&C] NEW TOOLS February 10, 1933 Bulletin #43

FORD V-8 FALSE VALVE GUIDE




The FAISE VALVE GUIDE illustrated

It is made in two halves accurately


This TOOL is a real time saver t a MOST MODERATE PRICE.

NO. DESCRIPTION PRICE \$.50

FL XIBLE and EASY to INSERT and REMOVE



WHEEL STARTER




This WHEEL STARTER works on 3/4" AXLES with 20 THREADS to the inch.

NO. DESCRIPTION PRICE

1013 3/4" 20 Threads \$.80

EXTRA DEEP JIFFY SOCKET




There is considerable demand FOR this light weight EXTRA DEEP SOCKET and every MECHANIC who does not have one is a good prospect.

NO. DESCRIPTION PRICE \$,65

EXTRA DEEP JIFFY SOCKET

8 - Point



-- <u>NO.</u> 3014-E-ED DESCRIPTION 7/16" 8 Point

PRICE



Street

City_

State

(Beturn Postage Guaranteed)