


Milwaukie, PORTLAND, OREGON

Dealers' Numerical Net Price List No. 40-A

Conforming to Catalogs Nos. 40 and 40-P—Effective June 1, 1939

PRICE AND PAYMENT TERMS
 2% 10th Prox, 30 days net. Prices, terms and discounts subject to change without notice.

SHIPPING TERMS
 Full freight allowance on direct factory shipments of 100 lbs. or over. Under 100 lbs. F.O.B. Factory or F.O.B. Warehouse Points.



QUALITY TOOLS
 Selected Alloy Steel Scientifically Heat Treated—Maximum Strength, Toughness and Durability.

BRANCHES
 Branch Warehouses or Distributor Stocks in Seattle, San Francisco, Los Angeles, Dallas, Minneapolis, Chicago, Detroit and New York.

THE BEST TOOLS MONEY CAN BUY

for

Automobile, Airplane, Plumbing, Marine and Industrial Use
 Special Tools for Service Stations and Garages

HOT FORGED - HOT PUNCHED - HOT BROACHED

See your nearest Jobber, Dealer or write



P & C HAND FORGED TOOL CO., Inc., PORTLAND, OREGON



Numerical Net Price Index No. 40-A

No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price
A	Replacement Hammer, Rubber Hd.	28	\$0.50	8-C-10	10' Comb. Slip Joint Plier	29	\$1.85	20	1/4" x 4' Center Punch	32	\$.25
B	Replacement Hammer, Fibre Hd.	28	.50	8-D-5	5' Diagonal Cutting Plier	29	1.65	20-A	Mdse. Unit Standard Sockets, etc.	3	33.90
C	Replacement Hammer, Rubber Hd.	28	.60	8-D-7	7' Diagonal Cutting Plier	29	2.15	21	1/4" x 4 1/2" Center Punch	32	.30
D	Replacement Hammer, Fibre Hd.	28	.60	8-DB	Brake Adjusting Plier	26	1.65	22	1/4" x 4 3/4" Center Punch	32 & 2	.40
1	V-8 Carburetor Jet Wrench	22	.55	8-E-6	6' Economy Comb. Plier	29	.35	22F	1 1/2 lb. Hammer, bronze, fibre hds.	28	1.75
2	Stromberg Carburetor Wrench	24	.55	8-GU	Slip Joint Side Cutter	29	1.95	22R	1 1/2 lb. Hammer, bronze, rub. hds.	28	1.75
3	Trico Windshield Wrench	24	.70	8-I	Ignition Plier	29	1.25	23	1/4" x 5' Center Punch	32	.40
3F	2 1/2 lb. Hammer, steel with fibre hds.	28	1.95	8-I-E	Economy Ignition Plier	29	.90	23F	2 1/2 lb. Hammer, bronze, fibre hds.	28	1.95
3R	2 1/2 lb. Hammer, steel with rub. hds.	28	1.95	8-LN-6	6' Long Nose Side Cut. Plier	29	1.95	23-R	2 1/2 lb. Hammer, bronze, rub. hd.	28	1.95
4	V-8 Distributor Wrench	22	.55	8-LN-7	7' Long Nose Side Cut. Plier	29	2.10	27	1/4" x 4 1/2" Prick Punch	32 & 2	.25
A4FF	1 lb. 2 oz. Mallet, fibre & fib. hds.	28	1.75	8-PN	Water Pump Nut Plier	29	1.95	28	1/4" x 5' Prick Punch	32 & 2	.30
A4FR	1 lb. 2 oz. Mallet, fibre & rub. hds.	28	1.75	8-PN-E	Economy Water Pump Plier	29	1.15	29	1/4" x 5 1/2" Prick Punch	32 & 2	.30
A4RR	1 lb. 2 oz. Mallet, rub. & rub. hds.	28	1.75	8-SC	Lineman's Plier	29	2.15	30	1/4" Cape Chisel	32	.30
4FR	2 1/2 lb. Mallet, fibre & fibre heads.	28	1.95	8-TGU	Slip Joint Plier	29	1.65	31	1/4" Cape Chisel	32 & 2	.30
4FR	2 1/2 lb. Mallet, fibre & rubber hds.	28	1.95	10	1/4" Cold Chisel	32 & 2	.25	32	1/4" Cape Chisel	32	.35
4RR	2 1/2 lb. Mallet, rub. & rub. heads.	28	1.95	10-RPH	Ratchet Plug Hdle., 1/2" sq.dr.	17	.75	33	1/4" Cape Chisel	32	.45
5	Model A Carburetor Jet Wrench	22	.90	11	1/4" Cold Chisel	32 & 2	.30	34	1/4" Cape Chisel	32	.55
6-MK Set	6 pc. Punch & Chisel Set	33	2.00	12	3/8" Cold Chisel	32 & 2	.35	40	1/4" Diamond Point Chisel	32	.30
6-MK St	(in roll)—Punch & Chisel Set	33	2.50	SR-12	Tray only, 12 1/2" long	8	.40	41	1/4" Diamond Point Chisel	32 & 2	.30
6-10 Set	6 pc. Cold Chisel Set	33	3.00	SR-12-B Set	(in Trav. 12 pc. 1/2" Sq. Dr.	8	6.95	42	1/4" Diamond Point Chisel	32	.35
6-10 Set	(in roll)—Cold Chisel Set	33	3.60	13	1/2" Cold Chisel	32 & 2	.55	43	1/4" Diamond Point Chisel	32	.45
6-10-25 Set	6 pc. Tap, Punch & Chisels	33	3.10	14	5/8" Cold Chisel	32 & 2	.65	46	1/4" pt. x 4" Nail Set	31	.20
6-10-25 Set	(in roll)—Taper Punches and Chisels	33	3.70	14-A	Mdse. Unit 2-in-1 Wrenches	3	22.35	47	1/4" pt. x 4" Nail Set	31	.20
6-25 Set	6 pc. Taper Punch Set	33	3.40	14-MK Set	Misc. Punch & Chisels	33	4.85	48	1/4" pt. x 4" Nail Set	31	.20
6-25 Set	(in roll)—Taper Punch Set	33	4.00	14-MK St	(in roll)—Misc. Punch & Chisels	33	5.00	49-A	2 doz. Mdse. Unit Assortment	31	4.80
8-AN-7	Angle Nose Plier	26	1.80	15	3/4" Cold Chisel	32 & 2	.90	50	1/4" Round Nose or Gouge Chisel	32	.30
8-BA	Angle Nose Battery Plier	29	1.65	15-A	Mdse. Unit C. E. Wrenches	2	23.45	51	1/4" Round Nose or Gouge Chisel	32 & 2	.30
8-BA-E	Economy Battery Plier	29	1.10	16	3/4" Cold Chisel	32	1.00	52	1/4" Round Nose or Gouge Chisel	32	.35
8-BR	Hydraulic Brake Spring Cup	26	1.95	16-A	Mdse. Unit 12 pt. Box Wrenches	3	27.80	53	1/4" Round Nose or Gouge Chisel	32	.45
8-BN	Brake Shoe Washer Spreader	26	1.60	16-C	Mdse. Unit Economy Box Wrs.	3	12.60	58	1/4" x 4 1/2" Pin Punch	33	.30
8-C-6	6' Comb. Slip Joint Plier	29	1.00	17	1/2" Cold Chisel	32	1.10	59	1/4" x 4 3/4" Pin Punch	33	.30
8-C-8	8' Comb. Slip Joint Plier	29	1.25	17-A	Mdse. Unit S. D. Chisels & Pchs.	2	40.50	60	1/4" x 4 1/2" Pin Punch	33 & 2	.30
				18	1/2" Cold Chisel	32	1.40	61	1/4" x 4 3/4" Pin Punch	33 & 2	.30
				18-C	Mdse. Unit Phillips S. D.	2	11.55	62	1/4" x 5' Pin Punch	33 & 2	.30

NUMERICAL NET PRICE INDEX NO. 40-A—Continued

No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price
63-1/4	x 5 1/4" Pin Punch	33 & 2	.35	284	1/2" cut, 7/8" stock x 12" Star Drill	17	\$.80	912-S	2" Ope. Structural Wrench	17	\$5.00
64-1/4	x 5 1/2" Pin Punch	33 & 2	.40	288	1-1/2" Cut, 3/4" x 12" Stock Star Drill	17	1.75	915	3/4" S.A.E. 16 Wheel Starter	18	.90
64-1	1/4" x 5 1/2" Pin Punch	33	.45	0200	Metal Box only 6 1/4" x 2" x 1"	5	.40	916	3/4" S.A.E. 20 Wheel Starter	18	.90
65-1/2	x 6 1/2" Pin Punch	33 & 2	.50	0200-B	(in box) — 1/4" Conn. Jiffy Jr. Set. 5-18	5	4.45	920	1/2" S.A.E. 16 Wheel Starter	18 & 23	.95
65-1	x 8" Pin Punch	33	.65	0201	Metal Box only 8 1/2" x 2 1/2" x 1 1/2"	5	6.60	925	1/2" S.A.E. 14 Wheel Starter	18	1.00
65-2	1/4" x 8" Pin Punch	33	.80	0201-B	(in box) — 3/4" Conn. Jiffy Jr. Set. 5 & 18	8.30		926	1/2" S.A.E. 20 Wheel Starter	18	1.10
66-1/2	x 5" (starter) Pin Punch	33 & 2	.45	0206	1/4" Hex. Socket, 1/4" Sq. Dr.	5	.25	927	1/2" S.A.E. 16 Wheel Starter	18	1.00
67-1/2	x 5" (Starter) Pin Punch	33 & 2	.45	0207	1/4" Hex. Socket, 1/4" Sq. Dr.	5	.25	929	1/2" S.A.E. 18 Wheel Starter	18	1.00
68-1/2	x 6" (Starter) Pin Punch	33	.45	0208	1/4" Hex. Socket, 1/4" Sq. Dr.	5	.25	935-1	S.A.E. 14 Wheel Starter	18	1.10
70-1/2	Taper Punch	33 & 2	.35	0208-1/2	1/4" Hex. Soc. for Zerkl Gr. Fit.	5	.25	940	1-1/4" S.A.E. 12 Wheel Starter	18	1.45
71-1/2	Taper Punch	33 & 2	.40	0209	1/2" 12 pt. Socket, 1/4" Sq. Dr.	5	.25	941-1/2	S.A.E. 12 Wh. Start. (1" deep)	18	1.45
72-1/2	Taper Punch	33 & 2	.45	0210	1/2" 12 pt. Socket, 1/4" Sq. Dr.	5	.25	942-1/2	U.S.S. 7 Wh. Start.	18	1.60
73-1/2	Taper Punch	33	.55	0211	1/2" 12 pt. Socket, 1/4" Sq. Dr.	5	.25	945-1/2	S.A.E. 12 Wh. Start.	18	2.00
74-1/2	Taper Punch	33	.75	0212	1/2" 12 pt. Socket, 1/4" Sq. Dr.	5	.25	946-1/2	U.S.S. 7" Wh. Start.	18	2.00
75-1/2	Taper Punch	33	.90	0214	1/2" 12 pt. Socket, 1/4" Sq. Dr.	5	.25	950-1/2	S.A.E. 12 Wh. Start.	18	3.00
79-1/2	Long Taper Punch	33	.53	0245	Reversible Ratchet, 1/4" sq. dr.	5	1.95	951-1/2	U.S.S. 6 Wh. Start.	18	3.00
80-1/2	Long Taper Punch	33 & 2	.70	0247-3	Extension, 1/4" sq. dr.	5	.55	970	Barrel Bung Wrench (5-way)	27	2.50
81-1/2	Long Taper Punch	33 & 2	.90	0248-6	Extension, 1/4" sq. dr.	5	.70	972-1	1" x 22" Pipe Hdle. for Bung Wr.	27	.60
82-1/2	Long Taper Punch	33	1.10	0249-14	Extension, 1/4" sq. dr.	5	.85	975	Barrel Bung Wrench (9-way)	27	2.85
86-1/2	Ex. Long Taper Punch	33 & 2	.70	0250	1/4" Stubby Socket Spinner	5	.50	1020-B	Buick Head Bolt Wrench	23	2.75
87-1/2	Ex. Long Taper Punch	33 & 2	.90	0251	1/4" Flex Handle	5	1.45	1020-C	Chev. Head Bolt Wrench	23	2.75
88-1/2	Ex. Long Taper Punch	33	1.10	0252	1/4" Universal Joint	5	1.25	1021-1/4	Hex Chev. Truck Rim Wrench	23	1.85
90-1/2	Rivet Shear	32	.85	0253	Sliding T Handle, 1/4" Sq. Dr.	5	.60	1050	Open Stand. Feeler Gauge, 1/2" x 3 1/2" blades	28	.10
91-6	8" Adjustable Angle Wrench	29	1.00	0254	1/4" x .035" S. D. Socket	5	.60	1052	Open Feeler Gauge, 1/2" x 12" bld.	28	.25
91-8	8" Adjustable Angle Wrench	29	1.30	0259	1/4" Socket Spinner, 1/4" Sq. Dr.	5	.95	1054	Stand. Gauge Holder, notched hdl.	28	.25
91-10	10" Adjustable Angle Wrench	29	1.60	0278	1/4" 8 pt. Socket, 1/4" Sq. Dr.	5	.25	1055	Stand. Gauge Holder, notched hdl.	28	.35
91-12	12" Adjustable Angle Wrench	29	2.15	0280	1/4" 8 pt. Socket, 1/4" Sq. Dr.	5	.25	1058	Stand. Feeler Gauge Hold., comp.	28	.85
91-58	3" Superior Pipe Wrench	29	1.25	301	Bendix Brake Tool	26	.75	1060	Special Standard Feeler Gauge Holder, complete	28	1.35
92	3/4" Rivet Shear	32	1.10	302	Bendix Brake Tool Spec. Offset	26	.75	1062	Master Standard Feeler Gauge Holder, complete	28	1.75
93	Gasket and Carbon Scraper	26	.65	304	Brake Spring Plier	26	2.25	1064	Ignition Gauge with File	28	.95
94	Flexible Carbon Scraper	26	\$.55	305	Brake Nippers	26	1.65	1066	Combination Standard and Ignition Gauge with File	28	1.65
95	Bearing Scraper, small	26	1.25	308-E	Valve Stem Holding Tool	27	.50	1068	Brake Adjustment Gauge	28	.95
97	Bearing Scraper, large	26	1.75	309	3/8" x 1/4" Close Type Ecc. Br. Wr.	26	1.00	1070	Special Ford Feeler Gauge	28	.95
98	Oil Groove Chisel	32	.45	310	3/8" x 1/2" O. E. Ecc. Brake Wr.	26	1.00	1072	Chev. Special Feeler Gauge	28	.95
99	Oil Groove Chisel	32	.55	311	3/8" x 1/2" O. E. Ecc. Brake Wr.	26	1.00	1101	Dollie	24	1.45
101	Lining Up Bar	34	1.00	312	3/8" x 3/4" Close Type Ecc. Br. Wr.	26	1.00	1104	Dollie	24	1.45
102	Lining Up Bar	34	1.45	323	1/2" x 3" Screw Driver	5, 31	.45	1107	Dollie	24	1.45
103	Lining Up Bar	34	1.95	400	Key Ring S. D.	30	.25	1112	Dollie	24	1.85
105	Solid, Plain or Rivet Punch	32	.25	402	3/8" x 2" S. D.	30 & 31	.55	1115	Dollie	24	1.60
106	Solid, Plain or Rivet Punch	32	.30	404	3/8" x 4" S. D.	30 & 31	.60	1116	Dollie, Radius type	24	1.55
107	Solid, Plain or Rivet Punch	32	.30	406	3/8" x 6" S. D.	30, 31 & 2	.65	1117	Dollie, Heel type	24	1.60
108	Solid, Plain or Rivet Punch	32	.40	408	3/8" x 8" S. D.	30, 31 & 2	.75	1123	Spoon	25	1.50
109	Solid, Plain or Rivet Punch	32	.55	412	3/8" x 12" S. D.	30, 31 & 2	.90	1124	Spoon	25	1.50
110	1/2" Screw Extractor	31	.45	A-415	Box only—11" x 2 1/2" x 1 1/2"	9	.85	1125	Spoon	25	1.50
111	1/2" Screw Extractor	31	.50	A-415-B	Set (in Steel Box), 1/2" Sq. Dr.	9	5.70	1126	Spoon, long narrow	25	1.50
112	1/2" Screw Extractor	31	.55	A-416	Box only—14" x 2 1/2" x 2"	9	.50	1140	Dinging Hammer	25	2.15
113	1/2" Screw Extractor	31	.65	A-416-B	12 pc. Service Set (in steel box) 1/2" sq. dr.	9	7.80	1141	Roughing Hammer	25	2.50
114 Set	Screw Extractors	31	2.15	A-475	Box only—18" x 2 1/2" x 1 1/2"	9	1.55	1142	Bumping Hammer	25	1.45
120	1/4" pt. Special Radio Punch	33	.30	A-475-B	Set (in Steel Box), 1/2" Sq. Dr.	9	9.95	1144	Finishing Hammer	25	2.25
121	1/4" pt. Special Radio Punch	33	.30	501	1/4" x 1" S. D.	30 & 2	.45	1145	Finishing Hammer	25	2.25
122	3/8" pt. Special Radio Punch	33	.30	503	1/4" x 3" S. D.	30	.65	1146	Finishing Hammer	25	2.25
123	1/2" pt. Special Radio Punch	33	.30	505	1/4" x 5" S. D.	30 & 2	.75	1148	Hinge Straightener	25	1.75
124	1/2" pt. Spec. Radio Starter Punch	33	.30	508	1/4" x 8" S. D.	30 & 2	.90	1152	Reveal Tool Holder	25	1.35
125	1/2" pt. Special Radio Chisel	33	.30	512	1/4" x 12" S. D.	30	1.00	1153	Half Round Shell File	25	.85
127 Set	Spec. Radio Punch & Chisel Set	33	1.80	523	Phillips No. 1 x 3" Wood Screw Dr.	31 & 2	.50	1154	Flat Square Cornered File	25	.85
127 Set	(in roll)—Special Radio Punch & Chisel Set	33	2.20	553	3/8" x 3" Screw Driver	30	.45	1155	Special Egg Shaped File	25	.85
130	Ignition and Electrical Wrench	15	.40	555	3/8" x 5" Screw Driver	30 & 2	.50	1161	Special Curved File Handle	25	.75
131	Ignition and Electrical Wrench	15	.40	558	3/8" x 8" Screw Driver	30 & 2	.55	1162	Handle with Curved File	25	3.00
132	Ignition and Electrical Wrench	15	.40	562	3/8" x 12" Screw Driver	30	.65	1163	14" Curved File	25	2.25
133	Ignition and Electrical Wrench	15	.40	570	Phillips No. 1 Stubby x 1 1/2" Pyralin Screw Driver	31 & 2	.60	1171	Adjustable Flex. File Holder	25	2.45
134	Ignition and Electrical Wrench	15	.45	573	Phillips No. 1 x 3" Pyral. Screw Dr.	31 & 2	.65	1172	Holder Complete	25	4.50
135	Ignition and Electrical Wrench	15	.45	601	1/4" x 2 1/2" Overall Screw Driver	30 & 2	.55	1173	14" Flex. Standard Cut File	25	2.25
136	Ignition and Electrical Wrench	15	.50	604	1/4" x 4" Screw Driver	30 & 2	.85	1174-E	3/8" x 1/4" Double Speed Wrench	27	.50
137	Ignition and Electrical Wrench	15	.50	606	1/4" x 6" Screw Driver	30 & 2	.95	1175	4-Way Rim Wrench	27	1.85
140 Set	Ignition & Elec. Wrench Set	15	3.00	612	1/4" x 12" Screw Driver	30	1.05	1176-E	Economy 4-Way Rim Wrench	27	1.15
164	3/8" Bit Offset Screw Driver	31	.60	624	Phillips No. 2 x 4" Wood Screw Dr.	31 & 2	.60	1177	2 oz. Ball Pein Hammer	29	.90
165	3/8" Bit Offset Screw Driver	31	.75	654	1/4" x 4" Screw Driver	30 & 2	.55	1177-H	Handle for 1177 Hammer	29	.20
166	3/8" Bit Offset Screw Driver	31	.85	656	1/4" x 6" Screw Driver	30 & 2	.65	1178	4 oz. Ball Pein Hammer	29	1.00
167	3/8" Bit Offset Screw Driver	31	.95	662	1/4" x 12" Screw Driver	30	.85	1178-H	Handle for 1178 Hammer	29	.20
175	Tie Rod Tool	22	.90	670	Phillips No. 2 Stubby x 1 1/2" Pyralin Screw Driver	31 & 2	.75	1180	8 oz. Ball Pein Hammer	29	1.10
199	Female Mult. Drain Plug Wrench	26	1.15	674	Phillips No. 2 x 4" Pyral. Screw Dr.	31 & 2	1.00	1180-H	Handle for 1180 Hammer	29	.25
200	Drain Plug Wrench, mult. type	26	1.25	702	3/8" x 1 1/2" Screw Driver	30	.75	1181	12 oz. Ball Pein Hammer	29	1.20
202	Grease Pinch Bar, 3/4" x 30"	27	1.75	706	3/8" x 6" Screw Driver	30	1.10	1181-H	Handle for 1181 Hammer	29	.25
203	Grease Pinch Bar, 90° Offset	27	1.75	708	3/8" x 8" Screw Driver	30 & 2	1.20	1182	1 lb. Ball Pein Hammer	29	1.25
204	Ring Groove Cleaner	22	1.25	710	3/8" x 10" Screw Driver, Pyr. Hdle.	14	1.30	1182-H	Handle for 1182 Hammer	29	.25
204-B	Cutting Wheel	22	.25	712	3/8" x 12" Screw Driver	30	1.45	1184	1 1/2 lb. Ball Pein Hammer	29	1.45
205	Rim and Tire Tool—15 1/2"	27	.70	714	3/8" x 4" Screw Driver	31	.70	1184-H	Handle for 1184 Hammer	29	.30
206	Rim and Tire Tool—20"	27	.75	716	3/8" x 6" Screw Driver	31	.80	1186	2 lb. Ball Pein Hammer	29	1.60
207	Tire Iron Flat Spoon Type—18"	27	.75	718	3/8" x 8" Screw Driver	31	.90	1186-H	Handle for 1186 Hammer	29	.30
208	Tire Iron Curved Spoon Type—18"	27	.80	726	Phillips No. 3 x 6" Wood Screw Dr.	31 & 2	.75	1201	Pump Nut Spanner	21	1.00
209	Tire Iron Curv. Truck Sp. Type—26"	27	1.50	753	3/8" x 3" Screw Driver	30	.65	1202	3/4" S. E. Box Wrench	23	.70
210	Tire and Grease Bar 5/8" x 24"	27	1.50	755	3/8" x 5" Screw Driver	30	.85	1203	1 1/2" S. E. Box Wrench	23	.90
211	Comb. Tire and Rim Tool 5/8" x 21"	27	1.25	758	3/8" x 8" Screw Driver	30 & 2	.95	1204	3/4" S. E. Box Wrench	23	.90
212	Tire Spreader Tool	27	1.40	762	3/8" x 12" Screw Driver	30	1.05	1205	Chev. Obstruction & Manifold	23	1.10
213	Rim Tool and Lock Ring Lifter	27	1.45	764	3/8" x 4" Screw Driver	31	.40	1207	1/2" Two-in-one Diesel Wrench	24	1.45
215	Spring Spreader 5/8" x 16"	27	1.25	766	3/8" x 6" Screw Driver	31	.45	1210	Caster Adj. Wrench	24	.90
220	Special Lining Up Bar 5/8" x 20"	24	1.55	768	3/8" x 8" Screw Driver	31	.55	1211	Knee Action Wrench	23	2.00
221	Wrecking and Pry Bar 5/8" x 24"	34	.95	776	Phillips No. 3 x 6" Pyral. Screw Dr.	31 & 2	1.25	1212	Knee Action Camber Adj. Wr.	24	2.00
221-A	Wrecking and Pry Bar 5/8" x 18"	34	.85	801	3/8" x 3" Overall Screw Driver	30	.90	1212-A	Same as 1212 with 1 1/2" 12 pt.	24	2.50
222	Rolling Head Pry Bar 5/8" x 20"	34	1.65	808	3/8" x 8" Screw Driver	30	1.55	1213	Chev. Lamp Bracket Wrench	23	.90
230	Tire Prodding Awl	26	.25								

NUMERICAL NET PRICE INDEX NO. 40-A—Continued

No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price
1238-1 1/4"	Water Pump Wrench	16	\$1.00	2220-3/4"	x 5/8" Box Wrench	14	\$.95	2740-1 1/4"	Two-in-One Wrench	16	\$2.80
1240-1 1/4"	Water Pump Wrench	16	1.05	2222-3/4"	x 1 1/4" Box Wrench	14 & 3	1.00	2744-1 1/4"	Two-in-One Wrench	16	3.05
1242-1 1/4"	Water Pump Wrench	16	1.10	2222-E-5/8"	x 1 1/4" Economy Box Wrench	16 & 3	1.65	2800 Set	6 pc. Open End Wrench Set	15	6.05
1244-1 1/4"	Water Pump Wrench	16	1.20	2223-5/8"	x 1 1/4" Box Wrench	14 & 26	1.10	2800 Set (in roll)	Open End Wrench Set	15	6.55
1246-1 1/4"	Water Pump Wrench	16	1.40	2224-1 1/4"	x 3/4" Box Wrench	3 & 14	1.15	2808-3/4"	x 1 1/2" Open End Wrench	15	.45
1248-1 1/4"	Water Pump Wrench	16	1.20	2224-X-1 1/4"	x 3/4" Slotted Tire Valve Stem Wrench	27	.70	2810-3/4"	x 1 1/2" Open End Wrench	15	.55
1250-1 1/4"	Water Pump Wrench	16	1.40	2225-3/4"	x 1 1/4" Economy Box Wrench	14	1.15	2812-3/4"	x 1 1/2" Open End Wrench	15	.55
1252-1 1/4"	Water Pump Wrench	16	1.55	2225-E-3/4"	x 1 1/4" Economy Box Wr.	16 & 3	.70	2814-3/4"	x 1 1/2" Open End Wrench	15 & 2	.60
1256-1 1/4"	Water Pump Wrench	16	1.65	2228-3/4"	x 1 1/4" Box Wrench	14-26 & 3	1.20	2816-3/4"	x 1 1/2" Open End Wrench	15 & 2	.70
1288-1 1/4"	Buick Pump Nut Wrench	23	1.05	2228-E-3/4"	x 1 1/4" Valve Stem Wrench	27	1.40	2818-3/4"	x 1 1/2" Open End Wrench	15 & 2	.80
1290-1 1/4"	Buick Pump Nut Wrench	23	.70	2228-H-3/4"	x 1 1/4" H. D. Box Wrench	17	1.40	2820-3/4"	x 1 1/2" Open End Wrench	15 & 2	.85
1514-3/4"	L Wrench	18	.70	2228-H-1 1/4"	x 1 1/4" Box Wrench	14 & 23	1.40	2822-3/4"	x 1 1/2" Open End Wrench	15 & 2	.95
1516-3/4"	L Wrench	18	.80	2229-E-1 1/4"	x 1 1/4" Economy Box Wr.	16 & 3	1.75	2824-3/4"	x 1 1/2" Open End Wrench	15 & 2	1.00
1518-3/4"	L Wrench	18	.80	2229-L-1 1/4"	x 1 1/4" Box Wrench, long	14, 23 & 3	1.75	2826-3/4"	x 1 1/2" Open End Wrench	15 & 2	1.10
1519-3/4"	L Wrench	18	.80	2230-1 1/4"	x 1 1/4" Box Wrench	14	1.40	2828-3/4"	x 1 1/2" Open End Wrench	15 & 2	1.20
1520-3/4"	L Wrench	18	.80	2232-1 1/4"	x 1 1/4" Box Wrench	14 & 3	1.70	2830-3/4"	x 1 1/2" Open End Wrench	15 & 26	2.25
1520-F-3/4"	L Wrench (Ford Special)	18	1.00	2232-E-1 1/4"	x 1 1/4" Economy Box Wrench	16 & 3	1.90	2832-3/4"	x 1 1/2" Open End Wrench	15 & 2	1.40
1521-F-3/4"	L Wrench (Ford Special)	18	1.00	2232-H-1 1/4"	x 1 1/4" H. D. Box Wrench	17	2.50	2834-3/4"	x 1 1/2" Open End Wrench	15 & 2	1.55
1522-1 1/4"	L Wrench	18	.90	2234-1 1/4"	x 1 1/4" Box Wrench	14	1.80	2835-1 1/4"	x 1 1/4" Open End Wrench	15 & 2	1.75
1524-3/4"	L Wrench	18	1.00	2235-1 1/4"	x 1 1/4" Box Wrench	14 & 26	2.00	2835-1 1/4"	x 1 1/4" Open End Wrench	15 & 26	1.75
1525-3/4"	L Wrench	18	1.05	2236-1 1/4"	x 1 1/4" Box Wrench	14 & 3	2.10	2835-L-1 1/4"	x 1 1/4" O. E. Wrench, 16"	15 & 26	2.50
1526-3/4"	L Wrench	18	1.10	2240-1 1/4"	x 1 1/4" Box Wrench	14 & 3	2.65	2840-1 1/4"	x 1 1/4" Open End Wrench	15 & 26	3.00
1528-3/4"	L Wrench	18	1.20	2240-H-1 1/4"	x 1 1/4" H. D. Box Wrench	17	2.85	2844-1 1/4"	x 1 1/4" Open End Wrench	15 & 2	2.00
1530-3/4"	L Wrench	18	1.40	2242-1 1/4"	x 1 1/4" Box Wrench	14	3.25	2850-Tubular Handle, 18"	long	17	1.55
1532-1"	L Wrench	18	1.55	2246-1 1/4"	x 1 1/4" Box Wrench	14	3.25	2851-Tubular Handle, 18"	long	17	1.75
1534-1 1/4"	L Wrench	18	1.75	2246-H-1 1/4"	x 1 1/4" H. D. Box Wrench	17	3.80	2852-Tubular Handle, 24"	long	17	2.75
1601-1/8"	x 3/16" Double Offset Screw Dr.	26	1.00	2250-H-1 1/4"	x 1 1/4" H. D. Box Wrench	17	3.95	2870-1 1/4"	Stub Open End Wrench	17	3.00
1603-Hudson & Essex Clutch Wrench		27	.40	2252-1 1/4"	x 1 1/4" Box Wrench	14	4.40	2872-1 1/4"	Stub Open End Wrench	17	3.00
1614-3/4"	Double Socket L Wrench	16	1.00	2264-H-1 1/4"	x 2 1/4" H. D. Box Wrench	17	8.75	2874-1 1/4"	Stub Open End Wrench	17	3.85
1616-3/4"	Double Socket L Wrench	16	1.10	2314-3/4"	Single End Box Wrench	14	.45	2876-1 1/4"	Stub Open End Wrench	17	3.85
1618-3/4"	Double Socket L Wrench	16 & 26	1.20	2316-3/4"	Single End Box Wrench	14	.45	2878-1 1/4"	Stub Open End Wrench	17	4.25
1620-3/4"	Double Socket L Wrench	16	1.45	2318-3/4"	Single End Box Wrench	14	.55	2880-1 1/4"	Stub Open End Wrench	17	4.25
2000-Model A Valve Guide Punch		20	1.00	2320-3/4"	Single End Box Wrench	14	.55	2882-1 1/4"	Stub Open End Wrench	17	4.50
2001-Model V-8 Valve Guide Punch		20	1.00	2322-1 1/4"	Single End Box Wrench	14	.65	2900 Set	6 pc. Tappet Wrench Set	15	5.30
2002 (pair)-V-8 Main Bearing Wrench		20	1.90	2324-3/4"	Single End Box Wrench	14	.75	2900 Set (in roll)-Tappet Wrench Set		15	5.70
2003-V-8 Carburetor Jet Wrench		22	.90	2326-3/4"	Single End Box Wrench	14	.65	2910-1 1/4"	x 1 1/4" D. E. Tappet Wrench	15	.75
2004-V-8 Generator Spanner		21	.70	2328-3/4"	Single End Box Wrench	14	.80	2912-1 1/4"	x 1 1/4" D. E. Tappet Wrench	15	.80
2005-Water Pump Nut Wrench		21	.85	2330-3/4"	Single End Box Wrench	14	.90	2918-1 1/4"	x 1 1/4" D. E. Tappet Wrench	15	.85
2006-V-8 Valve Assembly Tool		20	1.65	2332-1 1/4"	Single End Box Wrench	14	1.00	2920-1 1/4"	x 1 1/4" D. E. Tappet Wrench	15	.90
2008-V-8 Starting Switch Wrench		21	.80	2334-1 1/4"	Single End Box Wrench	14	1.10	2922-1 1/4"	x 1 1/4" D. E. Tappet Wrench	15	.95
2009-V-8 Shock Absorber Wrench		22	1.00	2336-1 1/4"	Single End Box Wrench	14	1.35	2924-1 1/4"	x 1 1/4" D. E. Tappet Wrench	15	1.05
2009-1-V-8 Shock Ab. Wr. Dbl. Offset		22	1.00	2340-1 1/4"	Single End Box Wrench	14	1.90	2926-1 1/4"	x 1 1/2" Single End Tappet Wr.	15	.80
2010-V-8 Universal Housing Wrench		20	1.10	2344-1 1/4"	Single End Box Wrench	14	2.25	2964-1 1/4"	Single End Tappet Wrench	15	.85
2011-Piston Pin Tool		20	2.00	2346-1 1/4"	Single End Box Wrench	14	2.50	2966-1 1/4"	Single End Tappet Wrench	15	.90
2015 Complete-2 Jaw Gear Puller		19	11.95	2348-1 1/4"	Single End Box Wrench	14	2.75	2968-1 1/4"	Single End Tappet Wrench	15	.90
2015-A-Wide Jaws-pair		19	2.25	2352-1 1/4"	Single End Box Wrench	14	3.00	2970-1 1/4"	Single End Tappet Wrench	15	1.00
2015-B-Narrow Jaws-pair		19	2.25	2361-1 1/4"	Stub Box Wrench, H. D.	17	1.65	2972-1 1/4"	Single End Tappet Wrench	15	1.00
2015-C-Cap Screw Jaws-Pair		19	2.25	2362-1 1/4"	Stub Box Wrench, H. D.	17	1.65	2974-1 1/4"	Single End Tappet Wrench	15	1.10
2015-D-Two-way Block		19	2.25	2364-1 1/4"	Stub Box Wrench, H. D.	17	1.95	2978-1 1/4"	Single End Tappet Wrench	15	1.10
2015-E-Screw		19	1.75	2366-1 1/4"	Stub Box Wrench, H. D.	17	1.95	3008-3/4"	Socket, 3/8" sq. dr.	5	.35
2015-F-Side Plates-pair		19	.60	2370-1 1/4"	Stub Box Wrench, H. D.	17	2.10	3010-3/4"	Socket, 3/8" Sq. Dr.	5	.35
2015-G-Puller with 1 pair Jaws		19	7.45	2372-1 1/4"	Stub Box Wrench, H. D.	17	2.10	3012-3/4"	Socket, 3/8" Sq. Dr.	5	.35
2016 Complete-3 Jaw Gear Puller		19	10.00	2374-1 1/4"	Stub Box Wrench, H. D.	17	3.00	3014-3/4"	Socket, 3/8" Sq. Dr.	5	.35
2016-A-Three-way Block		19	3.15	2376-1 1/4"	Stub Box Wrench, H. D.	17	3.00	3016-3/4"	Socket, 3/8" Sq. Dr.	5	.40
2016-B-Jaws-each		19	1.10	2378-1 1/4"	Stub Box Wrench, H. D.	17	3.30	3018-3/4"	Socket, 3/8" Sq. Dr.	5	.40
2016-C-Side Plates-pair		19	.60	2382-1 1/4"	Stub Box Wrench, H. D.	17	3.85	3019-3/4"	Socket, 3/8" Sq. Dr.	5	.40
2016-D-Screw		19	1.75	2413-E-1 1/4"	x 1 1/4" Open End Wrench	26	.45	3020-3/4"	Socket, 3/8" Sq. Dr.	5	.45
2017-A-Midget Gear Puller-Nar. Jaws		19	3.25	2414-E-3/4"	x 3/4" Open End Wrench	26	.45	3021-3/4"	Socket, 3/8" Sq. Dr.	5	.45
2017-B-Midget Gear Puller-Wide Jaws		19	3.25	2416-E-1 1/4"	x 1 1/4" Open End Wrench	26	.60	3022-1 1/4"	Socket, 3/8" Sq. Dr.	5	.45
2017-C-Jaws, narrow-pair		19	1.50	2418-E-3/4"	x 3/4" Open End Wrench	26	.60	3024-3/4"	Socket, 3/8" Sq. Dr.	5	.45
2017-D-Jaws, wide-pair		19	1.50	2420-E-1 1/4"	x 1 1/4" Open End Wrench	26	.75	3025-3/4"	Socket, 3/8" Sq. Dr.	5	.50
2017-E-Head Block only		19	1.00	2421-E-3/4"	x 3/4" Open End Wrench	26	.75	3026-3/4"	Socket, 3/8" Sq. Dr.	5	.50
2017-F-Screw only		19	.75	2424-E-3/4"	x 3/4" Open End Wrench	26	.85	3071-Adaptor, 3/8"	Sq. Dr.	6	.65
2018-V-8 Con Rod Socket		20	.55	2425-E-3/4"	x 3/4" Open End Wrench	26	.85	3072-Adaptor, 3/8"	Sq. Dr.	6	.65
2020-Ford Wheel Puller		20	9.00	2428-E-3/4"	x 3/4" Open End Wrench	26	1.10	3074-21"	Shank Universal T Handle	8	2.75
2020-A-Head Block		20	4.20	2500 Set	4 pc. Flat Hdle. Box Wr. Set	16	4.80	3076-Drag Link Socket, 3/8"	Sq. Dr.	6	.65
2020-B-Screw only		20	2.00	2500 Set (in roll)-Flat Hdle. Box Wr. Set		16	5.30	3077-Drag Link Socket, 3/8"	Sq. Dr.	6	.65
2020-J-Jaws for Ford Wheel Puller		20	1.40	2514-3/4"	x 1 1/4" Flat Handle Box Wr.	16	.95	3078-Drag Link Socket, 3/8"	Sq. Dr.	6	.65
2021-3/8"	Axle Cap	20	.45	2516-3/4"	x 1 1/4" Flat Handle Box Wr.	16	1.00	3088-3/4"	8 pt. Socket, 3/8" Sq. Dr.	6	.40
2022-3/8"	Axle Cap	20	.55	2518-3/4"	x 1 1/4" Flat Handle Box Wr.	16	1.05	3090-3/4"	8 pt. Socket, 3/8" Sq. Dr.	6	.40
2023-1 1/4"	Axle Cap	20	.55	2520-3/4"	x 1 1/4" Flat Handle Box Wr.	16	1.10	3092-3/4"	8 pt. Socket, 3/8" Sq. Dr.	6	.45
2024-2 1/4"	Adaptor Ring	20	2.65	2521-3/4"	x 1 1/4" Flat Handle Box Wr.	16	1.25	3094-3/4"	8 pt. Socket, 3/8" Sq. Dr.	6	.45
2025-Universal Eccentric Wheel Puller		19	16.00	2524-3/4"	x 3/4" Flat Handle Box Wr.	16	1.40	3095-3/4"	8 pt. Socket, E. D. 3/8" Sq. Dr.	6	.50
2025-A-Gear Jaws-each		19	1.40	2529-3/4"	x 3/4" Flat Handle Box Wr.	16	1.65	3096-3/4"	8 pt. Socket, E. D. 3/8" Sq. Dr.	6	.50
2025-B-Disc or Wire Wheel Jaws-each		19	1.40	2532-1 1/4"	Flat Handle Box Wr.	16	1.90	3098-3/4"	8 pt. Socket, E. D. 3/8" Sq. Dr.	6	.50
2025-B-1-Die. Jaws with Offset, each		19	1.40	2536-1 1/4"	x 1 1/4" Flat Handle Box Wr.	16	2.25	3099-3/4"	8 pt. Socket, E. D. 3/8" Sq. Dr.	6	.50
2025-C-Ford Drum Jaws-each		19	1.40	2540-1 1/4"	x 1 1/4" Flat Hdle. Box Wr.	16	2.25	3112-3/8"	E. D. Soc., 12 pt., 3/8" Sq. Dr.	6	.50
2025-D-Long Gear Jaws-each		19	1.75	2544-1 1/4"	x 1 1/4" Flat Handle Box Wr.	16	2.75	3114-3/8"	E. D. Soc., 12 pt., 3/8" Sq. Dr.	6	.50
2025-E-Pulling Screw-1" x 12"		19	3.00	2546-1 1/4"	x 1 1/4" Flat Hdle. Box Wr.	16	2.95	3116-3/8"	E. D. Soc., 12 pt., 3/8" Sq. Dr.	6	.55
2025-F-Head Assembly only		19	8.80	2616-1 1/4"	x 3/8" S Type Box Wrench	14	.85	3118-3/8"	E. D. Soc., 12 pt., 3/8" Sq. Dr.	6	.60
2029-Model A Piston Pin Tool		19	2.00	2618-1 1/4"	x 3/8" S Type Box Wrench	14	.90	3120-3/8"	E. D. Soc., 12 pt., 3/8" Sq. Dr.	6	.65
2031-V-8 Lamp Bracket Wrench		22	1.95	2620-3/8"	x 5/8" S Type Box Wrench	14 & 21	.95	3122-1 1/4"	12 pt. E. D. Soc., 3/8" Sq. Dr.	6	.70
2034-Spring Assembly Tool		20	1.65	2623-3/8"	x 5/8" S Type Box Wrench	14 & 23	1.00	3124-3/8"	12 pt. E. D. Soc., 3/8" Sq. Dr.	6	.75
2035-8-8 pt. Ford Brake Wrench		21 & 26	1.20	2624-1 1/4"	x 3/8" S Type Box Wrench	14	1.00	3126-3/8"	12 pt. E.		

NUMERICAL NET PRICE INDEX NO. 40-A—Continued

No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price	No.	Description	Cat. Page	Net Price
3260	Sliding Bar, 3/4" Sq. Dr.	5	\$1.00	6034	1 1/2" Socket, 1/2" Sq. Dr.	7 & 3	.85	6375-B	Set (in steel box) 1/2" Sq. Dr.	9	\$22.95
3300	Box only, 18 3/4" x 6 3/4" x 1 1/2"	6	2.50	6036	1 1/2" Socket, 1/2" Sq. Dr.	7 & 3	.75	6376	Box only, 18 3/4" x 4 1/2" x 2"	9	2.25
3300-B	Set (in metal box), 1/2" Sq. Dr.	6	23.35	6038	1 1/2" Socket, 1/2" Sq. Dr.	7 & 3	.90	6376-B	Set (in steel box) 1/2" Sq. Dr.	9	19.80
3301	Box only, 13 1/2" x 4 1/2" x 1 1/2"	6	2.00	6040	1 1/2" Socket, 1/2" Sq. Dr.	7 & 3	.95	6378	Jr. Chest with Tray, 19" x 7 1/2" x 9"	11	5.00
3301-B	Set (in metal box), 1/2" Sq. Dr.	6	15.00	6054	1 1/2" Sq. Socket, 1/2" Sq. Dr.	7	.45	6378-1	Tray only for 6378 Chest	11	1.75
3302	T-37 pc. Chest, tools only	12, 13	37.05	6056	1 1/2" Sq. Socket, 1/2" Sq. Dr.	7	.45	6378-B	Set (in metal box) 1/2" Sq. Dr.	12 & 13	39.95
3303	Box only, 8 1/2" x 2 1/2" x 1 1/4"	6	.60	6058	1 1/2" Sq. Socket, 1/2" Sq. Dr.	7	.45	6378-T	37-pte. Chest, tools only	12, 13	34.95
3303-B	Set (in metal box), 1/2" Sq. Dr.	6	5.95	6060	1 1/2" Sq. Socket, 1/2" Sq. Dr.	7	.55	6379-B	Farmers' Tractor Set, in chest	12 & 13	33.90
3310	Universal Socket, 3/8" Sq. Dr.	5	1.45	6064	1 1/2" Square Socket, 1/2" sq. dr.	7	.55	6379-T	Farmers' Tractor Set, tools only	12, 13	28.90
3311	Universal Socket, 3/8" Sq. Dr.	5	1.45	6068	1 1/2" Square Socket, 1/2" sq. dr.	7	.65	6380	Sr. Chest with Tray, 20" x 10 1/2" x 12 1/2"	11	7.50
3314	Universal Socket, 3/8" Sq. Dr.	5	1.45	6072	1 1/2" Square Socket, 1/2" sq. dr.	7	.75	6380-1	Tray only for 6380 Chest	11	2.25
3316	Universal Socket, 3/8" Sq. Dr.	5	1.45	6073-1	Univ. T Hdle, 12" Sh. 1/2" sq. dr.	8	2.50	6380-B	Set (in metal box) 1/2" Sq. Dr.	12 & 13	64.30
3318	Universal Socket, 3/8" Sq. Dr.	5	1.45	6074-1	Univ. T Hdle, 21" Sh. 1/2" sq. dr.	8	3.00	6380-T	57 pc. Chest, tools only	12	56.80
3320	Universal Socket, 3/8" Sq. Dr.	5	1.50	6076	Drag Link Socket, 1/2" Sq. Dr.	8	.75	9013	Adaptor	6	.90
3322	Universal Socket, 3/8" Sq. Dr.	5	1.60	6077	Drag Link Socket, 1/2" Sq. Dr.	8	.65	9015	Adaptor	6	.95
3324	Universal Socket, 3/8" Sq. Dr.	5	1.60	6078	Drag Link Socket, 1/2" Sq. Dr.	8	.90	9017	Adaptor	6	.95
3512	Universal T Wr., 12" Shank	8	2.40	6084	8 pt. Socket, 1/2" Sq. Dr.	7	.45	9018	Adaptor	6	.90
3514	Universal T Wr., 12" Shank	8	2.40	6086	8 pt. Socket, 1/2" Sq. Dr.	7	.45	9019	Adaptor	6	.95
3516	Universal T Wr., 12" Shank	8	2.40	6088	8 pt. Socket, 1/2" Sq. Dr.	7	.45	9021	Adaptor	6	.90
3518	Universal T Wr., 12" Shank	8	2.40	6090	8 pt. Socket, 1/2" Sq. Dr.	7	.55	9023	Adaptor	6	.85
3520	Universal T Wr., 12" Shank	8	2.40	6092	8 pt. Socket, 1/2" Sq. Dr.	7	.55	9025	Adaptor	6	.95
3522	Universal T Wr., 12" Shank	8	2.75	6094	8 pt. Socket, 1/2" Sq. Dr.	7	.55	9026	Adaptor	6	1.65
3524	Universal T Wr., 12" Shank	8	2.75	6100	Set—Spark Plug Set	8	6.20	9201	1 1/2" Bar for Flex Handles	10	.20
3526	Jiffy Univ. T Wr., 12" Shank	8	2.10	6100-B	Spark Plug Set in metal box	8	6.50	9203	4" Extension, 3/4" Sq. Dr.	10	1.45
3564	Jiffy Univ. T Wr., 12" Shank	8	2.10	6101	Spark Plug Set	8	6.05	9204	8" Extension, 3/4" Sq. Dr.	10	1.60
3566	Jiffy Univ. T Wr., 12" Shank	8	2.10	6101-B	Spark Plug Set in metal box	8	6.35	9206	16" Extension, 3/4" Sq. Dr.	10	2.00
3568	Jiffy Univ. T Wr., 12" Shank	8	2.10	6106	Weatherhead Soc., 1/2" sq. dr.	7	.45	9208	Universal Joint, 3/4" Sq. Dr.	10	4.75
3570	Jiffy Univ. T Wr., 12" Shank	8	2.10	6108	Weatherhead Soc., 1/2" sq. dr.	7	.50	9209	Reversible Ratchet, 20" long	10	9.50
3712	Univ. T Wrench, 18" Shank	8	2.60	6110	Weatherhead Soc., 1/2" sq. dr.	7	.50	9210	Ratchet, 3/4" Sq. Dr.	10	7.00
3714	Univ. T Wrench, 18" Shank	8	2.60	6116	E. D. Socket, 1/2" Sq. Dr.	8	.75	9211	Ratchet Conn., 3/4" Sq. Dr.	10	.50
3716	Univ. T Wrench, 18" Shank	8	2.60	6118	E. D. Socket, 1/2" Sq. Dr.	8	.75	9212	6" Extension, 3/4" Sq. Dr.	10	2.15
3718	Univ. T Wrench, 18" Shank	8	2.60	6120	E. D. Socket, 1/2" Sq. Dr.	8	.80	9214	Speed Handle, 3/4" Sq. Dr.	10	3.25
3720	Univ. T Wrench, 18" Shank	8	2.60	6122	E. D. Socket, 1/2" Sq. Dr.	8	.80	9228	18" Flex Handle, 3/4" Sq. Dr.	10	4.50
3722	Univ. T Wrench, 18" Shank	8	2.90	6124	E. D. Socket, 1/2" Sq. Dr.	8	.80	9238	19" Flex Handle, 3/4" Sq. Dr.	10	5.00
3724	Univ. T Wrench, 18" Shank	8	2.90	6125	E. D. Socket, 1/2" Sq. Dr.	8	.80	9242	3/4" x 18" Bar for 9244	10	1.15
3762	Jiffy Univ. T Wr., 18" Shank	8	2.30	6126	E. D. Soc. (spk. plg.) 1/2" Sq. Dr.	8	.95	9244	3/4" sq. dr. x 15" Ext. T Wrench	10	2.65
3764	Jiffy Univ. T Wr., 18" Shank	8	2.30	6128	E. D. Soc. (spk. plg.) 1/2" Sq. Dr.	8	.95	9246	3/4" x 24" Bar for 9248	10	1.75
3766	Jiffy Univ. T Wr., 18" Shank	8	2.30	6129	E. D. Soc. (spk. plg.) 1/2" Sq. Dr.	8	1.00	9248	1 1/2" x 12 pt. x 15" Crowfoot Ext. T Wrench	10	3.75
3768	Jiffy Univ. T Wr., 18" Shank	8	2.30	6130	E. D. Soc. (spk. plg.) 1/2" Sq. Dr.	8	1.00	9250	Set, Dual Wheel Wr., tools only	10	11.50
3770	Jiffy Univ. T Wr., 18" Shank	8	2.30	6132	E. D. Soc. (spk. plg.) 1/2" Sq. Dr.	8	1.10	9250-B	Set, Dual Wheel Wr., in box	10	14.25
3812	Univ. T Wrench, 21" Shank	8	2.30	6134	E. D. Socket, 1/2" Sq. Dr.	8	1.00	9251-T	Set Univ. Truck Rim Wrs., tools only	10	5.25
3814	Univ. T Wrench, 21" Shank	8	2.75	6136	E. D. Socket, 1/2" Sq. Dr.	8	1.20	9251-B	Set Univ. Truck Rim Wrs., in Metal Box	10	8.00
3816	Univ. T Wrench, 21" Shank	8	2.75	6140	E. D. Socket, 1/2" Sq. Dr.	8	1.25	9255	17" L Handle, 3/4" Sq. Dr.	10	1.95
3818	Univ. T Wrench, 21" Shank	8	2.75	6145	Double End Spark Plug Socket	8	.90	9256	20" L Handle, 3/4" Sq. Dr.	10	2.25
3820	Univ. T Wrench, 21" Shank	8	2.75	6146	Double End Spark Plug Socket	8	.90	9257	24" L Handle, 3/4" Sq. Dr.	10	2.50
3822	Univ. T Wrench, 21" Shank	8	2.95	6147	Double End Spark Plug Socket	8	.90	9264	18" Sliding Bar T 3/4" Sq. Dr.	10	2.35
3824	Univ. T Wrench, 21" Shank	8	2.95	6150	Set—Dble. End Spark Plug Sockets	8	2.70	9265	21" Sliding Bar T 3/4" Sq. Dr.	10	2.50
3862	Jiffy Univ. T Wr., 21" Shank	8	2.50	6151	9" Flexible Handle for Tub. Sock.	8	.65	9300	Box only, 20 1/2" x 8 1/2" x 3"	10	2.75
3864	Jiffy Univ. T Wr., 21" Shank	8	2.50	6156	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.50	9300-B	Set (in steel box) 1/2" Sq. Dr.	10	23.05
3866	Jiffy Univ. T Wr., 21" Shank	8	2.50	6158	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.55	9309	Tray only, 16" long	10	1.00
3868	Jiffy Univ. T Wr., 21" Shank	8	2.50	6160	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.60	9309-B	Set (in steel box) 1/2" Sq. Dr.	10	13.00
3870	Jiffy Univ. T Wr., 21" Shank	8	2.50	6162	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.65	9318	Box only, 23" x 10" x 3 1/2"	11	4.00
3914	3/4" Flex Wrench	21	1.65	6164	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.70	9318-B	Set (in steel box) 1/2" Sq. Dr.	11	39.85
3918	3/4" Flex Wrench	21	1.75	6166	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.75	9320	Box only, 23" x 9 1/2" x 3 1/2"	11	6.00
3920	3/4" Flex Wrench	21	2.65	6168	12 pt. Crowft. Soc., 1/2" sq. dr.	8	.80	9320-B	Set (in steel box) 1/2" Sq. Dr.	11	64.80
3921	3/4" Flex Wrench	21	2.65	6186	O.E. Crowft. Soc., 1/2" sq. dr.	8	.50	9323	H. D. Chest, 22" x 10" x 10"	11	13.75
3922	3/4" Flex Wrench	21	2.65	6188	O.E. Crowft. Soc., 1/2" sq. dr.	8	.55	9325	Sr. Chest with Tray, 20" x 8" x 9 1/2"	11 & 13	10.00
3923	3/4" Flex Wrench	21	2.65	6190	O.E. Crowft. Soc., 1/2" sq. dr.	8	.60	9325-1	Tray only for 9325 Chest	11	3.00
3924	3/4" Flex Wrench	21 & 23	2.65	6192	O.E. Crowft. Soc., 1/2" sq. dr.	8	.65	9325-B	In Senior Chest Set	12 & 13	82.00
3925	3/4" Flex Wrench	21 & 23	2.65	6194	O.E. Crowft. Soc., 1/2" sq. dr.	8	.70	9325-T	74 pc. Chest, tools only	12	72.00
3928	3/4" Flex Wrench	21	2.65	6196	O.E. Crowft. Soc., 1/2" sq. dr.	8	.75	9326	8 1/2" H. D. Socket	10	.65
3950	Allis-Chalmers Con Rod Wrench	24	3.00	6198	O.E. Crowft. Soc., 1/2" sq. dr.	8	.80	9326-B	Industrial Tractor Set, in chest	12 & 13	85.95
5000	3/4" Hex Spark Plug Spinner	18	.85	6201	1 1/2" Bar for 15" & 18" Flex Hdles.	7 & 3	2.20	9326-T	Industrial Tract. Set, tools only	12, 13	78.45
5000-T	3/4" Hex Spark Plug Spinner with T Handle	18	1.50	6202	3 1/2" Extension, 1/2" Sq. Dr.	7 & 3	.65	9328	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.70
5001	1 1/4" Inside Hex x 1/2" Outside Hex x 1/2" Hole Socket	18	.85	6203	5" Extension, 1/2" Sq. Dr.	7 & 3	.70	9330	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.75
5001-A	1 1/4" Inside Hex x 1/2" Outside Hex x 1 1/4" Hole Socket	18	1.10	6204	8" Extension, 1/2" Sq. Dr.	7	.80	9331	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.80
5002	1 1/4" Hex x 1/2" Hole x 1/2" 12 pt. Curved Box Wrench	18	1.95	6205	10" Extension, 1/2" Sq. Dr.	7	.85	9332	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.80
5003	1 1/4" Inside Hex x 1/2" Outside Hex Deep Socket, Fibre Lined	18	1.65	6206	20" Extension, 1/2" Sq. Dr.	7	1.40	9334	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.85
5004	Same as 5003—without fibre lining	18	1.25	6207	26" Extension, 1/2" Sq. Dr.	7	1.60	9336	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.90
5005	Same as 5003 without lining and outside hex.	18	.80	6208	Universal Joint, 1/2" Sq. Dr.	7 & 3	1.65	9338	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	.95
5006	1 1/4" Inside Hex Deep Socket, Fibre Lined	18	2.00	6210	Ratchet, 3/4" Sq. Dr.	7	3.75	9340	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.00
5007	Same as 5006 without fibre lining	18	1.50	6210-1	14" Special Constr. Ratchet for 10-RPH	17	4.00	9342	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.05
5009	1" Inside Hex—Deep Socket—Fibre Lined	18	1.60	6211	Reversible Ratchet, 1/2" Sq. Dr.	7 & 3	3.75	9344	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.15
5010	Same as 5009 without fibre lining	18	1.10	6211-2	14 1/2" Long Reversible Ratchet, 1/2" sq. dr.	7	4.00	9346	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.25
5011	1 1/2" hex x 1 1/4" Hole x 1/2" 12 pt. Straight Box Wrench	18	2.50	6214	14" Speed Handle, 1/2" Sq. Dr.	7	1.65	9348	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.55
5012	1 1/2" x 12" Open End Crowfoot Extension Wrench with T Handle	18	2.00	6215	18" Speed Handle, 1/2" Sq. Dr.	7 & 3	1.85	9350	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.65
5013	1 1/2" x 18" Open End Crowfoot Extension Wrench with T Handle	18	2.50	6217	S. D. Bit, 4 1/2" long, 1/2" Sq. Dr.	7	1.05	9352	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.80
5014	1 1/2" x 18" Open End Crowfoot Extension Wrench with T Handle	18	2.50	6219	Grease Baffle Socket, 1/2" Sq. Dr.	7	.90	9354	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	1.95
5015	1 1/2" 12 pt. x 12" Box Crowfoot Extension Wrench with T Handle	18	2.00	6220	10" Flex Handle, 1/2" Sq. Dr.	7 & 3	1.85	9356	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	2.00
5016	1 1/2" 12 pt. x 18" Box Crowfoot Extension Wrench with T Handle	18	2.50	6228	18" Flex Handle, 1/2" Sq. Dr.	7	2.85	9358	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	2.10
5017	1 1/4" Inside Hex Socket, 1/2" sq. dr. fibre lined	18	2.00	6230	10" Flex Handle, 1/2" Sq. Dr.	7	1.90	9360	1 1/2" H. D. Socket, 3/4" Sq. Dr.	10	2.25
5018	Same as 5017 but without fibre lin.	18	1.50	6233	13" Flex Handle, Inside Head, 1/2" Sq. Dr.	7	1.95	9364	2" H. D. Socket, 3/4" Sq. Dr.	10	2.45
6014											